

Brusce (-T)

A GENERAL

H I S T O R Y

O F

QUADRUPEDS.

THE FIGURES ENGRAVED ON WOOD BY T. BEWICK.

THE THIRD EDITION.



NEWCASTLE UPON TYNE:

FRINTED BY AND FOR S. HODGSON, R. BEILBY, & T. BEWICK, NEWCASTLE: SOLD BY THEM, BY G. G. J. & J. ROBINSON, & C. DILLY, LONDON.

1.792.

[PRICE NINE SHILLINGS IN BOARDS.]



ADVERTISEMENT.

In disposing the order of the following work, we have not thought it necessary to confine ourselves strictly within the rules prescribed by systematic writers on this part of Natural History; as it was not so much the object of our plan to lay down a methodical arrangement of the various tribes of sour-footed animals, as to give a clear and concise account of the nature, habits, and disposition of each, accompanied with more accurate representations that have hitherto appeared in any work of this kind. Our disregard of system, however, has not prevented us from attending to the great divisions of Quadrupeds, so obviously marked out by the hand of Nature, and so clearly distinguished, that the most careless observer cannot avoid being forcibly struck with an agreement of parts in the outward appearance of the different individuals of which each consists.

The intermediate stations, however, have not been always so clearly defined; these are frequently occupied by characters so dubious, that naturalists have not always agreed in ascribing to each its proper place: Of this kind are the Elephant, the Hippopotamus, the Rhinoceros, the Cameleopard, the Beaver, the Hedge-hog, the Sloth, the Jerboa, &c. which bear in themselves characteristics so peculiar, that they might feem to constitute distinct genera.

We have endeavoured to lay before our readers a particular account of the animals with which our own country is abundantly flored, especially of those which so materially contribute to the strength, the wealth, and the happiness of this kingdom; of these the Horse, the Cow, and the Sheep, claim the sirst place; and in treating of these, we have noticed the improvements which an enlarged system of agriculture, supported by a noble spirit of emulation, has introduced into all parts of the country.

ADVERTISEMENT.

To these we may add that most useful animal the Dog, the account of which forms a conspicuous part of our history, and we trust will afford some entertainment to those who are pleased with contemplating the various talents of that trusty servant and humble companion of man: We have selected the most remarkable of the different kinds, and have given faithful portraits of them, drawn from the life; there are still others, not unworthy of attention, which might have been added; but to have noticed all the variations and shades of difference observable in the canine race, would have swelled our account, already large, to an immoderate length, and have left us too little room for others of equal importance, in a comprehensive view of this part of the animal creation.

Our attention has been directed in a particular manner to the various instinctive powers of animals—that hidden principle which actuates and impels every living creature to procure its substitute, provide for its safety, and propagate its kind. To discover more and more of this unerring guide, directing the brute creation to their highest good by the simplest and most certain methods, is a pursuit worthy of the most refined understanding, and leads us to contemplate the wisdom and goodness of the adorable Author of nature, who "openeth his hand, and all things are filled with good."

It may perhaps be thought necessary to offer some apology for the evident want of proportion observable in the sizes of the different animals; a defect to which every work of this kind must, in some measure, be liable. In adverting to this, we found, that at whatever point, between the Elephant and the Mouse, the scale were to be sixed, a great and unavoidable desiciency would be the consequence; we were therefore obliged to relinquish a plan, which, so far from being practicable, would have been the means of throwing the whole into irregularity and consusting.

I N D E X.

| A PAGE. X | PAGE. |
|---------------------------------------|--------------------------------|
| ∧ DIVE 295 Å | Bat, the Barbastelle - 477 |
| A Agouti 349 § | the Serotine - ibid. |
| Ai 458 V | the Horfe-shoe - ibid. |
| Aut-eater, the Great - 459 | the Roussette, or |
| the Middle - 460 V | Great Ternate - 479 |
| the Leffer - ibid. | the Rougette, or |
| Antelope, the Common - 95 | Leffer Ternate - 480 |
| the Barbary - ibid. | the Spectre - 481 |
| the Scythian - 98 | the Senegal - ibid. |
| the Striped - 89 | the Bull-dog - ibid. |
| Ape, the Barbary - 417 | the Bearded - 482 |
| Armadillo 462 | the Striped - ibid. |
| the Three- | Bear, the Brown - 261 |
| banded - 463 § | the Polar 268 |
| the Six-banded 464 | the Black - 266 |
| the Nine-band- | Beaver 383 |
| ed - 465 \$ | Bison 39 |
| the Weafel- | Blue-Goat 80 |
| headed - 466 | Boar, the Wild - 144 |
| Afs 17 | Common or Do- |
| Axis 128 | mellic - 146 |
| · · · · · · · · · · · · · · · · · · · | the African Wild 149 |
| В | Bucha 42 |
| Baboon 418 | Buffalo 43 |
| the Great Rib- | |
| bed-nose - 420 | C |
| the Small Rib- | Cagvi 439 |
| bed-nose - 422 | Callitrix 430 |
| the Pig-tailed - 423 | Camel 136 |
| the Dog-faced - 424 | the Arabian - 140 |
| the Urfine - 425 | |
| Babiroussa 153 | (Caracal 215 |
| Babr 192 | the Nubian - 216 |
| Badger 254 | Č Caribou 120 |
| Bat 474 | Cat, the Domestic - 208 |
| the Short-eared - ibid. | the Wild - 205 |
| the Long-eared - 476 | the Wild Red - ibid. |
| the Noctule, or | 🕅 Angora 207 |
| Great ibid. | Cavy, the Restless - 345 |
| the Pipistrelle - 477 | $\hat{\chi}$ the Spotted - 346 |

| Cavy, the Long-nosed - 349 | Dog, the English Setter 325 |
|----------------------------|-------------------------------------------|
| the Akouchi - 350 | the Newfoundland 326 |
| the Rock - 351 | the Rough Water 328 |
| Chevrotain 97 | the Large Water- |
| Civet 244 | Spaniel - 329 |
| Coaita 435 | the Small Water- |
| Coati 251 | Spaniel - 330 |
| Coendou 447 | the Springer, or |
| Conepate 242 | Cocker - 331 |
| Corin 96 | King Charles's - ibid. |
| Couguar 197 | the Pyrame - ibid. |
| Coquallin 336 | the Shock - ibid. |
| 550 | |
| T | the Lion 332 the Comforter - ibid. |
| D | y , m |
| Deer, the Fallow - 129 | the Turnipit - 333 |
| Dog 296 | the Pug ibid. Dormouse, the Greater - 359 |
| the Shepherd's - 299 | |
| the Cur 301 | |
| the Greenland - 303 | Douc 433 |
| the Bull 306 | Dromedary 140 |
| the Mastiss 307 | |
| the Ban 309 \ | E |
| the Dalmatian or | Elephant 166 |
| Coach 310 | Elk 108 |
| the Irish Greyhound 311 | the American - 112 |
| the Highland Grey- | Elk-Antelope 86 |
| hound 312 | Ermine 223 |
| the Gazehound - ibid. | Exquima 436 |
| the Lyemmer - ibid. |) Dixquilla 430 |
| the Greyhound - 313 | _ |
| the Italian Grey- | } F |
| | Ferret 225 |
| the Lurcher - 314 | Fossane 239 |
| the Tumbler - 315 | Foumart 228 |
| the Terrier - ibid. | Fox 276 |
| the Beagle 316 | the Greyhound - 279 |
| the Harier - 317 | |
| the Fox-Hound - 318 | the Cur ibid. |
| the Old English | the Black 282 |
| Hound 320 | the Crofs ibid. |
| the Kibble-Hound 321 | the Corfae ibid. |
| the Blood-Hound - ibid. | the Arctie 283 |
| . 21 | Free Martin 33 |
| the Spanish Pointer 324 b | A rec Addition |

| G X J | |
|---------------------------------------------|-----------|
| Gazelles 79 X Jackall | 292 |
| Gazelles 79 y Jackan Gemfe-Bok 90 y Jaguar | 196 |
| Genet 243 Jerboa | - 364 |
| Gibbon 416 X | J-T |
| Giraffe, or Cameleopard 106 \(\) K | |
| C A | 114 |
| - S A Kabanou - | - 466 |
| Al Classic Manguiou | 404 |
| CA Tranguiou-Ital | 406 |
| C711 1 | - 96 |
| c b | - 93 |
| AL C | - 96 |
| the Syrian - 77 Koedoe African 78 Koedoe | - 89 |
| ~ · · · | |
| 0 D 1 | |
| 92 / | ~ |
| | - 141 |
| Guinea-Pig 345 § Leming | 375 |
| Y T · | 193 |
| H & Lion Lion Lion-Apc | 179 |
| Hamster 370 Loris | 440 |
| Hare 337 \ Louchu | 410 |
| the Alpine - 340 \ Lynx | 192 |
| Hart-Beeft 88 % the Bay - | - 212 |
| Hedge-hog 448 v | - 213 |
| Hippopotamus - + 162 0 | |
| Hog, the Common - 146 M | |
| Horse Macaque | 427 |
| the Arabian - 3 Macauco, the Yellow | - 407 |
| the Racer 5 % the Ring-to | ailed 408 |
| the Hunter - 7 \$\times\$ the Tail-les | s - 409 |
| the Black 8 & the Mongo | oz 410 |
| Old English Road 10 8 the Black | - 411 |
| Pony ibid. Magot | - 417 |
| the Common Carter II & Maimoh | 423 |
| Hyena, the Striped - 271 & Malbrouck | 428 |
| the Spotted - 274 Mangabey | 429 |
| Manis | - 46I |
| I the Long-tailed | 1 - 462 |
| Ibex Marapute | - 204 |
| Tohnous 70 Margay | - 202 |
| Tehen | 440 |
| Irbys 212 % Marmot | - 366 |

| | - | |
|--------------------------|------------------------|-------|
| Marmot, the Quebec - 369 | N | |
| the Earless - 373 | Nanguer | |
| the Tail-lefs - 374 | Nems | 94 |
| the Lapland - 375 | Nyl-Ghau | 227 |
| Martin 232 | (Nyl-Ghau | 100 |
| the Yellow- | _ | |
| breafted - 231 | Ò | |
| 7LF * | Ocelot | 200 |
| 71 1 | Opostum, Saragoy - | 395 |
| | Murine - | 397 |
| D 11 . 1 | Mexican - | 398 |
| | the Phalanger | 399 |
| 371 | the Spotted - | 400 |
| Monax 368 | the Vulpine - | ibid. |
| Monkey, the Patas, or | the Flying - | 401 |
| Red - 427 | of Van Die- | 401 |
| the Chinese | men's Land | |
| Bonnet - 429 } | \ | 402 |
| the Callitrix, or | Squirrel - | 403 |
| Green - 430 \ | Oran-Outang | 413 |
| the Varied, or | Otter | 45 I |
| Mona - 432 \ | the Small - | 454 |
| the Howling - 434 | the Minx - | ibid. |
| the Spider - 435 | the Sea | 455 |
| the Saimiri, or | Ouarine, or Preacher - | 434 |
| Orange - 437 | Ouistiti | 439 |
| the Fox-tailed ibid. | Ounce | 195 |
| the Great-eared 438 | Ox | 23 |
| the Silky - 440 | Holftein or Dutch | |
| the Pinche, or | Breed | 26 |
| D | the Lancashire - | 27 |
| Red-tailed - 441) | Kyloe | 31 |
| 77 1 | (Wild Cattle - | 34 |
| | ζ | |
| Mouflon, or Mulmon - 64 | P | |
| Moufe 387 | · | |
| Long-tailed Field 388 | Pacos | 143 |
| Short-tailed Field 389 | Pangolin | 461 |
| Shrew ibid. | Panther | 191 |
| Water Shrew - 390 \ | Patas | 427 |
| Dwarf 391 } | Peccary | 151 |
| Mule 14 5 | Perfian Savage - | 425 |
| Musk 103 | Phalanger | 399 |
| Musk-Bull 45 | Phatagin | 462 |
| Multache 431 | Pied-Goat | 18 |
| | | |

| Pigmy · · · | 415 | Seal, the Urfine . 472 |
|---------------------|-------------------------|--------------------------------|
| Polecat - · · | | Serval 204 |
| Porcupine | 444 | Sheep 46 |
| the Brazilian | 446 | Lincolnihire Breed 50 |
| the Canada . | 447 | Dorletihire ditto <i>wid</i> . |
| | | the Short - 52 |
| Q | | Leicestershire ditto 54 |
| Onagga | 21 | Mr Culley's breed 56 |
| Quagga | ~ ~ ; | the Shetland . 58 |
| R | Š | the Dunky, or |
| | | Dwarf 60 |
| Rabbit | 341 | the Tartarian 61 |
| the Domestic . | 343 | the African or |
| of Angora . | ibid. | Guinea ibid. |
| the Hooded . | ibid. | the Many-horned . 62 |
| Racoon | 252 | the Broad-tailed . ibid. |
| Kat | | of Thibet 63 |
| Water | 380 | the Walachian . ibid. |
| Musk of Canada . | 381 | Sifac 433 |
| Muscovy Musk . | 382 | ⟨Skunk 240 |
| Ratel | 249 | Sloth 457 |
| Ree-Dok | 91 | Soussik 373 |
| Riet | 92 | Springer 84. |
| Rein-Deer | 114 | Squirrel 352 |
| Rhinoceros the Two- | 156 | the Hudfon's |
| | -60 | Bay . 354 |
| Roe-Buck horned - | 160 | the Grey . ibid. |
| Roe-Duck | 132 | the Black . ibid. |
| S | | the Ground . 356 |
| _ | j | the Barbary . 358 |
| Sable | 233 | the Palm . ibid. |
| Sagoin | 233 433 436 98 | the Fat . 359 |
| Sai | 436 | the Garden . ibid. |
| Saiga | 98 | the Flying . 36E |
| Saimiri | 437 | the Great Flying 362 |
| Sajou | 436 | the Hooded . ibid. |
| Saki , | 437 | the Long-tailed 363 |
| Sand-Bear | 257 | Stag, or Red Deer . 122 |
| Sapajou | 433 } | the Corfican . 127 |
| Sarluc | 42 | the Axis, or |
| Scaly Lizard | 462 \$ | Ganges . 128 |
| Sea-Horse | 467 | Steen-Bok 94 |
| Seal | 469 { | Stiffing, or Squash . 241 |
| the Hooded . | 471 } | Stoat , 223 |

I N D E X.

| Comingto | - 01 | | *** | | |
|----------------------|--------|------------|--------------|---------|-----|
| Suricate | 248 | ζ | \mathbf{W} | | |
| Syah-Gush | 215 | Walrus | | | |
| | | | • | • | 467 |
| \mathbf{T} | | Wandero | u . | | 126 |
| Pri t | | 🖁 Weafel 👚 | • | | 219 |
| Talapoin | 431 | y th | ne White | | 224 |
| Tamarin | 438 | | ie Madag | | 227 |
| Tanrec | 450 | | e Pine | arcur . | |
| Tapiir | 155 | , | | • | 231 |
| Tarsier | | | e Fisher | | 236 |
| | 411 | | e Four-to | | 248 |
| Tatou | 464 | | e Brazili | an . | 251 |
| Tatuapara | 463 | Wolf . | | | 285 |
| Tatuette | 464 | | New Sour | th- | |
| Tendrac | 449 | 77. | | • | 001 |
| Tiger | | XX7-1 | aics | | 291 |
| the Black | 300 | Wolverin | e, or Glu | tton. | |
| | | Wood-Go | oat . | • | 82 |
| Cat | 204) | (| | | |
| | (| , | | | |
| U | (|) | Z | | |
| *T | () | | | | |
| Unau | 458 | Zebra | | | 20 |
| Urfon | 447) | Zebu | • | • | |
| Urus, or Wild Bull . | 38 | | • | • | 40 |
| | , J | Zemni | • | • | 373 |
| V | Ŏ | Zibet | | • | 247 |
| · · | V. | Zifel | | | 373 |
| Vansire | 227 \$ | Zorilla | | | 242 |



A GENERAL

HISTORY

OF

QUADRUPEDS.

THE HORSE.

HE various excellencies of this noble animal, the grandeur of his stature, the elegance and proportion of his parts, the beautiful smoothness of his skin, the variety and gracefulness of his motions, and above all, his utility, entitle him to a precedence in the history of the brute creation.

The Horse, in his domestic state, is generous, docile, spirited, and yet obedient; adapted to the various purposes of pleasure and convenience, he is equally serviceable in the draught, the field, or the race.

There are few parts of the known world where the Horse is not produced; but if we would see him in the enjoyment of his native freedom, (unsubdued by the restraints man has imposed upon him) we must look for him in the wild and extensive plains of Africa and Ara-

HISTORY OF QUADRUPEDS.

bia, where he ranges without controul, in a state of entire independency. In those immense tracts, the wild Horses may be seen seeding together, in droves of sour or five hundred; one of them always acting as centinel, to give notice of approaching danger; This he does by a kind of fnorting noise, upon which they all fly off with aftonishing rapidity. The wild Horses of Arabia are esteemed the most beautiful in the world: They are of a brown colour, their mane and tail of black tufted hair, very fhort; they are fmaller than the tame ones, are very active, and of great fwiftness. The most usual methods of taken them are by fnares or pits formed in the fand.—It is probable there were once wild Horses in Europe, which have long fince been brought under fubjection. Those found in America were originally of the Spanish breed, fent thither upon its first discovery, which have fince become wild, and fpread themselves over various parts of that vast continent. They are generally fmall, not exceeding fourteen hands high; with thick heads and clumfy joints: Their ears and necks are longer than those of the English Horses. They are easily tamed; and if by accident they be set at liberty, they feldom become wild again; but know their mafter, and may be easily caught by him.





THE ARABIAN HORSE.

There is fearcely an Arabian, how poor foever in other respects, but is possessed of his Horse, which he confiders as an invaluable treasure. Having no other dwelling but a tent, the Arabian and his Horse live upon the most equal terms: His wife and family, his mare and her foal, generally lie indifcriminately together; whilst the little children frequently climb without fear upon the body of the inoffenfive animal, which permits them to play with and carefs it without injury. The Arabs never beat their Horses; they speak to, and feem to hold friendly intercourse with them; they never whip them; and feldom, but in cases of necessity, make use of the spur. Their agility in leaping is wonderful; and if the rider happen to fall, they are so tractable as to fland still in the midst of the most rapid career .- The Arabian Horses are in general less than the Racc-Horses of this country, eafy and graceful in their motions, and

HISTORY OF QUADRUPEDS.

rather inclined to leannefs.—It is worthy of remark, that, inftead of crofling the breed, the Arabs take every precaution to keep it pure and unmixed: They preferve with the greatest care, and for an amazing length of time, the genealogies of their Horses—Those of the first kind are called Nobles, being "of a pure and ancient race, purer than milk." They have likewise two other kinds, which, having been degraded by common alliances, fell at inferior prices.

From Arabia, the race of Horses has probably extended into Barbary and other parts of Africa; those being considered as next to the Arabian Horses in swiftness and beauty, though they are somewhat smaller.

The Spanish Genette is held in great estimation: Like the former, it is small, but beautiful, and extremely swift.

The Horses of India and many parts of China are extremely small and vicious. One of these was some years ago brought into this country as a present to the queen, which was very little larger than some mastiss, measuring only nine hands in height.



In Great-Britain, the breed of Horses seems to be as mixed as that of its inhabitants.—By great attention to the improvement of this noble animal, by a judicious mixture of several kinds, and by superior skill in management, the English



RACE-HORSE*

is allowed to excel those of the rest of Europe, or perhaps the whole world. For supporting a continuance of violent exertion, (or what is called, in the language of the turf, bottom) they are superior to the Arabian, the

A 3

* The following account of the prizes won by some of our capital Race-Horses, will show the importance of that breed in England, where such vast sums frequently depend on the issue of their contests:—

BAY MALTON, (by Sampson) the property of the late Marquis of Rockingham, in seven prizes won the amazing sum of 5,900l. At York, he ran sour miles in seven minutes and forty-three and an half seconds, which was seven and an half seconds less time than it was ever done before over the same course.

CHILDERS, (well known by the name of Flying Childers) the property of the Duke of Devonshire, was allowed by sportsmen to be the sleetest Horse that ever was bred in the world: He started

Barb, or the Persian; and for swiftness, they will yield the palm to none. An ordinary Racer is known to go at the rate of a mile in less than two minutes; but there have been instances of much greater rapidity: The famous Horse Childers has been known to move eighty-two feet and an half in a second, or nearly a mile in a minute; he has run round the course at Newmarket, which is little less than four miles, in six minutes and forty seconds.

repeatedly at Newmarket against the best Horses of his time, and was never beaten: He won, in different prizes, to the amount of nearly 2,000l; and was afterwards reserved as a stallion—The sire of Childers was an Arabian, sent by a gentleman as a present to his brother in England.

DORIMANT, a famous Horse belonging to Lord Offory, won

prizes to the amazing amount of 13,3631.

ECLIPSE was allowed to be the fleetest Horse that ever ran in England since the time of Childers.—After winning king's plates and other prizes to a great amount, he covered, by subscription, forty mares, at thirty guineas each; besides those of his owner.

HIGHFLYER was accounted the best Horse of his time in England. The sums he won and received amounted to near 9,000l. though he never started after five years old. He was never beaten,

nor never paid a forfeit.

MATCHEM, a Horse belonging to the late W. Fenwick, Esq; besides being a capital Racer, was particularly remarkable as a stallion; and may be truly said to have earned more money than any other Horse in the world. He was engaged, during nine years of his life, to cover twenty-five mares, at fifty guineas a mare; and was uncommonly successful in the celebrity of his progeny, having been fire to many of our most samous running Horses. He was remarkable for being the quietest stallion that ever was known; to which, perhaps, may be attributed his great age, being in his thirty-third year when he died.

SHARK won, befides a cup value 120gs, and eleven hogfheads of claret, the amazing fum of 15,507gs, in plates, matches, and

forfeits.

The most extraordinary instance of sleetness, in a trotting pace, we remember to have seen recorded, was performed, on the 4th of July, 1788, for a wager of thirty guineas, by a Horse, the property of a gentleman of Billiter-square, London. He trotted thirty miles in an hour and twenty minutes, though he was allowed, by the terms of the bet, an hour and an half.




THE HUNTER

is a happy combination of the Race-Horse with others of superior strength, but inserior in swiftness; and may be considered as the most useful breed of Horses in Europe. Their spirit and activity in the field is well known, and can only be equalled by the perseverance with which they endure the much more severe labour of posting on the road, which is now earried on by this active and hardy race, with a celerity unknown at any former period.

Geldings of this kind are fent over to the continent in great numbers: Their fuperior worth is univerfally aeknowledged abroad; and they are fold at very high prices to foreigners of the first distinction.

The mixture of this with others of inferior rank forms an endless variety, the different gradations becoming too minute to be discriminated.



THE BLACK-HORSE.

No other country has produced a breed of Horses equal in fize and strength to the larger kind of our draught Horses. The cavalry of England is in general formed of this class of Horses; but their inutility being experienced in some situations, others of a lighter and more active kind have been substituted in a few regiments. The fens of Lincolnshire generally produce a larger breed than any other part of the kingdom. In London, there have been instances where a single Horse of that kind has drawn, for a small space, the enormous weight of three tons, half of which is known to be their ordinary draught.

Considerable improvements have of late years been made in this kind of Horses, by Mr Bakewell of Dishley, and others; who, by great attention and ingenuity, have acquired such celebrity, that they frequently sell stallions of their respective breeds for two hundred gui-

neas; or, what is a more general practice, let them to hire by the feafon, for forty, eighty, or perhaps an hundred guineas; and fome of them cover at five guineas a mare. The form of the black Lincolnshire Horse has, by their management, been materially altered: The long fore-end, long back, and long thick hairy legs, have gradually contracted into a short thick carcase, a short but upright fore-end, and short clean legs; experience having at length proved, that strength and activity, rather than height and weight, are the more essential properties of farm Horses.

Another advantage possessed by this improved breed, is its hardiness, or thriving quality; its being able to carry sless, or stand hard work, with comparatively little provender. This hardiness of constitution, or natural propensity to thriving, the Leicestershire breeders affert is hereditary in particular individual breeds or lines of Horses. If this observation be just, and that the feeding quality can be obtained with any degree of certainty by management in breeding, in this as well as other kinds of live stock, it is a most interesting circumstance in the nature of domestic animals.

A strong, bony, and active kind of Horses is now used in our carriages, instead of the old black Coach-Horse, which is almost universally laid aside. The docked tail, offensive both to humanity and decency, is rarely to be seen: Propriety and good sense have at length prevailed over a custom replete with absurdity; and our Horses are permitted to tetain a member both useful and ornamental. But we have still to regret, that the cruel practice of forming the tail, by cutting and nicking it on the under side, is yet continued.


HISTORY OF QUADRUPEDS.

Although it would be impossible to trace out the kind of Horses with which our British ancestors opposed themselves to the legions of Julius Cæsar, on his landing in this country; yet that celebrated warrior himself bears testimony to their activity and discipline.

The Old English Road-Horse was strong, vigorous, and active, and capable of enduring great hardship; was rather low, seldom exceeding sourteen hands; his body round and compact, his limbs strong, and his head thick.

The Ponies of Wales, and those brought out of the Highlands of Scotland, seem to be original and unmixed. They are both much esteemed for the neatness and beauty of their forms, for the nimbleness of their motions, and above all, for being remarkably sure-stoted in the most dissipation which renders them extremely valuable in those mountainous tracts to which they originally belong.—Those brought from Shetland are the smallest of the genus, being in general much less than the Ass.





THE COMMON CART-HORSE

is inferior to the last in size and strength: His form is heavy, his motions slow, and his aspect without spright-lines: He is nevertheless extremely useful, and is employed in the business of agriculture and other domestic concerns.

Till of late years, Pack-Horses were employed, in the northern counties of England, to carry the different manufactures and articles of traffic from one part of the kingdom to another; but the improved state of our roads has caused that mode of conveyance to be almost entirely laid aside. In their journies over trackless moors, they strictly adhere to the line of order and regularity custom has taught them to observe: The leading Horse, which is always chosen for his sagacity and steadiness, being furnished with bells, gives notice to the rest, who follow the sound, and generally without much deviation, though sometimes at a considerable distance. The following in-

12 HISTORY OF QUADRUPEDS.

stance will shew with what obstinate perseverance they have been known to observe the line of their order:—Some years ago, one of these Horses, which had been long accustomed to follow his leader, by accident or fatigue, was thrown into an inferior rank: The poor animal, as if sensible of his disgrace, by the most strenuous exertions, at length recovered his usual station, which he maintained during the remainder of the journey; but, on his arrival in the inn-yard, he dropped down dead upon the spot, his life falling a facrifice to his ambition—a species of heroism we must admire even in the brute creation.

At the age of two years*, the Horse is in a condition to propagate.—The mare is generally in season from the


* There are various ways of judging of the age of a Horfe. The following are the most general:—the eye-pits of old Horses are commonly hollow; but that mark is equivoeal, young Horfes, begot by old stallions, having them also hollow - The teeth afford the best criterion of the age of Horses. The Horse has, in all, forty teeth; viz. twenty-four grinders, four canine teeth or tufks, and twelve fore teeth: Mares have either no tusks, or very short ones. Five days after birth, the four teeth in front begin to shoot: These are ealled nippers, and are east at the age of two years and a half: They are foon renewed: And the next year, he again casts two above, and two below, - one on each side of the nippers. At four years and a half, other four fall out, next those last placed: Thefe last four foal teeth are succeeded by other four, which grow much more flowly than the first eight: And it is from these last four corner teeth, that the age of the Horse is distinguished: They are fomewhat hollow in the middle, and have a black mark in the cavities. At five years, thefe teeth fearcely rife above the gums; at fix, their eavities begin to fill up, and turn to a brownish spot, like the eye of a garden bean; and before eight years, the mark generally difappears.-The tufks also indicate the age of a Horse.-Those in the under jaw generally shoot at the age of three years and a half; and the two in the upper jaw at four: Till fix, they continue sharp at the points; but at ten, they appear long and blunted.—Thefe are the general rules for afcertaining the age of a Horse; but there are frequent exceptions, as some Horses retain the mark two or three years longer.

latter end of March till the beginning of June; but her chief ardour for the Horfe continues only fifteen or twenty days. She goes with young eleven months and fome days; continues to breed till the age of fixteen or eighteen years; and lives, on an average, between twenty and thirty years.

Although the Horse is endowed with vast strength and powers, he seldom exerts either to the prejudice of his master: On the contrary, he shares with him in his labours, and seems to participate in his pleasures; generous and persevering, he gives up his whole powers to the service of his master; though bold and intrepid, he represses the natural vivacity and fire of his temper, and not only yields to the hand, but seems to consult the inclination of his rider.

But it must continue to be matter of regret to every feeling mind, that these excellent qualities should be often shamefully abused in the most unnecessary exertions; and the honest labours of this noble animal thrown away in the ungrateful task of accomplishing the purposes of unfeeling folly, or lavished in gratifying the expectations of an intemperate moment.





THE MULE.

the Horse and the As, and being generally barren, furnishes an indisputable proof that the two species are perfectly distinct. Nature has providently stopped the further propagation of these heterogeneous productions, to preserve, uncontaminated, the form of each animal; without which regulation the races would in a short time be mixed with each other, and every creature, losing its original persection, would rapidly degenerate.

Mules have not unfrequently been known to bring forth young, especially in hot countries; and instances have not been wanting, though they are rare, both in England and Scotland. But it would require a succession of experiments to prove, that Mules will bree! with each other, and produce an offspring equally capable of continuing the race.

The common Mule is very licalthy, and will live above thirty years. It is found very ferviceable in carrying burthens, particularly in mountainous and stony places, where Horses are not so sure-stooted.—The size and strength of our breed have lately been much improved by the importation of Spanish Male-Asses; and it were much to be wished, that the useful qualities of this animal were more attended to: For, by proper care in its breaking, its natural obstinacy would in a great measure be corrected; and it might be formed with success, for the saddle, the draught, or the burthen.

People of the first quality in Spain are drawn by Mules, where fifty or fixty guineas is no uncommon . price for one of them; nor is it furprizing, when we consider how far they excel the Horse in travelling in a mountainous country, the Mule being able to tread fecurely where the former can hardly stand .- Their manner of going down the precipices of the Alps, the Andes, &c. is very extraordinary; and with it we will conclude their history. In these passages, on one side, are steep eminences, and on the other, frightful abysses; and, as they generally follow the direction of the mountain, the road, instead of lying in a level, forms at every little distance steep declivities, of several hundred yards downward. These can only be descended by Mulcs; and the animal itself seems sensible of the danger, and the caution that is to be used in such descents. When they come to the edge of one of these precipices, they stop without being checked by the rider; and if he inadvertently attempt to spur them on, they continue immovcable. They feem all this time ruminating on the danger that lies before them, and preparing themselves for the encounter. They not only attentively view the road, but tremble and fnort at the danger. Having prepared for the descent, they place their fore sect in a posture, as

if they were stopping themselves; they then also put their hind feet together, but a little forward, as if they were going to lie down. In this attitude, having taken as it were a furvey of the road, they slide down with the fwiftness of a meteor. In the mean time, all the rider has to do is to keep himfelf fast on the faddle without checking the rein, for the least motion is sufficient to diforder the equilibrium of the Mule; in which case they both unavoidably perish. But their address in this rapid descent is truly wonderful; for in their fwiftest motion, when they feem to have loft all government of themfelves, they follow exactly the different windings of the road, as if they had previously fettled in their minds the route they were to follow, and taken every precaution for their fafety. In this journey, the natives place themfelves along the fides of the mountains; and holding by the roots of the trees, animate the beafts with shouts, and encourage them to perfevere. Some Mules, after being long used to these journies, acquire a kind of reputation for their fafety and skill; and their value rifes in proportion to their fame.





THE ASS.

THE Ass, it is probable, was originally a native of Arabia and other parts of the east: The deserts of Lybia and Numidia, and many islands of the Archipelago, contain vast herds of wild Asses, which run with fuch amazing fwiftness, that even the fleetest Horses of the country can hardly overtake them. They are chiefly caught by the natives on account of their flesh, which is caten by them, and confidered as a delicious repast. The flesh of the common or tame Ass is however drier, more tough, and difagrceable than that of the Horse; Galen fays, it is even unwholesome: Its milk, on the contrary, is an approved remedy for certain diforders.-The wild Ass is not streaked like the Zebra, (with which it has often been confounded) nor is his form so beautiful: His figure refembles that of the common Afs, his colour is brighter, and he has a white streak extending from his head to his tail.

The Ass, like the Horse, was originally imported into America by the Spaniards, where it has run wild, and become extremely numerous. Ulloa informs us, that, in the kingdom of Quito, they hunt them in the following manner:-A number of persons on horseback, attended by Indians on foot, form a large circle in order to drive them into a narrow compass, where at full speed they throw a noofe over them, and having fecured them with fetters, leave them till the chace is over, which frequently lasts for several days. They have all the swiftness of Horses; and neither declivities nor precipices can retard them in their flight. When attacked, they defend themfelves with their heels and mouths with fuch activity, that, without flackening their pace, they often maim their purfuers.

A warm climate is most favourable to the growth of this animal: The Ass produced in this country is much inferior in fize and beauty to those of Spain and other warm countries: In Guinea, they are larger and more beautiful than even their Horses: In Persia, they have two kinds,—the one flow and heavy, which is made use of for carrying burthens; the other nimble, fmooth, and stately, used chiefly for the faddle. They are managed as Horses; and, like them, are taught to amble. They generally flit their nostrils, to give them more room ior breathing. Many of these are fold as high as forty or fifty pounds.

Holingshed informs us, that, in the reign of queen Elizabeth, there were no Asses in this country: How foon after they might be introduced, is uncertain. However they are at prefent naturalized in this kingdom, where their utility becomes daily more univerfally experienced.

The qualities of this animal are fo well known, as to need no description: His gentleness, patience, and perfeverance, are without example: He is temperate with regard to food, and eats contentedly the coarsest and most neglected herbage: If he give the preserence to any vegetable, it is to the plantain, for which he will neglect every other herb in the pasture. In his water he is singularly nice, drinking only from the clearest brooks. He is so much as a fail of wetting his seet, that, even when loaden, he will turn aside to avoid the dirty parts of the road.

He is stronger, in proportion to his size, than the Horse; but more sluggish, stubborn, and untractable.—He is healthier than the Horse; and, of all other quadrupeds, is least insested with lice or other vermin; probably owing to the extreme hardness and dryness of his skin. For the same reason, perhaps, he is less sensitive of the goads of the whip, or the stinging of slies.

He is three or four years in coming to persection; and lives to the age of twenty, or sometimes twenty-five years. He sleeps much less than the Horse, and never lies down for that purpose but when he is much fatigued. The She-Ass goes eleven months with young, and seldom produces more than one at a time.

The fervices of this useful creature arc to often repaid by hard fare and cruel usage; and being generally the property of the poor, it partakes of their wants and their distresses: Whereas, by due cultivation and care in its education, the Ass might be usefully and profitably employed in a variety of domestic purposes, and in many cases supply the place of the Horse, to which only it is second, though generally degraded into the most useless and neglected of domestic quadrupeds.



THE ZEBRA,

THICH many authors have mistaken for a wild As, is the most beautiful, as well as the wildest, most timid, and untameable animal in nature. Being larger than the Ass, it rather resembles the Mule in shape: Its head is large; its ears longer than those of the Horse; its legs beautifully finall, and well placed; and its body well formed, round and fleshy: But the beauty of its shape is greatly heightened by the glossy smoothness of its skin, and the amazing regularity and elegance of its colours, which in the male are white and brown, and in the female white and black, ranged in alternate stripes over the whole body, in a stile so beautiful and ornamental, that it would at first fight seem rather the effect of art than the genuine production of nature: The head is striped with fine bands of black and white, which form a center in the forchead; the neck is adorned with stripes of the fame colour running round it; the body is beautifully variegated with bands running acrofs the back, and ending in points at the belly; its thighs, its legs, its

ears, and even its tail, are all beautifully streaked in the same manner.

The Zebra inhabits the fouthern parts of Africa, where whole herds are feen feeding in those extensive plains that lie towards the Cape of Good Hope. However, their watchfulness is such, that they will suffer nothing to come near them; and their swiftness so great, that they easily leave their pursuers far behind.

Such is the beauty of this creature, that it feems by nature fitted to gratify the pride and formed for the fervice of man; and it is most probable, that time and affiduity alone are wanting to bring it under subjection. As it refembles the Horse in regard to its form, as well as manner of living, there can be little doubt but it possesses a fimilitude of nature; and only requires the efforts of an industrious and skilful nation, to be added to the number of our useful dependants. Nevertheless, its liberty has hitherto remained uncontrouled, and its natural fierceness has as yet resisted every attempt to subdue it: Those that have been brought to this country, have discovered a degree of viciousness that rendered it unsafe to approach them too familiarly; but it is by no means to be concluded from hence, that they are untameable. They have continued to be wild, because they are natives of a country where the wretched inhabitants have no other idea of advantage from the animal creation than as they are good for food, paying more regard to that which affords the most delicious repast, than to delicacy of colouring, or beauty of conformation.

Quaggas, or Wild Affes, hitherto but little known, and not much described, abound in the same country. They live in herds, and are extremely swift.

RUMINATING ANIMALS.

HE various animals of this kind being entirely confined to grain and herbage for their nourishment and support, it is necessary that they should be enabled to receive a large quantity into the stomach, as well as to retain it a confiderable time before it be reduced to proper chyle: For this purpose, their intestines are remarkably long and capacious, and formed into a variety of foldings. They are furnished with no less than four flomachs. The food, after mastication, is thrown into the first stomach, where it remains some time; after which, it is forced up again into the mouth, and undergoes a fecond chewing: It is then fent directly into the fecond stomach, and gradually passes into the third and fourth; from whence it is transmitted through the convolutions of the intestincs. By this conformation, ruminating animals are enabled to devour large quantities of vegetable aliment, to retain it long in their bowels, and confequently extract from it a quantity of nutritious matter fufficient for their growth and fupport.

The great obligations we are under to those of this class, render them objects of the highest importance to us. We are nourished with their milk, we are supported by their slesh, and we are cloathed and warmed with their sleeces: Their harmlessness and innocence endear them to us, and claim from us that protection which their natures seem to require; and, in return, they supply us with the necessaries and comforts of life.



THE OX KIND.

F all quadrupeds, the Cow feems most extensively propagated: It is equally capable of enduring the rigours of heat and cold; and it is an inhabitant of the frozen, as well as the most scorching climates. Other animals prescribe their nature or their form with inflexible perseverance; but these, in every respect, suit themselves to the wants and conveniences of mankind. In no animal is there to be met with a greater variety of kinds; and in none, a more humble and pliant disposition.

The climate and pastures of Great-Britain are well adapted to the moderate nature of this animal; and we are indebted to the variety and abundance of our whole-fome vegetables, for the number and excellence of our cattle, which range over our hills, and enliven our plains—a source of inexhaustible wealth—the pride and boast of this happy country.

Being destitute of the upper fore teeth, the Cow prefers the high and rich grass in pastures, to the short and more delicate herbage the Horse generally selects. For this reason, in our English pastures, where the grass is rather high and slourishing, than succulent and nutritious, the Cow thrives admirably; and there is no part of Europe in which this animal grows larger, yields more milk, nor fattens sooncr.

It has often been remarked, that the Horse and Sheep impoverish the soil on which they graze; whilst the pasture where the Cow is sed, acquires a finer surface, and every year becomes more level and beautiful: The Horse selects the grass that is most delicate and tender; and, being surnished with sore teeth on each jaw, nips it

close, and frequently pulls it up by the roots; thereby preventing its future growth and propagation: The Sheep also, though formed like the Cow with respect to its teeth, only bites the most succulent parts of the herbage.

The age of a Cow is known by its horns: At the age of four years, a ring is formed at their roots; and every fucceeding year another ring is added. Thus, by allowing three years before their appearance, and then reckoning the number of rings, the creature's age may be exactly known.

The quantity of milk given by Cows is very various: Some will yield only about fix quarts in one day; while others give from ten to fifteen, and sometimes even twenty. The richness of the pasture contributes not a little to its increase. There have been instances of Cows giving upwards of thirty quarts of milk in one day. In such cases, there is a necessity for milking them thrice.—

From the milk of some Cows, twelve or sourteen pounds of butter are made in a week.

It has been advanced, by fome naturalists, as a general principle, that neither animals, nor parts of animals, appear to be primarily intended for the use of man, but are only capable of a secondary application to his purposes: Yet it must be allowed, that in many instances, what they term the secondary use, is so manifest and important, that it cannot, with propriety, be supposed to be excluded from the original designs of the all-wise Creator: And it must be allowed, that the Cow, in its faculty of giving in such abundance, and with so much ease, its milk, which forms so rich and nutritive an aliment for the human species, is a striking example of this subordination to the interests of mankind: For this ani-


mal differs, in some parts of its organization, from most others, having a larger and more capacious udder, and longer and thicker teats, than the largest animal we know of: It has likewise sour teats, while all other animals of the same nature have but two: It also yields the milk freely to the hand, while most animals, at least those that do not ruminate in the same manner, refuse it; except their own young, or some adopted animal, be allowed to partake.


The Cow, having four teats, is a striking peculiarity; as the number in all other animals bears some proportion with the number of young ones they bring forth at a time.

The Cow will yield her milk as freely, and will continue to give it as long, without the aid of the ealf, as if it were permitted to fuck her constantly. This is not the ease with the Ass; which, it is well known, will soon grow dry, if her soal be not permitted to suck part of her milk every day.

Upon the whole, it appears, that the property of yielding milk, without the young one, is confined to those kinds of ruminating horned animals which have eloven hoofs, four stomachs, long intestines, are furnished with suet, and have no fore teeth in the upper jaw; that Cows, Sheep, Goats, and Deer, are of this kind, and no other; and that the Cow has this property in a more eminent degree than others, owing to the capaciousness of her udder, and the size and form of her teats.

By great industry and attention to their breed, and by judicious mixtures with those of other countries, our horned cattle are universally allowed to be the finest in Europe; although such as are purely British are inferior in size to those on many parts of the continent.






THE HOLSTEIN OR DUTCH BREED

has been introduced with great fuccess, and is now the prevailing stock in all the counties on the eastern coast of this kingdom.—In good passures, cattle of this kind grow to a great size*; and the Cows yield a greater abundance of milk than those of almost any other kind.

* An Ox was fed by Mr Edward Hall, of Whitley, in Northumberland; and killed in March, 1789, when feven years old; it weighed, without offal, 187 ft. 5 lb.—And a Cow, bred and fed



THE LONG-HORNED OR LANCASHIRE BREED

is common in Lancassire, Westmorland, and Cumberland, and some of the neighbouring counties; and, notwithstanding the changes which have taken place by the introduction of foreign kinds, there is reason to believe, that this, for a considerable time at least, has been the prevailing stock of the kingdom at large.

Mr Marshall, in his excellent treatise on the "Economy of the Midland Counties," observes, that, from this kind, the present improved breed of cattle, in Leicestershire, is traceable, by the most indisputable evidence. From Bulls brought out of Westmorland and Lancashire, and Cows from the banks of the Trent, the celebrated Canley breed, the property of Mr Webster, derived its origin; and about fifty years ago, it was esteem-

by Mr Smith, of Togston, in the same county, killed in January, 1792, weighed 150 st. 3 lb.: Fore quarters 65 st. 4 lb. hind quarters 62 st. 7 lb. tallow 15 st. 12 lb. hide 6 st. 8 lb.—14 lb. to the stone.

ed the most valuable at that time in the kingdom. From this breed, Mr Bakewell obtained the source of his prefent superior stock of cattle; and several other eminent breeders are also indebted to the same origin, for the celebrity they have since attained.


The rapid improvements which have taken place in this truly valuable Leicestershire breed, form an interesting fubject of enquiry; of which, the limits of our work will only allow us to give the outlines. We have, however, noticed the general principles which have been laid down, and steadily adhered to, in the improvement of the feveral breeds of cattle; and which have been fo fuccefsfully brought into practice. The first, and most obvious, is beauty of form,-a principle, which has been in common applied to every species of domestic cattle; and, with great feeming propriety, was supposed to form the basis of every kind of improvement; under an idea, that beauty of form, and utility, were inseparable. But at prefent, a distinction is made, by men who have been long conversant in practice, between a useful fort, and a fort that is merely handsome. Utility of form is therefore the next general principle, and may be confidered as arising from a larger proportion of those parts which are the most useful: Thus, for instance, all those parts which are deemed offal, or which bear an inferior price, should be small in proportion to the better parts. A third principle of improvement, laid down by breeders, confifts in the fineness of the muscular parts, or what is termed flesh. But the great object which engroffes the attention of breeders at prcsent, is the fatting quality, or a natural propensity in cattle to arrive at a state of fatncss at an early age, and in a short space of time: And it appears, from observation, that beauty and utility of

form, the quality of the flesh, and its propensity to fatnefs, are principles confiftent with each other, are frequently found united in the fame individual, and hereditary in particular lines or families of cattle.—In regard to the means of improvement, it has long been an established maxim, that, to improve the breed, it is necessary to cross it with others of an alien stock; under an opinion, that continuing to breed from the same line weakens the stock. This idea, however rooted it may have been in the minds of former practitioners, is now entirely fet aside by the modern practice of breeding, not from the fame line only, but from the fame family: The fire and the daughter, the fon and the mother, the brother and fifter, are now permitted to improve their own kind.-This practice is well known under the term of breeding in-and-in; and, in this way, the improvement of the several breeds has advanced rapidly to a height unknown before in any age or nation.

The practice of letting out Bulls by the feason, has contributed very materially towards the improvement of this valuable breed; as, by this means, one Bull, instead of being useful to his proprietor only, may, in a few years, extend the benefits of his stock through a whole district; and so fully are the stock-masters convinced of its advantages, that eighty guineas have been given for the use of a Bull for one season. Some Bulls are in such estimation, as to leap at the extraordinary price of sive guineas a Cow: And it is, perhaps, a circumstance worth mentioning, that Mr Fowler, of Rollright, in Oxfordshire, in 1789, for ten Bull calves, refused sive hundred guineas.

Great improvements have also, of late years, been made in the old Lancashire kind, both in fize and beauty.

—Craven, in Yorkshire, has long been celebrated for 2 superior variety of the long-horned kind: And from thence the graziers of Westmorland and Lancashire purchased the slower of their Heisers; which, by crossing with the original stock of those counties, have produced a breed, which is now had recourse to, for the improvement of this kind of cattle, in every part of the kingdom.—Some of the Bulls are extremely large. Their horns are not long, but beautifully turned; their hair short and smooth; their crests rise extremely high; their chests are let down to their knees; their bodies are long, and in the form of a perfect cylinder.




THE LANCASHIRE OX.

The Cows and Oxen are smaller. Their horns are long and small, very smooth; and their colour, in general, approaches to yellow: Their hair is beautifully curled; and their whole form extremely handsome——The Oxen frequently grow to a considerable size, are very active, and consequently useful in the draught. They

are well fuited to a cold climate, and grow fat on indifferent pastures.

In Seotland, there are two kinds, which differ greatly from each other, as well as from all those in the southern parts of this island.

Those of the county of Galloway are without horns, and generally of a reddish-brown colour, mixed with black. Large droves of these are yearly brought into the southern parts of this kingdom, where they soon greatly improve.



THE KYLOE-OX.

The Highland cattle are very small, and partake much of the wildness of the country in which they are bred.— They are mostly black, with fine white horns, very sharp, and nearly black at the points; and their hair is thick and furry. Large droves of these are likewise fold into England at the great northern fairs. They are greatly esteemed for the sineness and sweetness of their beef, as well as for the facility with which they acquire a considerable degree of fatness, even with moderate feeding.

Although the Oxen of this breed, when fed in the ordinary way, do not exceed forty stone the four quarters,—one of them, fed by Mr Spearman, of Rothley Park, in Northumberland, weighed, when killed, in 1790, at the age of fix years, eighty-one stone.

The Cow feems more liable to changes from its pafture and climate than any other quadruped. In the different parts of this narrow island, we can trace a wonderful variety of these animals, produced by the richness or poverty of the soil. In short, in every part of the world, the Cow is found either large or small, in proportion to the quality and quantity of its food. Among the Eluth Tartars, where the pastures are remarkably rich and nourishing, the Cow grows to such an amazing size, that a man can scarcely reach the tip of its shoulder: In France, on the contrary, where this animal is stinted in its food, and driven from the best pastures, it greatly degenerates.

In Great-Britain, the Ox is the only horned animal that will apply his strength to the service of mankind; and, in general, is more profitable than the Horse, for the plough or the draught. There is scarcely any part of this animal without its use: The skin is made into various kinds of leather; the hair is mixed with lime for plaistering; the bones are made use of as a substitute for ivory, and, being calcined, are used by the refiner as an absorbent to carry off the baser metals in refining silver, &c.; combs, and many other articles, are made of the horns; we are supplied with candles from the tallow; and from the sect is procured an oil, of great use in preparing and softening leather; besides the well-known benefits derived from butter, milk, and cheese; its blood,

dom, are in the park at Chillingham-castle, in Northumberland; at Wollaton, in Nottinghamshire, the seat of Lord Middleton; at Gisburne, in Craven, Yorkshire; at Limchall, in Cheshire; and at Chartley, in Staffordshire.

The principal external appearances which diftinguish this breed of cattle from all others, are the following:—Their colour is invariably white; muzzles black; the whole of the inside of the ear, and about one-third of the outside, from the tip downwards, red*; horns white, with black tips, very fine, and bent upwards: Some of the Bulls have a thin upright mane, about an inch and an half, or two inches long.

At the first appearance of any person, they set off in full gallop; and, at the distance of two or three hundred yards, make a wheel round, and come boldly up again, tosing their heads in a menacing manner: On a sudden they make a full stop, at the distance of sorty or sifty yards, looking wildly at the object of their surprize; but upon the least motion being made, they all again turn round, and sly off with equal speed, but not to the same distance: Forming a shorter circle, and again returning with a bolder and more threatening aspect than before, they approach much nearer, probably within

^{*} About twenty years fince, there were a few, at Chillingham, with BLACK EARS; but the present park-keeper destroyed them;—finee which period, there has not been one with black ears.—The ears and noses of all those at Wollaton are BLACK.—At Gisburne, there are some perfectly white; except the inside of their ears, which are BROWN. They are without horns, very strongboned, but not high.—They are said to have been originally brought from Whalley-abbey, in Lancashire, upon its dissolution in the thirty-third of Henry the Eighth.—Tradition says, they were drawn to Gisburne, by the 'power of music.'

thirty yards; when they make another stand, and again sly off: This they do several times, shortening their distance, and advancing nearer, till they come within ten yards; when most people think it prudent to leave them, not chusing to provoke them further; for there is little doubt but in two or three turns they would make an attack.

The mode of killing them was, perhaps, the only modern remains of the grandeur of ancient hunting. On notice being given, that a wild Bull would be killed on a eertain day, the inhabitants of the neighbourhood eame mounted, and armed with guns, &e. fometimes to the amount of an hundred horse, and four or five hundred foot, who stood upon walls, or got into trees, while the horsemen rode off the Bull from the rest of the herd, until he stood at bay; when a marksman dismounted and shot. At some of these huntings, twenty or thirty shots have been fired before he was fubdued. On fuch occafions, the bleeding victim grew desperately furious, from the fmarting of his wounds, and the shouts of savage joy that were echoing from every fide: But, from the number of accidents that happened, this dangerous mode has been little practised of late years; the park-keeper alone generally shooting them, with a risled gun, at one shot.

When the Cows ealve, they hide their calves for a week or ten days in some sequestered situation, and go and suckle them two or three times a-day. If any perfon come near the calves, they elap their heads close to the ground and lie like a hare in form, to hide themselves: This is a proof of their native wildness, and is corroborated by the following circumstance that happened to the writer of this narrative, who found a hidden calf, two days old, very lean, and very weak:—On strok-


ing its head, it got up, pawed two or three times like an old Bull, bellowed very loud, stepped back a few steps, and bolted at his legs with all its force; it then began to paw again, bellowed, stepped back, and bolted as before; but knowing its intention, and stepping aside, it missed him, fell, and was so very weak that it could not rise, though it made several efforts: But it had done enough: The whole herd were alarmed, and, coming to its rescue, obliged him to retire: for the dams will allow no person to touch their ealves, without attacking them with impetuous ferocity.

When any one happens to be wounded, or is grown weak and feeble through age or fickness, the rest of the herd set upon it, and gore it to death.

The weight of the Oxen is generally from forty to fifty stone the four quarters; the Cows about thirty. The beef is finely marbled, and of excellent flavour.

Those at Burton-Constable, in the county of York, were all destroyed by a distemper a few years since. They varied slightly from those at Chillingham, having black ears and muzzles, and the tips of their tails of the same colour: They were also much larger, many of them weighing sixty stone; probably owing to the richness of the pasturage in Holderness; but generally attributed to the difference of kind between those with black and with red ears, the sormer of which they studiously endeavoured to preserve.—The breed which was at Drumlanrig, in Scotland, had also black ears.





THE URUS, OR WILD BULL,

is chiefly to be met with in the extensive forests of Lithuania. It grows to a fize almost equal to the Elephant, and is quite black; the eyes are red and stery, the horns thick and short, and the forehead covered with a quantity of curled hair; the neck is short and strong, and the skin has an odour of musk. The semale, though not so big as the male, exceeds the largest of our Bulls in size: Nevertheless, her udder is extremely small. Upon the whole, however, this animal, which greatly resembles those of the tame kind, probably owes its variety to its natural wildness, and the richness of the pastures where it is produced.






THE BISON

differs from the rest of the Ox kind, in having a large lump between its shoulders, almost as high as that of a Camel.—He has a long shaggy mane, which forms a kind of beard under his chin; his eyes are sierce, his forehead large, and his horns extremely wide. It is dangerous to pursue him, except in forests abounding with trees large enough to conceal the hunters. He is generally taken in pits covered with branches of trees and grass, on the opposite side of which the hunters tempt the animal to pursue them; and the enraged creature running towards them, falls into the trap prepared for it, and is then overpowered and slain.

The Bison, or the animal with the hump, is found in all the southern parts of the world, though greatly differing from each other in size and form; while the Urus, or the one without the hump, chiefly occupies the temperate and cold climates. The former extend through-

out the vast continent of India, and from Mount Atlas to the Cape of Good Hope. In some parts, they are extremely large; while in others, they are very small, such as the Zebu, or Barbary Cow.



THE ZEBU.

They are all equally docile and gentle, when tamed; and are in general covered with fine gloffy hair, fofter and more beautiful than that of the common Cow.—Their humps are of different fizes, in some weighing from forty to fifty pounds, but in others less. That part is in general confidered as a great delicacy; and, when dressed, has much the appearance and taste of udder.

The Bisons of Madagascar and Malabar are of the great kind; those of Arabia Petrea, and most parts of Africa, are of the Zebu or small kind.

In America, especially towards the North, the Bison is well known. They herd together, in droves of from one to two hundred, on the banks of the Missisppi; where the inhabitants hunt them, their slesh being esteemed good eating.

They all breed with the tame Cow. The hump, which is only an accidental characteristic, gradually declines; and, in a few generations, no vestiges of it remain.—Thus we see, whether it be the wild or the tame Ox, the Bonasus or the Urus, the Bison or the Zebu, by whatever name they are distinguished, or however variously classed by naturalists, in reality they are the same; and, though diversified in their appearance and properties, are descendants of one common stock; of which the most unequivocal proof is, that they all mix and breed with each other.

The Oxen of India are of different fizes, and are made use of in travelling, as substitutes for horses. Their common pace is soft. Instead of a bit, a small cord is passed through the cartilage of the nostrils, which is tied to a larger cord, and serves as a bridle. They are saddled like horses; and, when pushed, move very briskly. They are likewise used in drawing chariots and carts. For the former purpose, white Oxen are in great esteem, and much admired. They will perform journies of sixty days, at the rate of from twelve to sisteen leagues a day; and their travelling pace is generally a trot.

In Persia, there are many Oxen entirely white, with small blunt horns, and humps on their backs. They are very strong, and carry heavy burthens. When about to be loaded, they drop down on their knees like the Camel, and rise when their burthens are properly fastened.



THE GRUNTING-OX.

The Sarluc, or Grunting-Cow of Tartary, from its refemblance to the Bifon, may be confidered as belonging to the fame species. Its horns are short, upright, slender, and very sharp; the hair on its body is black, except the mane and ridge of the back, where it is white; its whole body is covered with very long hair, which hangs down below its knees, and makes its legs appear short; it has a hump on its back; its tail refembles that of a horse, is white, and very bushy; it strikes with its head like a goat, and is very unruly; its distinguishing peculiarity is, that it makes a grunting noise like a hog, instead of lowing like the Ox, which in every other instance it greatly resembles. It abounds in the kingdom of Thibet, where it is domesticated.

The wild breed, called *Bucha*, is extremely fierce. When wounded, it will fometimes turn upon its affailant, and attack him with great fury. It copulates with the tame Cow. Their produce is employed in domestic

purposes.

Its tail is very valuable, and is fold at a great price in Thibet. When mounted on a filver handle, it is used, by the principal men in India, as a brush to chase away the slies. It is sometimes fastened, as an ornament, to the ear of the Elephant.—The Chinese dye the hair red, and form it into tusts to adorn their bonnets.





THE BUFFALO.

Though there is the most striking general resemblance between the Buffalo and our eommon Ox, both in regard to form and nature, their habits and propensities being nearly similar, are both equally submissive to the yoke, and may be employed in the same domestic services; yet it is certain, from experience, that no two animals ean, in reality, be more distinct: The Cow resules to breed with the Buffalo, while it is known to propagate with the Bison, to which it bears, in point of form, a much more distant similitude.

The Bussalo is found, in a wild state, in many parts of Africa and India; and is common in the countries near the Cape of Good Hope, where he is described, by Sparrman, as a sicrce, cruel, and treacherous animal. He frequently rushes from behind a thicket upon some unwary passenger; and, having thrown him down, tram-

ples him to death with his feet and knees, tearing him with his horns and teeth, and licking him with his rough tongue, till the skin is nearly stripped from the body.-The following accurate description we owe to the same author: - The length of the Buffalo, from head to tail, is eight feet; the height five and a half; and the fore legs two feet and a half long: From the tip of the muzzle to the horns, twenty-two inches: His limbs, in proportion to his fize, are much stouter than those of the Ox; his fetlocks likewise hang nearer the ground: The horns are fingular, both in their form and position; the bases of them are thirteen inches broad, and only an inch distant from each other, having a narrow channel or furrow between them; from this furrow, the horns assume a spherical form, extending over a great part of the head; the distance between the points is often above five feet: The ears are a foot long, fomewhat pendulous, and in a great measure covered and defended by the lower edges of the horns, which bend down on each fide, forming a curve upwards with the points: Their hair is of a dark-brown colour, about an inch long, harsh, and, upon those males that are advanced in years, ftraggling and thin, especially on each fide of the belly, which gives them the appearance of being girt with a belt: They frequently roll themselves in the mire, of which they are very fond: The tail is short, and tusted at the end: The eyes are large, and fomewhat funk within their prominent orbits, which are almost covered with the bases of the horns overhanging its dangling ears; this, with a peculiar inclination of the head to one fide, which is its usual manner, produces an aspect at once sierce, cunning, and tremendous: The flesh is coarse, rather lean, but full of juice of a high, but not unpleasant flavour: The hide is

thick and tough, and of great use in making thongs and harness; it is so hard, as not to be penetrated by a common musket-ball; those made use of for shooting the Bussalo, are mixed with tin; and even these are frequently slattened by the concussion.

In Italy, the Buffalo is domesticated, and constitutes the riches and food of the poor, who employ them for the purposes of agriculture, and make butter and cheese from their milk.

The female produces but one at a time, and continues pregnant twelve months;—another striking characteristic difference between the Buffalo and the common Cow.

THE MUSK-BULL

inhabits the interior parts of North-America, on the west side of Hudson's Bay, between Churchill and Seal rivers. They are very numerous in those parts, and live in herds of twenty or thirty. The Indians eat their slesh, and make coverings of their skins. They are brought down in sledges, to supply the forts during the winter. Notwithstanding the slesh is said to have a strong slavour of musk, it is reckoned very good and wholesome.

The Musk-Bull is somewhat lower than a Decr, but more bulky. Its legs are short; and it has a small hump on its shoulder: Its hair is of a dusty-red colour, very fine, and so long, as to reach to the ground: Beneath the hair, its body is covered with wool of an ash colour, which is exquisitely sine, and might be converted into various articles of useful manufacture;—Mr Jeremie says, that stockings made of it are sincr than silk: Its tail is only three inches long, and is covered with long

hairs, of which the Esquimaux Indians make caps; which are so contrived, that the long hair, salling round their faces, defends them from the bites of the musquitoes. Its horns are close at the base, and bend downwards, turning out at the points; they are two feet long, and two feet round at the base; some of them will weigh sixty pounds.

These animals delight chiefly in rocky and mountainous countries. They run nimbly, and are very active in

climbing steep ascents.

THE SHEEP.

HE Sheep, in its present domestic state, seems so far removed from a state of nature, that it may be deemed a difficult matter to point out its origin. Climate, food, and above all, the unwearied arts of cultivation, contribute to render this animal, in a peculiar manner, the creature of man; to whom it is obliged to trust entirely for its protection, and to whose necessities it largely contributes. Though fingularly inoffenfive, and harmless even to a proverb, it does not appear to be that stupid, inanimate creature, described by Buffon, " devoid of every necessary art of felf-preservation, without courage, and even deprived of every inftinctive faculty, we are led to conclude, that the Sheep, of all other animals, is the most contemptible and stupid:" But amidst those numerous flocks that range without controll on extenfive mountains, where they feldom depend upon the aid of the shepherd, it will be found to assume a very diffe-

rent character: In these situations, a Ram or a Wedder will boldly attack a fingle Dog, and often come off victorious; but when the danger is more alarming, they have recourse to the collected strength of the whole flock. On fuch occasions, they draw up into a compact body, placing the young and the females in the center; while the males take the foremost ranks, keeping close by each other. Thus an armed front is prefented to all quarters, and cannot easily be attacked without danger of destruction to the affailant. In this manner, they wait with firmness the approach of the enemy; nor does their courage fail them in the moment of attack: For, when the aggreffor advances within a few yards of the line, the Rams dart upon him with fuch impetuofity, as lays him dead at their feet, unless he fave himself by flight. Against the attacks of fingle Dogs or Foxes, when in this fituation, they are perfectly fecure.-A Ram, regardless of danger, will fometimes engage a Bull; and his forehead being much harder than that of any other animal, he feldom fails to conquer: For the Bull, by lowering his head, receives the stroke of the Ram between his eyes, which usually brings him to the ground.

In the felection of their food, few animals discover greater fagacity than the Sheep; nor does any domestic animal shew more dexterity and cunning in its attempts to clude the vigilance of the sheepherd, in order to steal such delicacies as are agreeable to its palate.

Besides its hardiness in enduring great severities of weather, the natural instinct of the Sheep, in foreseeing the approach of a storm, is no less remarkable: In their endeavours to secure themselves under the shelter of some hill, whole slocks have frequently been buried for many days under a covering of snow, and have after-

wards been taken out without any material injury. Thus beautifully described by Thomson:—

"Oft the whirlwind's wing

There have been instances, where Sheep, at the approach of a storm, have sled for shelter to a neighbouring cottage, and taken refuge under the same roof with their shepherd.

The variety in this ereature is fo great, that searcely any two countries produce Sheep of the same kind: There is found a manifest difference in all, either in the size, the eovering, the shape, or the horns.

The woolly Sheep is found only in Europe, and in the temperate provinces of Asia. When transported into warmer elimates, it loses its wool, and becomes hairy and rough: It is likewise less fertile, and its sless no longer retains the same slavour.

No country produces finer Sheep than Great-Britain: Their fleeces are large, and well adapted to the various purposes of cloathing. The Spanish fleeces are indeed finer, but stand in no degree of comparison with those of Lincolnshire or Warwickshire for weight or utility.—In Edward the Third's time, when wool was allowed to be exported, it brought 150,000 l. per annum, at 2 l. 10 s. a pack, which was a great sum in those days. At this time, when our woollen manufactory stands unrivalled by any nation in the world, and every method is taken to prevent this valuable commodity from being sent out of the kingdom, the annual value of wool, shorn in Eng-

[&]quot;Sweeps up the burthen of whole wintry plains
"At one wide waft; and o'er the haplefs flocks,

[&]quot; Hid in the hollow of two neighbouring hills,

[&]quot; The billowy tempest whelms."

land, is supposed to be about five millions sterling; and, when manufactured conjointly with the Spanish wool imported, amounting to about six hundred thousand pounds, must be above twenty millions.

Like other ruminating animals, the Sheep wants the upper fore teeth: It has eight in the lower jaw; two of which drop out, and are replaced at two years old; four of them are renewed at three years, and the remainder at the age of four.

The Ewe produces one or two lambs at a time, and fometimes, though rarely, three or four. She bears her young five months, and brings forth in the fpring*.— The Ram lives to the age of about fifteen years, and begins to procreate at one. When castrated, they are called Wedders. They then grow sooner fat; and the slesh becomes finer and better flavoured.

There is hardly any part of this animal that is not ferviceable to man: Of the fleece we make our cloaths; the skin produces leather, of which are made gloves, parchment, and covers for books; the entrails are formed into strings for fiddles and other musical instruments, likewise coverings for whips; its milk affords both butter and cheese; and its sless is a delicate and wholesome food.

The following remarks, taken from Mr Cully's "Obfervations on Live Stock," will not be unacceptable to

^{*} An Ewe of the small black-faced Scotch breed, produced two ewe lambs before she had compleated her first year; and before the end of the second year, these two produced each of them two lambs also. It is a remarkable circumstance, that this great increase took place in the coldest and most mountainous part of Northumberland; and it is further necessary to observe, that this breed of Sheep seldom produces more than one Lamb at a time, and that not till they are two years of age.

many of our readers, as they convey a just idea of some of the most noted kinds of Sheep at this time in the island .- He begins with those of Lincolnshire, which are of a large fize, big-boned, and afford a greater quantity of wool than any other kind, owing to the rich, fat marshes on which they feed; but their flesh is coarfe, leaner, and not fo finely flavoured as that of fmaller Sheep. The fame breed extends, with fome variations, through most of the midland counties of England .- But the largest breed of Sheep, in this island, is to be met with on the banks of the Tees, which runs through a rich and fertile country, dividing the two counties of Yorkshire and Durham. This kind differs from the preceding, in their wool not being fo long and heavy; their legs are longer, but finer boned, and support a thicker, firmer carease; their flesh is likewise much fatter, and finer grained. These Sheep weigh from twenty-five to forty-five pounds per quarter; fome have been fed to fifty pounds; and one in particular was killed, which weighed fixty-two pounds ten ounces per quarter, avoirdupois-a eireumstance never before heard of in this island. The Ewes of this breed generally bring forth two lambs each feafon; fometimes three, four, and even five. As an instance of extraordinary fecundity, it deferves to be mentioned, that one of these Ewes, at the age of two years, brought forth four lambs at one time; the next feafon five,-both within eleven months .-- The Dorfetshire breed is likewife remarkably prolifie, the Ewes being capable of bringing forth twice a year. It is from thefe, that the tables of our nobility and gentry are fupplied with early lamb at Christmas, or fooner if required. Great numbers of those early victims to luxury are yearly fent to the London markets, where they are fold at the enormous price of 10s. 6d. or perhaps 15s. per quarter.—The manner of rearing the lambs is curious: They are imprisoned in little dark cabins; the Ewes are fed with oil-cakes, hay, corn, turnips, cabbages, or any other food which the feafon of the year affords; these are given them in a field contiguous to the apartments where the lambs are kept; and, at proper intervals, the nurses are brought in to give suck to their young ones; while the attendants, at the same time, make their lodgings perfectly clean, and litter them with fresh straw. Great attention is paid to this, as much of the success of rearing these unseasonable productions depends upon warmth and cleanliness.

The Dorfetshire Sheep are mostly white-faced; their legs are long and small; and great numbers of them have no wool upon their bellies, which gives them an uncouth appearance. They produce a small quantity of wool, but of a good quality, from which our fine Wiltshire cloths are made. The mutton of these Sheep is very sweet and well slavoured.—The variations of this breed are spread through most of the southern counties; but the true kind is only to be found in Dorfetshire and Wiltshire.—There is a breed, not unlike this, in Norfolk and Susfolk; but they are all grey or black-faced.






THE BLACK-FACED R A M.

The north-west part of Yorkshire, with all that mountainous tract of country running towards Lancashire fouthward, and to Fort William northward, is occupied by a hardy, black-faced, wild-looking tribe, generally called fhort Sheep, which differ from our other breeds not only in the darkness of their complexions and horns, but principally in the coarfe fhaggy wool which they produce. Their eyes have a very sharp and wild cast. They run with great agility, and feem quite adapted to the heathy mountains they inhabit. Their flesh is peculiarly fine and high-flavoured. The three great fairs for these Sheep (where amazing numbers of them are fold every year) are, Stagshawbank in Northumberland, Brough in Westmorland, and Linton in Scotland .----There is likewife a breed of Sheep inhabiting the same country as the former; but peculiarly distinguished from them by long, thin bodies, white legs, white faces, and by having no horns. Their wool is fine, and thickly planted.

The Sheep in the low parts of Northumberland are of a mixed breed, between the long kind, the Tees water, and the Lincolnshire.—The mug or must kind was formerly common in that country. They were so called, from their wool growing round their heads into their very eyes, so as almost to prevent them from seeing.—This breed is now nearly exploded, being considered, by every breeder of experience, as unprofitable, from their thriving slowly, and being very tender.

In the northern districts of Scotland, and in many of the islands, there is a breed of Sheep, which differs from the others in the smallness of their size; many of them, when sed, weighing no more than six, seven, or eight pounds per quarter. They have dun faces, without horns; and their wool, which is very sine, is variously mixed, and streaked with black, brown, and red.





THE LEICESTERSHIRE IMPROVED BREED.

To these various and numerous tribes of this useful animal, we must add, that, by the persevering industry and attention of Mr Bakewell, of Dishley, in Leicestershire, our breed of Sheep has been greatly improved; and he has been followed by many eminent breeders, with nearly equal success.


It feems to be generally agreed, that in Sheep, as well as in all other animals, there is a certain fymmetry or proportion of parts, which is best adapted to the fize of each particular animal: All those of each kind that exceed or fall short of this pitch, are more or less disproportioned, according to the fize they attain; and in the degree they are advanced beyond this line of perfection, we find them less active, weaker, and always less able to endure hardship. Thus, by selecting the handsomest and best proportioned of their kinds, the judicious breeder has gradually arrived at a degree of perfection in improving this animal, unknown at any former period.

The fuperior qualities of the Leicestershire breed arc, that they will feed quickly fat at almost any age, even on indifferent pastures, and carry the greatest quantity of mutton upon the smallest bone. Their carcases are round, have remarkably broad backs, and short legs; and to shew the immense weight to which they may be fed, we give the measurement of a Ram of Mr Bakewell's, mentioned by Young in his "Eastern Tour:"---At three years old, his girt was five feet ten inches; height, two feet sive inches; breadth over his shoulders, one foot eleven inches and an half; breadth over his hips, one foot nine inches and an half.

The great importance of this breed of Sheep will best be shewn, by stating the following facts respecting the modern practice of letting out Rams for hire by the feafon; which, from very fmall beginnings, has already rifen to an aftonishing height; and is likely, for some time, to prove a copious fource of wealth to the country at large: ---- About forty years ago, Mr Bakewell let out Rams at fixteen and feventeen shillings a-piece; and, from that time, the prices kept gradually rifing from one guinea to ten. But the most rapid increase has taken place fince the year 1780-four hundred guineas have been repeatedly given. Mr Bakewell, in the year 1789, made twelve hundred guineas by three Rams; two thoufand of feven; and, of his whole stock, three thousand guineas. Aftonishing as this may appear, it is nevertheless an undoubted fact. But it ought to be observed, that these great prices are not given by graziers, for the purpose of improving their grazing stock; but by principal breeders, in order to procure a stock of Rams of the

improved breed, which they let out again to breeders of an inferior class. The prices given by graziers, for the fole purpose of getting grazing stock, seldom exceed ten guineas, which is confidered as an extraordinary price, five or fix guineas being most frequently given.

This valuable breed has likewise found its way into Northumberland. Mess. Culley of Fenton, Mr Thompfon of Lilburn, and Mess. Donkin and Co. of Hexham Brewery, with great spirit, and at considerable expence, have greatly improved their respective breeds of Sheep, by an admission of the Dishley blood.



A WEDDER OF MR CULLEY'S BREED.

We are favoured, by Mr Culley, with the following account of a Wedder of his breed, fed at Fenton in Northumberland, and killed at Alnwick in October, 1787, when four years old: --- His dimensions were as follow,---girt, four feet eight inches and an half; breadth, over his shoulders, one foot three inches; over his middle, one foot seven inches and a quarter; across the breast, from the inside of one fore leg to the inside of the other, nine inches. At the dividing of the quarters, through the ribs it measured seven inches and one-eighth of solid sat, cut straight through without any slope; and his mutton was of the most beautiful bright colour. But in nothing was he so remarkable, as in the smallness of his bones.—The proprietor of this Sheep laments, that he had not the ossals exactly weighed (by ossals, we would be understood to mean not only the tallow, but the head, pluck, and pelt, with the blood and entrails); because it is now well known, that this breed of Sheep has a greater quantity of mutton, in proportion to the ossals a greater duantity of mutton, in proportion to the ossals, than any other kind we know of, and is consequently cheaper to the consumer.

[The drawing, from which the preceding cut was taken, was made by Mr Bailey, of Chillingham, foon after the Sheep had been shorn.]

Before we quit this article, we must take notice of a breed of Sheep, which have hitherto been but little known or attended to; although it is probable, they posses advantages of equal importance with those we have just mentioned; and, in all likelihood, they might have continued still longer in the same neglected state, but for the endeavours of a set of men, who, actuated by a truly patriotic zeal, are labouring to draw out the natural resources of their country, and secure, to the most distant and long-neglected parts of this kingdom, those permanent advantages, to which they are by their situation entitled. In pursuing these important objects, the Highland Society of Scotland have discovered, that the Shetland islands, and

fome parts of the Highlands of Seotland, are in possession of a breed of Sheep, which produces wool infinitely superior to that of any other in the kingdom, and equal to the Spanish wool in sineness and texture. By order of the Society, specimens of these Sheep have been obtained, for the purpose of a fair investigation into the nature and quality of their wool; which, upon examination, proves much siner than was at first imagined.—We are savoured, by Dr James Anderson, with the following particulars.

THE SHETLAND SHEEP


are handsome, small, and in general hornless; and are peculiarly distinguished by the unusual shortness and fmallnefs of their tails. They weigh, when fat, from eight to ten pounds per quarter. Their fleeees are, on an average, about two pounds weight. The wool, when properly dreffed, is of a pure and gloffy white: Some fmall fpecimens of it, compared with Vigognia wool, were allowed, by good judges, to be fully as fine; and, in foftness, equal to that of which the Indian shawls are made. The Sheep producing this fine wool are faid to be of the hardiest nature: They are never housed; and, in the winter feafon, are often fo pinehed for food, that they are obliged to feed upon the fea-ware driven upon the shore. Besides the wool with which they are covered, they have long hairs growing amongst it, which serve to shelter it.

It is a fingular circumstance, that the Shetland Sheep are never shorn; but, about the beginning of June, the wool is pulled off, without the smallest pain or injury to the animal, leaving the long hairs, already mentioned, which contribute to keep the creature warm and comfortable, at a feason of the year when cold and piercing winds may be expected, in so northern a latitude.

From the spirited measures which are now taking to preserve this valuable breed*, we are led to hope, that British wool may in time regain that great superiority for which it was once so famous; and that, by perseverance and attention to this important object, we may in time be enabled to produce not only as sine wool as can be obtained from any other country, but may also, in the same breed, be able to conjoin with it every other desirable peculiarity,—such as closeness of sleece, beauty and utility of form, hardiness, a capability of being easily fattened, largeness of size, and other valuable qualities, adapted to every peculiarity of situation in these islands.

* See the Report of the Committee of the Highland Society, on the subject of wool, 1789.






THE DUNKY, OR DWARF SHEEP,

another variety of the Sheep kind, deferves to be noticed for the fingular and grotesque formation of its features. The wool, growing round its head, forms a kind of hood or ruff; before which stand its short erect ears: The uncommon protrusion of its under jaw considerably before the upper, by which the fore teeth are left exposed, and the shortness of the nose, which lies under its high projecting forehead, altogether give it the appearance of deformity, and make a striking contrast to most animals of the Sheep kind. The Ram, from which the drawing was made, came from abroad, with two Ewes, as a prefent to a gentleman in the county of Northumberland. They are very fmall, and have no horns.-In Lincolnshire, there is a small kind, mentioned, by Mr Culley, under the name of Dunkies; which we suppose to be the fame with this.





THE TARTARIAN SHEEP.

The Sheep, of which the annexed cut is an accurate representation, seem to be the same with those described, by Mr Pennant, under the name of the fat-rumped Sheep. A pair of them was brought to this country, by way of Russia, from the borders of Tartary. They are rather larger than the English Sheep. The colour of the male is roan, or light-brown mixed with white; that of the female, black and white: Their ears are pendulous; and, instead of a tail, they have a large protuberance of fat behind, which covers the rump. When the drawing was made, they had just been shorn; at other times, the wool is so long and thick, that their form cannot be well distinguished.

The fat-rumped Sheep abound in Tartary; and are annually fold, in great numbers, into Russia. They are very prolific; and usually bring forth two at a time, often three.

The African or Guinea Sheep are found in most of the tropical climates. They are large, strong, and swift;

62 HISTORY OF QUADRUPEDS.

with coarse hairy sleeces, short horns, pendulous ears; have a kind of dew-lap under the chin, and though domesticated, seem to approach nearest to a state of nature.



THE MANY-HORNED SHEEP.

The Iceland Sheep, as well as those of Museovy and the coldest climates of the North, resemble our own in the form of the body, but differ in the number of their horns, having generally sour, and sometimes eight, growing from the forehead. Their wool is long, smooth, and hairy: They are of a dark-brown colour; And, under the outward coat of hair, which drops off at stated periods, there is an internal eovering resembling sur, which is since, short, and soft;—the quantity produced by each Sheep, is about four pounds.

The broad-tailed Sheep, common in Persia, Barbary, Syria, and Egypt, are remarkable chiesly for their large and

heavy tails, which grow a foot broad, and fo long, that the shepherds are obliged to put boards with small wheels under them, to keep them from galling. The sless of these tails is esteemed a great delicacy: It is of a substance between fat and marrow, and eaten with the lean of the mutton: They generally weigh from twenty to sifty pounds each.

The Sheep, bred on the mountains of Thibet, produce wool of extraordinary length and fineness, of which is made the Indian shawl, frequently sold in this country for fifty pounds or upwards.



THE WALACHIAN SHEEP.

In Walachia, they have Sheep with curious spiral horns, standing upright, in the form of a screw; long shaggy sleeces; and, in size and form, nearly resembling ours. They are also found in the island of Crete, and in many of the islands of the Archipelago.—This is said to be the Strepsiberos of the ancients.



THE MOUFLON, OR MUSMON,

AS been classed both with the Sheep and the Goat kind; and may be considered as standing in a middle place, and forming the link between each: For it is curious to observe, that Nature, in all her variations, proceeds by flow and almost infensible degrees, fearcely drawing a firm and diffinguishing line between any two races of animals that are effentially different, and yet, in many respects, nearly allied to each other. In all transitions from one kind to the other, there is to be found a middle race, that feems to partake of the nature of both, and that can precisely be referred to neither. Thus it is hard to discover where the Sheep kind ends, or the Goat begins.—The Mufmon, therefore, which is neither Sheep nor Goat, has a strong affinity to both. Though covered with hair, it bears a strong similitude to the Ram: Its eyes are placed near the horns; and its ears are shorter than those of the Goat: Its horns resemble those of the Ram, in being of a yellow colour and a triangular shape; they likewise bend backward behind the ears: In some, they grow to an amazing size, measuring above two yards long. The general colour of the hair is reddish-brown; the inside of the thighs and belly white, tinctured with yellow; the muzzle and inside of the ears are of a whitish colour; the other parts of the face are of a brownish-grey.

The Musmon is found in the wild and uncultivated parts of Greece, Sardinia, Corsica, and in the desarts of Tartary.

The form of this animal is strong and muscular; and it runs with great agility. It is very fearful of mankind; and when old is seldom taken alive. It frequents the highest summits of the mountains, and treads securely on the most dangerous precipices.—The old Rams have often surious battles with each other, in which one of the contending parties will sometimes be thrown down from the heights on which they stand, and dashed in pieces at the bottom. If their horns should by accident entangle, they have been known to fall and perish together.

The chase of the Musmon is attended with great danger. At the sight of a man, they sly to the highest parts of the rocks, where they cannot easily be followed. They are sometimes taken in pit-falls. The Tartars pursue them with horses and dogs; and surrounding a pretty large tract of land, drive them towards the center, where they are caught.

The Kamtschatkans pass the latter part of the summer, with all their families, among the mountains, in pursuit of these animals.—The slesh and fat of the young Musmons are esteemed, by the natives, as most delicious eating. The skins serve them for warm raiments and co-

verings: The horns are made use of for a variety of use-

ful purpofes.

This creature has been known to breed with the Sheep; and, from that circumstance, is supposed, by M. Busson and others, to be the primitive race.

The female of this species is rather less than the male;

and her horns never grow to that prodigious fize.

Those of Kamtschatka are so strong, that ten men can scarcely hold one; and the horns so large, that young soxes often shelter themselves in the hollow of such as fall off by accident. They grow to the size of a young stag, copulate in autumn, and bring forth one young at a time, though sometimes two.





THE COMMON GOAT.

HIS lively, playful, and capricious creature occupies the next step in the great scale of Nature; and, though inferior to the Sheep in value, in various instances bears a strong affinity to that useful animal. The Goat and the Sheep will propagate together: The He-Goat copulates with the Ewe, and the Ram with the She-Goat; the offspring likewise is prolific.

The Goat is much more hardy than the Sheep; and is, in every respect, more sitted for a life of liberty. It is not easily confined to a slock, but chuses its own pasture, straying wherever its appetite or inclination leads. It chiefly delights in wild and mountainous regions, climbing the lostiest rocks, and standing secure on the verge of inaccessible and dangerous precipices; although, as Ray observes, one would hardly suppose that their seet were adapted to such perilous achievements; yet, upon a nearer inspection, we find that Nature has provided them with hoofs well calculated for the purpose of

climbing, being made hollow underneath, with sharp edges, like the inside of a spoon, which prevents them from sliding off the rocky eminences they frequent.

The Goat is an animal eafily fustained, and is chiefly therefore the property of those who inhabit wild and uncultivated regions, where it finds an ample supply of food from the spontaneous productions of Nature, in stuations inaccessible to other creatures. It delights rather in the heathy mountain, or the shrubby rock, than the sields cultivated by human industry. Its favourite food is the top of the boughs, or the tender bark, of young trees. It bears a warm climate better than the Sheep, and frequently sleeps exposed to the hottest rays of the sun.

The milk of the Goat is fweet, nourishing, and medicinal, being found highly beneficial in consumptive cases: It is not so apt to curdle upon the stomach as that of the Cow. From the shrubs and heath on which it feeds, the milk of the Goat acquires a slavour and wildness of taste very different from that of either the Sheep or Cow, and is highly pleasing to such as have accustomed themselves to its use: It is made into whey for those whose digestion is too weak to bear it in its primitive state. Several places in the North of England and the mountainous parts of Scotland are much resorted to for the purpose of drinking the milk of the Goat; and its effects have been often falutary in vitiated and debilitated habits.

In many parts of Ireland, and in the Highlands of Scotland, their Goats make the chief possessions of the inhabitants; and, in most of the mountainous parts of Europe, supply the natives with many of the necessaries of life: They lie upon beds made of their skins, which are soft, clean, and wholesome; they live upon their

milk, and oat bread; they convert part of it into butter, and some into cheese. The sless of the kid is considered as a great rarity; and, when properly prepared, is efteemed, by fome, as little inferior to venison.

The Goat produces generally two young at a time, fometimes three, rarely four: In warmer climates, it is more prolific, and produces four or five at once; though the breed is found to degenerate. The male is capable of propagating at one year old, and the female at feven months; but the fruits of a generation fo premature are generally weak and defective: Their best time is at the age of two years, or eighteen months at least.

The Goat is a short-lived animal, full of ardour, but foon enervated. His appetite for the female is excessive, fo that one buck is fufficient for one hundred and fifty females.





THE IBEX,

domestie Goat is descended, being very similar to it in the shape of its body, but differing considerably in the size of its horns, which are much larger: They are bent backward, and full of knots; and every year the creature lives, it is afferted, one is added to the number of them. Some of these horns have been found at least two yards long.—The head of the Ibex is small, adorned with a dusky beard, and has a thick coat of hair of a deepbrown colour, mixed with ash: A streak of black runs along the top of its back: The belly and thighs are of a delicate fawn colour.

The Ibex inhabits the highest Alps of the Grisons' country and the Vallais, and is also found in Crete.— They are very wild, and dishcult to be shot; and as they always keep on the highest points of the rocks, the chase of them is attended with great danger: Being very strong, they often turn upon the incautious huntsman, and tumble him down the precipice, unless he have time to lie down and let the animal pass over him. They bring forth one young at a time, feldom two; and are said not to be long-lived.



THE CHAMOIS-GOAT.

The Chamois, though a wild animal, is very eafily made tame and docile. It is to be found only in rocky and mountainous places; is about the fize of the domeftic Goat, and refembles it in many respects. It is most agreeably lively, and active beyond expression.—The hair is short, like that of the Doe: In spring, it is of an ash

colour; in autumn, dun, inclining to black; and in winter, of a blackish-brown.

This animal is found, in great plenty, in the mountains of Dauphiny, Piedmont, Savoy, Switzerland, and Germany. They are very gentle, and live in fociety with each other. They are found in flocks of from four to fourfcore, and even an hundred, dispersed upon the crags of the mountains. The large males are feen feeding, detached from the rest; except in rutting time, when they approach the females, and drive away the young. The time of their coupling is from the beginning of October to the end of November; and they bring forth in March and April. The young keep with the dam for about five months, and fometimes longer, if the hunters and the wolves do not feparate them. It is afferted, that they live between twenty and thirty years. Their flesh is good to eat; and they yield ten or twelve pounds of fuet, which far furpasses that of the Goat in hardness and goodness.

The Chamois has fcarcely any cry: It has a kind of feeble bleat, by which the parent calls its young: But in cafes of danger, and when it is to warn the rest of the slock, it uses a hissing noise, which is heard at a great distance: For it is to be observed, that this creature is extremely vigilant, and has an eye remarkably quick and piercing: Its smell also is not less distinguishing. When it sees its enemy distinctly, it stops for a moment; and then, if the person be near, in an instant slies off. In the same manner, by its smell, it can discover a man at half a league distance, and gives the earliest notice. Upon any alarm, therefore, or any apprehensions of danger, the Chamois begins his hissing note with such force, that the rocks and the forests re-echo the found. The sirst

hifs continues as long as the time of one respiration: In the beginning, it is very sharp, and deeper towards the close. The animal having, after this first alarm, reposed a moment, again looks round; and, perceiving the reality of its fears, continues to his by intervals, until it has spread the alarm to a very great distance. During this time, it seems in the most violent agitation; it strikes the ground with one fore foot, and sometimes with both; it bounds from rock to rock, turns and looks round, runs to the edge of the precipice, and, still perceiving the enemy, slies with all its speed. The hissing of the male is much louder and sharper than that of the semale: It is performed through the nose, and is properly no more than a very strong breath driven violently through a small aperture.

The Chamois feeds upon the best herbage, and chuses the most delicate parts of the plants, the slowers, and the tender buds. It is not less delicate with regard to several aromatic herbs, which grow upon the sides of the mountains. It drinks very little whilst it feeds upon the succulent herbage, and chews the cud in the intervals of feeding.

This animal is greatly admired for the beauty of its eyes, which are round and sparkling, and mark the warmth of its constitution. Its head is surnished with two small horns of about half a foot long, of a beautiful black, rising from the forehead almost betwixt the eyes: These, contrary to those on almost all other animals, instead of going backwards or sideways, stand forward, and bend a little backward at their extremities, ending in a very sharp point. The ears are placed in a very elegant manner, near the horns; and there are two stripes of black on each side of the face, the rest being

of a whitish-yellow, which never changes. The horns of the female are less, and not so much bent: The natives have been known to bleed cattle with them.

These animals are so much incommoded by heat, that they are never found in fummer, except in the caverns of rocks, amidst fragments of unmelted ice, under the shade of high and spreading trees, or of rough and hanging precipices, that face the North, and keep off entirely the rays of the fun. They go to pasture both morning and evening, and feldom during the heat of the day. They run along the rocks with great eafe and feeming indifference, and leap from one to another, fo that no dogs are able to purfue them. Nothing ean be more extraordinary than the facility with which they climb and defeend precipices, that, to all other quadrupeds, are inacceffible: They always mount or defcend in an oblique direction, and throw themselves down a rock of thirty feet, and light with great fecurity upon some exerescence or fragment, on the fide of the precipiee, which is just large enough to place their feet upon: They strike the rock, however, in their defeent, with their feet, three or four times, to stop the velocity of their motion; and, when they have got upon the base below, they at once feem fixed and feeure. In fact, to fee them jump in this manner, they feem rather to have wings than legs. Certain it is that their legs are formed for this arduous employment; the hind being rather longer than the fore legs, and bending in fuch a manner, that, when they defcend upon them, they break the force of the fall.

During the rigours of winter, the Chamois fleeps in the thicker forests, and seeds upon the shrubs and the buds of the pine-trec.

The hunting the Chamois is very laborious, and ex-

tremely difficult. The most usual way is to shoot them from behind the clests of the rocks. Some also pursue them as they do the Stag, by placing proper persons at all the passages of a glade or valley, and then sending in others to rouse the game. Dogs are quite useless in this chase, as they rather alarm than overtake: Nor is it without danger even to the men; for it often happens, that when the animal finds itself overpressed, it drives at the hunter with its head, and often tumbles him down an adjoining precipice.—The Chamois cannot go upon ice when smooth; but if there be the least inequalities on its surface, it then bounds along in security, and quickly evades all pursuit.

The skin of the Chamois was once famous, when tanned, for its softness and warmth: At present, however, since the art of tanning has been brought to greater perfection, the leather called *shammoy*, is made also from those of the tame Goat, the Sheep, and the Deer.





THE GOAT OF ANGORA

is well known for its long hair, which is thick, gloffy, of a dazzling whiteness, and so fine, that cloths as beautiful as silk, known among us by the name of camblets, are made of it. Its ears are long and pendulous. The male is furnished with horns, curiously twisted, which proceed horizontally from each side of the head, in the form of a screw; those of the semale are shorter, and encircle the ear somewhat like those of the common Ram. They inhabit the rocky mountains of Pontus, where they experience a considerable degree of cold; and might thrive in Britain as well as in their native country.—The same might be said of the Goat of Thibet, so samous for the sineness of its wool. It lives in a climate colder than ours in winter, and might probably be transplanted with success.

In Portugal, there is a breed of fine large Goats, remarkable for yielding a great quantity of milk,—a gallon

and a half per day. These, if introduced into our navy, might be of infinite service in long voyages.

Experiments of this kind would certainly be attended with many great advantages; and it were much to be wished, that the great and opulent would employ some portion of their time and affluence in procuring, from distant countries, such useful animals as would propagate in our island, and are yet unknown in it.—By this means, many of our losty mountains might contribute to support a variety of useful creatures, that would, at the same time, beautify the most barren and rugged parts of our country.



THE SYRIAN GOAT,

which M. Buffon makes a variety of the Goat of Angora, differs from ours in nothing more than the length of its ears, which are pendulous, and from one to two feet long: They are often troublefome to the creature in feeding; for which reason, the owners are sometimes

obliged to cut one of them off. Their horns are short and black.—They are very numerous in the neighbourhood of Aleppo, and supply the inhabitants with milk, which they prefer to that of the Cow or the Bussalo.

These are the principal varieties of the Goat kind; of which there are others of less note; such as the African Goat, or Buck of Juda, which is much smaller than the domestic kind, being not much larger than a hare, extremely fat, and its slesh well tasted: The horns are short, smooth, and turn a little forward. It is common in Guinea, Angola, and all along the coast of Africa.

In America, there are Goats of a small kind, not much larger than a kid, with long hair: The horns, which are short and thick, bend downwards so close to the head, as almost to penetrate the skull. These are, in every respect, similar to the dwarf Goat sound in Africa; and, according to Busson, have been sent from that country.—It is certain, that, before the discovery of America by the Spaniards, the Goat, and every other domestic animal, were unknown there.



THE GAZELLES, OR ANTELOPES,

RE a numerous and beautiful race of animals, inhabiting the hottest parts of the globe. They are classed, by systematic writers, with the Goat kind; and, like them, have hollow horns, which they never cast: In other respects, they greatly resemble the Deer; especially in the elegance of their form, and the swiftness of their motions. They are of a restless and timid disposition, remarkably agile; and most of their boundings so light and elastic, as to strike the spectators with associations.

Of all animals, the Gazelle has the most beautiful eye; to which the eastern poets have made frequent allusions, in describing those of their favourite beauties.

The diffinguishing marks of this tribe of animals, in which they differ both from the Goat and Deer, are principally these:-Their horns are different, being annulated or ringed round, and at the fame time marked with longitudinal depressions or furrows, running from the base to the point: Besides the extreme beauty and meekness of its aspect, the Gazelle is more delicately and finely limbed than the Roe-buck; its hair is finer and more gloffy: Its swiftness is so great, that the Greyhound, the fleetest of Dogs, is unequal to the course; and the sportsman is obliged to call in the aid of the Falcon, which, being trained to the work, feizes on the animal, and impedes its motion, fo as to enable the Dogs to overtake it. In India and Persia, a fort of Leopard is fometimes made use of in the chase, which takes its prey by the greatness of its springs; but should he fail in his first essay, the game escapes.

Some species of the Antelope form herds of two or three thousand, while others keep in small troops of five or fix. They for the most part live in hilly countries, though fome inhabit plains. They often browfe like the Goat, and feed on the tender shoots of young trees, which give their flesh an excellent flavour.

There are many varieties of this animal; some of them little known or described .- We shall begin with

THE BLUE-GOAT,

which Mr Pennant confiders as being next to the Goat, from the length of its hair, and form of its horns.

The colour of this creature is a fine blue, refembling velvet; but when dead, it is faid to change to a bluishgrey: Its belly is white; and beneath each eye, it has a large white mark: Its tail is feven inches in length, with long hairs at the end: Its horns incline backward, forming a curve; three-fourths of their length are decorated with twenty-four rings; the uppermost quarter is smooth, and runs tapering to a point. It inhabits the hottest parts of Africa.—Sparrman defcribes one which he faw at the Cape of Good Hope, and calls it a Blaarv-bok.






THE PIED-GOAT.

is likewise an inhabitant of the same country, as well as the plains and woods of Senegal, where large herds of them are to be seen.

This animal is remarkable for having a white band running along each of its fides, croffed by two others from the back to the belly, disposed somewhat like a harness, from whence it is called the Harnessed Antelope: On each fide of the rump, it has three white lines pointing downward; its thighs are spotted with white; the colour of the body is a deep-tawny, and beneath each eye there is a white spot; its horns are straight, nine inches long, pointing backward, with two spiral ribs. Great slocks of them are found in the plains and woods of the country of Poder, in Africa...-It is called by M. Busson, the Guib; and, by Sparrman, the Bonti-bok, or Spotted Goat.



THE WOOD-GOAT.

We are indebted to the indefatigable labours of Dr Sparrman, for an accurate description of this rare animal, which is found in the country about the Cape of Good Hope, and lives chiesly in woods and groves, from whence it derives its name.

The horns of this animal are black, somewhat more than ten inches long, and have three sides wreathed in a spiral direction towards the top; at the bottom they are rough, in consequence of a number of wavy rings, which however are not elevated much above the surface; at the top, they are round, sharp-pointed, and in that part as smooth as if they had been polished; their position is almost in the same line with the forehead, inclining a little forwards, and, by means of the twist they make, recede from each other towards the middle, where they are three inches and a half distant; at the base, they are only one inch.

The Wood-Goat is somewhat more than two feet and a half high, of a dark-brown colour, in some parts bordering upon black: On each cheek-bone there are two large round white spots; another, still larger, occupies the fore part of the neck, fomewhat below the top of the windpipe; and feveral fmaller white fpots are fcattered over the haunches: A narrow line of white hair extends from the neck all along the back and tail, but is not easily distinguished, being hid by the length of the darkbrown hairs on the top of the back, which are three or four inches long, fo as to form a kind of mane: The hair on the head is very short and fine; in other parts of the body it is longer, refembling that of Goats: Its tail is not more than a finger's breadth in length, covered with long hairs, which extend down the hind part of the thighs and buttocks; the legs and feet are slender; the fetlock joints are likewise small; the nose and under lip, which are white, are decorated with black whiskers about an inch long.

As this creature runs but flowly, it is fometimes caught with dogs. When it finds there is no other refource, it boldly puts itself into a posture of defence; and when going to butt, kneels down, and in that position fells its life at a very dear rate, killing and goring some of the best and most spirited hounds. It carries its head straight forward whilst it runs, laying its horns upon its neck, to prevent their being entangled in the bushes, which is sometimes the case. The semale is without horns; and, being lighter than the male, runs more freely through the forests, and is not so easily caught. Her breast is said to be very plump: But the sless of this animal is not very tender.



THE SPRINGER.

The White-Antelope, which is supposed to be the same with the Pygarg, mentioned in the book of Numbers, is an inhabitant of the Cape of Good Hope, where it is called the Spring-bok; and is to be seen in herds of several thousands, covering the plains as far as the eye can reach. Sparrman says, that, having shot at a large herd of them, they formed a line, and immediately made a circular movement, as if to surround him; but afterwards slew off in different directions.

The height of this beautiful creature is two feet and a half; and measures, from the ears to the tail, somewhat above three feet: The tail is rather less than a foot long: The length of the ears, six inches and a half; that of the horns, measuring them along their curvatures, nine inches; and their distance at the base, where they are

nearly three inches thick, is one inch; they gradually widen from thence to the distance of five inches from each other, when they turn inwards, so that at the tip they are not above three inches and a half asunder; they are of a deep-black colour, annulated above half way up; toward the top they are quite smooth, and end in a sharp point.

The predominant colour of this animal is brown, or a light rust colour: The breast, belly, and inside of the limbs, are white; as is also the head, excepting a darkbrown lift, which passes from each corner of the mouth, over the eyes, to the base of the horns: A stripe of the fame dark colour extends, on each fide, from the flioulders to the haunches, forming a boundary between the fnowy whiteness of the belly and the rusty colour of the fides: The buttocks are white; and, from the tail half way up the back, is a stripe of white, bounded on each fide by a dark-brown lift: The tail, at least the lower part of it, is not thicker than a goofc-quill; the under fide is quite bare; towards the tip there are a few darkbrown hairs, from one to two inches and a half long: The cars are of an ash colour, tipt on the edges with fine light-grey hairs: The eye-brows and whiskers are black: The hair in general is fine and short; but the dark line which borders upon the white, confifts of longer hairs, which the animal is able to expand to the breadth of eight or nine inches, particularly on taking a high leap. When pursucd, it is no less pleasant than curious to fee the whole herd jumping over cach other's heads to a confiderable height: Some of them will take three or four high leaps fuccessively. In this situation, they feem suspended in the air, looking over their shoulders at their purfuers, and at the fame time shewing the white part of their backs in a most beautiful manner.

The Springers are fo extremely fwift, as to require a good Horfe to overtake them; although they are fometimes bold enough to allow a fportfman, either on foot or on horfeback, to come within gun-shot of them.—Their slesh is very palatable, and has a more juicy and delicate taste than that of the other Gazelles.



THE ELK-ANTELOPE

is likewise an inhabitant of the Cape, as well as the greatest part of India; and is one of the larger kinds of Gazelles. It has straight horns, two feet in length, of a dark-brown colour, marked with two prominent spiral ribs running near two-thirds of their length, but smooth towards the ends, which are turned a little inwards: The


forehead is flat, and broad at the top; and has a forelock, flanding erect, the whole length of it: Its nose is sharp; and its breast is covered with a loose skin.

This animal is of an ash colour, inclining a little towards blue; has a thin upright mane, quite black, which extends from the nape of its neck along the top of the back; and has likewise a tust of black hair at the end of the tail.

The Elk-Antelopes live chiefly in plains and vallies; and, when hunted, always run, if possible, against the wind: They are not very fwift; and being in general fat, especially the males, which are always the largest and fattest in the herd, are soon tired. The hunter generally endeavours to get to the windward of the animal, which when he has accomplished, he takes an opportunity of throwing himself from his horse, and instantly shoots the flying game: At this practice, the Dutch colonists at the Cape are so expert, as feldom to fail. Sparrman fays, there have been many instances where keen sportsmen, as well for their own pleafure as convenience, have hunted Elk-Antelopes and other Gazelles, for many miles together, from the open plains, and driven them to their own doors, before they thought it worth while to shoot them.

The female has horns like the male, but smaller.—
They are used by the Hottentots for tobacco-pipes.





THE HART-BEEST

is the most common of all the larger Gazelles, known in any part of Africa.—The following accurate description is taken from Sparrman, to whom we are indebted for the best accounts of such of these rare animals as are to be met with near the Cape: - The height of this animal is fomewhat above four feet: The horns are from fix to nine inches long, very strong and black, almost close at the base, diverging upwards, and at the top bending backwards in an horizontal direction almost to the tips, which turn a little downwards; they are emboffed with about eighteen rings of an irregular form. The general colour of the Hart-beest is that of cinnamon; the front of the head is marked with black, as is likewife the fore part of the legs; the hind part of the hauneh is eovered with a wide black streak, which reaches down to the knce; a narrow stripe of black begins behind each ear, and runs all along the ridge of the

neck; a dark-brown oval fpot extends over the back, terminating just above the tail, which is slender, somewhat like that of an Ass, and is covered with strong black hairs about six inches long: There is a pore about an inch below the eye, from which a matter is distilled, somewhat like ear-wax, which the Hottentots preserve as a rare and excellent medicine.

This animal is supposed to be the *Bubalus* of the ancients; it is the *Cervine Antelope* of Mr Pennant, and the *Bubale* of M. Busson.

The hair of the Hart-beest is very fine; and its long ears are covered with white hair on the inside: It has only eight teeth in the lower jaw, none in the upper; the legs are rather slender; with small fetlocks and hoofs.

The large head and high forehead, together with the affinine ears and tail, of the Hart-beest, render it one of the least handsome of the whole tribe of Antelopes. Its pace, when at full speed, appears like a heavy gallop; notwithstanding which, it runs as fast as any of the large Antelopes. When it has once got a-head of its pursuers, it is very apt to turn round, and stare them full in the face.—Its slesh is sine, rather dry, but of an agreeably high slavour.

THE KOEDOE, OR STRIPED ANTELOPE,

is a beautiful, tall Gazelle, inhabiting the Cape of Good Hope; has long slender shanks; is larger, though not so clumfy, as the Elk-Antelope: Its horns are smooth, twisted spirally, with a prominent edge or rib following the wreaths; they are three feet nine inches long, of a palebrown colour, close at the base, and at the points round and sharp.

The colour of this animal is a rusty-brown; along the ridge of the back there is a white stripe, mixed with brown; from this are eight or nine white stripes pointing downwards; the forehead and the fore part of the nose are brown; a white stripe runs from the corner of each eye, and meets just above the nose; upon each cheek-bone there are two small white spots; the inner edges of the ears are covered with white hair, and the upper part of the neck is adorned with a brown mane, an inch long; beneath the neck, from the throat to the breast, are some long hairs hanging down; the breast and belly are grey; the tail is two feet long, brown above, white beneath, and black at the end.

The Koedoe, though a tall and slender animal, is not so fwift as many of the Gazelle kind, and is easily overtaken by the hounds: On these occasions, the males defend themselves with great spirit with their horns, and will come to close quarters with the dogs; but the semales, having no horns, are obliged to depend on their speed.

Another of the larger kind of Gazelles, to be found at the Cape, is

THE GEMSE-BOK;

which is called, by Mr Pennant, the Egyptian Antelope; and, by M. Buffon, the Pafan.—The horns are straight, stender, of a black colour, about three feet long, with above twenty rings reaching half way to the points, which are smooth and taper; it is of an ash colour, inclining to red; the belly, legs, and face, are white; a black line extends from the neck to the loins; the tail is about two feet long, terminated with black hairs.

This animal is famous for a concretion in its'stomach or intestines, called the oriental bezoar, which was well known in former times for its great virtue in expelling poison in the human frame, and was fold at enormous prices; its value inreasing in proportion to its size. There was a time, when a stone of four ounces fold in Europe for above 2001.; at present, however, its estimation and price are greatly decreafed. The virtues which ignorance and inexperience attributed to it, are now found no longer to exist; and this once-celebrated medicine is now only confumed in countries where the knowledge of Nature has been but little advanced.—Similar concretions are likewife found in a variety of animals of the Gazelle and Goat kind; even Apes, Serpents, and Hogs, are faid to have their bezoars. In short, there is scarcely an animal, except of the carnivorous kind, that does not produce fome of these concretions in the stomach, intestines, kidnies, and even the heart.

These are the principal animals of the Gazelle kind described by Dr Sparrman in his Voyage to the Cape of Good Hope. He mentions a variety of others that are to be met with there, of which he gives us little but their names.

THE REE-BOK

is a gregarious animal; two feet in height; of an ash colour, somewhat resembling that of a Harc, but a little more inclining to red: The belly and anus are white: The tail is short: The horns are black and straight, very similar to those of the Gemse-bok, but barely a foot long, very taper, and sharp-pointed; they are used by the Hot-

92 HISTORY OF QUADRUPEDS.

tentots as awls or bodkins for boring holes in making their shoes or cloaks.

The flesh of this animal is dry, and accounted worse to eat than that of any other Gazelle.

THE RIET-REE-BOK

is twice as big as the last-mentioned animal, is monogamous (or keeps in pairs); it generally lies concealed among the reeds and marshy places, and resembles the Ree-bok.



THE GRYS-BOK

is of a greyish or ash colour; with large black ears, and a black spot round the eyes; straight black horns, slender and sharp-pointed, not three inches long, slightly annulated at the base: Its height is about eighteen inches; and it is most elegantly formed: Beneath each eye is a cavity, that contains a strong-seented oily liquor, which smells something like musk, and, when exposed to the

air, becomes hard and black.—It is the Guinea Antelope of Mr Pennant, and the Grimme of M. Buffon.

THE KLIP-SPRINGER

is of a light-red colour, inclining to yellow, intermixed with black streaks; the tips and edges of its ears are black: It runs with great swiftness, and makes large bounds, even on the steepest precipiees, and in the most rocky places, where it cannot easily be eaught with hounds.



THE GNU.

This fingular animal, with respect to its form, appears in some respects similar to both the Horse and the Ox. It is about the size of a common galloway; its length being somewhat above sive feet, and its height rather more than sour.

This animal is of a dark-brown eolour; the tail and mane of a light-grey; the shag on the chin and breast,

and the stiff hairs which stand erect on the forehead and upper part of the face, are black: The curvature of the horns is singular; and the animal is represented in the cut in the attitude of butting, to give an idea of their form and position.

The legs of the Gnu are small; its hair is very fine; and it has a cavity beneath each eye, like most of the Antelope kind.


THE STEEN-BOK

is found in Senegal, and at the Cape of Good Hope.— Its whole body is of a pale-red colour; it is as large as a Roe-buck; its horns, which do not exceed fix inches in length, are almost smooth, and bend a little forward; its ears are five inches long; and it has a white spot over each eye.—It is called, by Mr Pennant, the Red Antelope; and, by M. Buffon, the Nagor.

THE NANGUER, OR SWIFT-ANTELOPE,

is likewise a native of Africa, and is found in Senegal.—
It is three feet and a half in length, and two and a half high; the horns are black and round, eight inches in length, and, what is singular, bend forward at the points; its general colour is tawny; belly and thighs white; it has likewise a white spot under the neck, is a very hand-some animal, and easily tamed; its swiftness is compared to that of the wind.





THE COMMON ANTELOPE.

The Antelope, properly so called, abounds in Barbary, and in all the northern parts of Africa.—It is somewhat less than the Fallow-deer: Its horns are about sixteen inches long, surrounded with prominent rings almost to the top, where they are twelve inches distant from point to point. The horns of the Antelope are remarkable for a beautiful double flexion, which gives them the appearance of the lyre of the ancients. The colour of the hair on the back is brown, mixed with red; the belly and inside of the thighs, white; and the tail short.

THE BARBARY ANTELOPE

is likewise common in all the northern parts of Africa, in Syria, and Mesopotamia; and seems to be a variety of the last-mentioned animal, which it strongly resembles; only the two colours on the back are separated from each

96 HISTORY OF QUADRUPEDS.

other by a strong dusky line on each side, and on each knee there is a tust of hair.

THE KEVEL


is a native of Senegal; and, in colour and marks, very much refembles the preceding animal. It is about the fize of a small Roe-buck; and its horns, instead of being round, are slatted on their sides, and the rings are more numerous. It lives in great slocks, may be easily tamed, and is excellent meat.

THE CORIN

is still less than the two former animals: Its horns are very slender, only six inches long, and almost smooth, the annular prominences being scarcely discernible; each side of its face is marked with a white line, and beneath that a black one; the upper part of the body is tawny; the belly and inside of the thighs, white; a dark line on each side forms a separation between the two colours on the back and belly; on each knee is a tust of hair. Some of these animals are irregularly spotted with white.

THE KOBA

is remarkable for the form of its horns, which are almost close at the base, bending out towards the middle, where they form a curve inwards, and again sly off at the points, which bend backward; they are seventcen inches long, surrounded with sisteen rings; the ends are smooth and sharp.



THE CHEVROTAIN AND MEMINNA.

The Chevrotain, or little Guinea Deer, is the smallest of all the Antelope kind, the least of all cloven-sooted quadrupeds, and, we may add, the most beautiful. Its fore legs, at the smallest part, are not much thicker than a tobacco-pipe; it is not more than seven inches in height, and about twelve from the point of the nose to the insertion of the tail; its ears are broad; and its horns, which are straight, and scarcely two inches long, are black and shining as jet; the colour of the hair is a reddish-brown; in some a beautiful yellow, very short and glossy.

These elegant little creatures are natives of Senegal and the hottest parts of Asrica; they are likewise found in India, and in many of the islands adjoining to that vast continent.

In Ceylon, there is an animal of this kind called Meminna, which is not larger than a Hare, but perfectly refembling a Fallow-deer. It is of a grey colour; the sides and haunches are spotted and barred with white; its ears are long and open; and its tail short. None of these small animals can subsist but in a warm climate. They are so extremely delicate, that it is with the utmost dissiculty they can be brought alive into Europe, where they soon perish. They are gentle, familiar, most beautifully formed; and their agility is such, that they will bound over a wall twelve feet high. In Guinea, they are called Guevei. The semale has no horns.

THE SCYTHIAN ANTELOPE, or SAIGA,

is the only one of the species that is to be found in Europe.—The form of its body resembles the domestic Goat; but its horns are those of an Antelope, being marked by very prominent rings, with surrows between; they are a foot long, the ends smooth, of a pale-yellow colour, almost transparent.

The male, during winter, is covered with long rough hair, like the He-Goat, and has a strong scent; the semale is smoother, and without horns. The general colour is grey, mixed with yellow; the under part of the body, white.

These animals inhabit Poland, Moldavia, about Mount Caucasus and the Caspian Sea, and Siberia; are fond of salt, and frequent the places where salt-springs abound.—In the rutting season, at the latter end of autumn, great slocks of them, consisting of several thousands, migrate towards the South; and return in the spring, in smaller slocks, to the great northern deserts; where the semales bring forth their young, and rear them.

The males, the females, and their young, generally feed together; and, when a part of them are resting, others, by an instinctive kind of caution, are always keeping watch; these again are relieved in due time;

and, in this manner, they alternately rest and keep watch; frequently preserving themselves, by this means, from the attacks of men and wild beasts.

Their common pace is a trot; but, when they exert their speed, they bound like the Roe-buck, and exceed it in fleetness. They are so timid, as to suffer themselves to be taken through fear: If once bitten by a Dog, they instantly fall down, and give themselves up without further effort to escape.—When taken young, they are easily tamed; but the old ones are fo wild and obstinate, as to refuse all food, whilst in a state of captivity.-They are hunted for the fake of their flesh, horns, and skins; the latter are excellent for gloves, belts, &c. The huntsman is extremely cautious in approaching a herd of these animals, lest they should discover him by the excellency of their smell. They are either shot, or taken by Dogs, and fometimes by the black eagle, which is trained for that purpofe. In running, they feem to incline to one fide; and their motion is so rapid, that their feet seem scarcely to touch the ground.





THE NYL-GHAU.

HIS animal is a native of the interior parts of India. It feems to be of a middle nature, between the Cow and the Deer, and carries the appearance of both in its form. In fize, it is as much smaller than the one, as it is larger than the other: Its body, horns, and tail are not unlike those of a Bull; and the head, neck, and legs, are fimilar to those of a Deer. The colour, in general, is ash or grey, from a mixture of black hairs and white: All along the ridge or edge of the neck, the hair is blacker, longer, and more erect, making a short, thin, and upright mane, reaching down to the hump. Its horns are feven inches long, fix inches round at the root, tapering by degrees, and terminating in a blunt

point: The ears are large and beautiful, feven inches in length, and fpread to a confiderable breadth; they are white on the edge and on the infide, except where two black bands mark the hollow of the ear with a Zebralike variety. The height of this animal, at the shoulder, is four feet one inch; behind the loins, it only meafures four feet.

The female differs confiderably from the male both in height and thickness, being much fmaller; in shape and colour, very much refembling a Deer, and has no horns. She has four nipples, and is supposed to go nine months with young: She commonly has one at a birth, but fometimes two.

Several of this species were brought to this country in the year 1767, which continued to breed annually for fome years after .- Dr Hunter, who had one of them in his custody for some time, describes it as a harmless and gentle animal; that it feemed pleased with every kind of familiarity, always licked the hand that either stroaked or fed it, and never once attempted to use its horns offensively. It feemed to have much dependence on its organs of smell, and fnuffed keenly whenever any person came in fight: It did fo likewife, when food or drink was brought to it; and would not taste the bread which was offered, if the hand that prefented it happened to fmell of turpentine.

Its manner of fighting is very particular, and is thus described:-Two of the males at Lord Clive's, being put into an inclosure, were observed, while they were at fome distance from each other, to prepare for the attack, by falling down upon their knees: They then shuffled towards each other, keeping still upon their knees; and, at the distance of a few yards, they made a spring, and darted against each other with great force.

The following anecdote will ferve to shew, that, during the rutting season, these animals are sierce and vicious, and not to be depended on:—A labouring man, without knowing that the animal was near him, went up to the outside of the inclosure; the Nyl-ghau, with the quickness of lightning, darted against the wood-work with such violence, that he broke it to pieces, and broke off one of his horns close to the root. The death of the animal, which happened soon after, was supposed to be owing to the injury he sustained by the blow.

Bernier fays, that it is the favourite amusement of the Mogul emperor to hunt the Nyl-ghau; and that he kills them in great numbers, and distributes quarters of them to his omrahs; which shews that they are esteemed good and delicious food.

The Nyl-ghau is frequently brought from the interior parts of Asia, as a rare and valuable present to the nabobs and other great men at our settlements in India.

It remains to be considered, whether this rare animal might not be propagated with success in this country. That it will breed here, is evident from experience; and, if it should prove docile enough to be easily trained to labour, its great swiftness and considerable strength might be applied to the most valuable purposes.





THE MUSK.

THERE have been various accounts given of this animal by naturalists and travellers; by whom it seems to have been taken notice of more for the perfume which it produces, than for the information of the curious enquirer into its nature and qualities: For we are still at a loss what rank to assign it among the various tribes of quadrupeds.—It has no horns; and whether it ruminates or not, is uncertain: But, by its wanting the fore teeth in the upper jaw, we are led to suppose that it belongs either to the Goat or the Deer kind; and have therefore given it a place after the Gazelles, relying upon those characteristic marks which are known, and leaving it to those naturalists who may be possessed of better means of information, to ascertain its genuine character.

The Musk of Thibet resembles the Roe-buck in form. It is somewhat above two feet in height at the shoulder; the hind legs are longer than the fore legs, being two

feet nine inches high at the haunches; in length, it is three feet fix inches from the head to the tail; the head is above half a foot long: Its upper jaw is much larger than the lower; and on each fide of it there is a flender tusk, near two inches long, which hangs down, bending inwards like a hook, and very sharp on the inner edge: Its lower jaw contains eight fmall cutting teeth; and in each jaw there are fix grinders: Its ears are long, fmall, and erect, like those of a Rabbit: The hair on the whole body is long and rough, marked with fmall waves from top to bottom: The colour is a rusty-brown; under the belly and tail it is white: On each fide of the lower jaw there is a tuft of thick hair, about an inch long: Its hoofs are deeply cloven, flender, and black; the fpurious hoofs are likewife very long; Its tail is not more than two inches in length, and hid in the hair. The use it makes of its tulks is not well known: The most probable is that of hooking up roots out of the ground, and catching at fmall twigs and branches of trees, upon which it feeds.—The female has no tusks, is less than the male, and has two fmall teats.

The Musk is found in the kingdom of Thibet, in several of the Chinese provinces, about the lake Baikal, and near the rivers Jenisea and Argun, from lat. 60 to 45; but seldom so far south, except driven by great falls of snow to seek for food in more temperate climates.—It is naturally a timid animal, and endowed with a quick sense of hearing. Its solitary haunts are usually mountains, covered with pines; where it avoids mankind, and, when pursued, slies to the highest and most inaccessible summits.

The perfume produced by this animal, which is fo well known in the fashionable circles, and of late so

much used in the practice of physic, needs little description. It is found in a bag or tumor, nearly of the fize of a hen's egg, on the belly of the male only. Thefe bags the hunters cut off, and tie them up for fale; many thousands of which are fent over annually to Europe, befides what are confumed in different parts of the East. To account for this great confumption, it is supposed that the musk is frequently adulterated and mixed with the blood of the animal. It comes to us from China, Tonquin, Bengal, and Muscovy; but that of Thibet is reckoned the best, and sells at a much higher price.

The flesh of the males, especially in the rutting season, is much infected with the flavour of the musk; but is, nevertheless, eaten by the Russians and Tartars.





THE GIRAFFE, OR CAMELEOPARD.

It has frequently been called in question) is a native of the wild and unfrequented defarts of Ethiopia, and other interior parts of Africa: where it leads a folitary life, far from the habitations of men; for whose use it is rendered unfit, by the enormous disproportion of its parts.—It has hitherto been regarded chiefly as an object of euriosity, and may lead us to admire the wonderful productions of that creative Power which has filled the earth with life in such a boundless variety of forms.

The height of this extraordinary animal, from the crown of the head to the ground, is feventeen feet; while at the rump it only measures nine; the neck alone is feven feet long; and the length, from the extremity

of the tail to the end of the nose, is twenty-two sect: The fore and hind legs are nearly of an equal height; but the shoulders rise so high, that its back inclines like the roof of a house: Its neck is slender and clegant, adorned, on the upper side, with a short mane: On the highest part of the head, it has two perpendicular horns, six inches long, covered with hair, and round at the ends, where they are encompassed with a circle of short black hairs*: On the middle of the forehead, there is a protuberance, about two inches high: Its ears are long; and its eyes large and beautiful.

The colour of the male is light-grey, interspersed with large dark-brown spots over the whole body; the spots on the semale are of a pale-yellow colour.

It is a timid and gentle creature, but not fwift; from the great length of its fore legs, it is obliged to divide them to a great distance when it grazes, which it does with great distinctly; it lives chiefly by browsing on the leaves and tender branches of trees; it lies on its belly, and has hard protuberances on its breast and thighs, like the Camel; its tail is similar to that of an Ox, with strong black hair at the end; it is cloven-footed, has no teeth in the upper jaw, and is a ruminating animal.—
The female has four teats, and is less than the male.

This animal was known to the Romans in early times; and its figure has been handed down to succeeding ages in some of their most celebrated works of sculpture. It was exhibited in their games, among other rare and uncommon animals; and is finely and justly described by Oppian.

^{*} M. Vaillant, who shot several of these animals, says, that these horns differ from those of the Stag or the Ox, in being formed by a continuation of the bone of the skull.



THE ELK

Is the largest and most formidable of all the Deer kind.—It is a native of both the old and the new continent, being known in Europe by the name of the Elk, and in America by that of the Moofe-deer.—It is sometimes taken in the forests of Russia and Germany; though it is rarely to be seen, on account of its extreme wildness. It likewise inhabits Norway, Sweden, Poland, and Tartary, as far as the North of China. It is common in Canada, and in all the northern parts of America.

The Elk has been variously described by naturalists and travellers: By some, it is said to be twelve seet high; whilst others, with greater appearance of probability, describe it as being not much higher than a Horse. It is, however, a matter of doubt to which a greater degree of credibility should be given.

From a variety of Elks' horns preserved in the cabinets

of the curious, fome of which are of a most enormous fize, there is every reason to conclude, that the animal which bore them must have been of a proportionable bulk and strength.

Those who speak of the gigantic Moose, say, their horns are fix feet long, and meafure, from tip to tip, above ten feet: The beams of the horns are short; from which they spread out into large and broad palms, one fide of which is plain, but on the outfide are feveral fliarp fnags or fhoots.

The European Elk grows to the height of feven or eight feet; and in length, from the end of the muzzle to the infertion of the tail, measures ten feet: The head is two feet long; the neck, on which is a fhort, upright mane, of a light-brown colour, is much shorter: Its eye is fmall; and, from the lower corner of it, there is a deep slit, common to all the Deer kind, as well as most of the Gazelles: The ears are upwards of a foot in length, very broad, and fomewhat flouching; the noftrils are wide; and the upper lip, which is fquare, and has a deep furrow in the middle, hangs greatly over the lower, from whence it was imagined by the ancients, that this creature could not graze without going backward: The withers are very high, the hind legs much shorter than the fore legs, and the hoofs deeply cloven: From a fmall excrefcence under the throat, hangs a long tuft of coarse black hair: The tail is very short, dusky above, and white beneath: The hair is long and rough, like a Bear, and of a hoary-brown colour, not much different from that of the Afs.

The pace of the Elk is a high, shambling trot; but it goes with great fwiftness.—Formerly these animals were made use of in Sweden to draw sledges; but as they

were frequently acceffary to the escape of such as had been guilty of murders or other crimes, this use of them was prohibited under great penalties.

In passing through thick woods, these animals earry their heads horizontally, to prevent their horns being entangled in the branches.

The Elks are timid and inoffensive; except when wounded, or during the rutting season, when the males become very furious, and at that time will swim from isse to isse in pursuit of the semales. They strike with both horns and hoofs; and possess such agility and strength of limbs, that, with a single blow of the fore soot, they will kill a wolf or a dog.

Their flesh is extremely sweet and nourishing. The Indians say, they can travel farther after eating heartily of the slesh of the Elk, than any other animal food. Their tongues are excellent; but the nose is esteemed the greatest delicacy in all Canada. The skin makes excellent buff leather; and is strong, soft, and light: The Indians make their snow-shoes, and likewise form their canoes, with it. The hair on the neck, withers, and hams, of a full-grown Elk, from its great length and elasticity, is well adapted to the purpose of making matrasses and saddles.

The methods of hunting these animals in Canada are curious. The first, and most simple, is,—before the lakes or rivers are frozen, multitudes of the natives assemble in their eanoes, with which they form a vast crescent, cach horn touching the shore; whilst another party on the shore surround an extensive tract: They are attended by dogs, which they let loose, and press towards the water with loud cries. The animals, alarmed by the noise, sly before the hunters, and plunge into the lake,

where they are killed by the people in the canoes with lances and clubs ----Another method requires a greater degree of preparation and art. The hunters inclose a large space with stakes and branches of trees, forming two fides of a triangle; the bottom opens into a fecond inclosure, which is fast on all sides: At the opening are hung numbers of fnares, made of the flips of raw hides. They assemble, as before, in great troops; and, with all kinds of hideous noises, drive into the inclosure not only the Moofe, but various other kinds of Deer, with which that country abounds. Some, in forcing their way through the narrow pass, are caught in the snares by the neck or horns; whilst those which escape these, meet their fate from the arrows of the hunters, directed at them from all quarters.—They are likewise frequently killed with the gun. When they are first discovered, they fquat with their hind parts, and make water; at which instant the sportsman fires: If he miss, the Moose fets off in a most rapid trot, making, like the Rein-deer, a prodigious rattling with its hoofs, and running twenty or thirty miles before it stops or takes the water. The usual time for this diversion is in winter. The animal can run with ease upon the firm furface of the snow; but the hunters avoid entering on the chafe till the heat of the fun is strong enough to melt the frozen crust with which it is covered, and render it so soft as to impede the flight of the Moofe, which finks up to the shoulders, flounders, and gets on with great difficulty: The sportsman purfues in his broad rackets or fnow-shoes, and makes a ready prey of the diftreffed animal.

[&]quot; As weak against the mountain-heaps they push

[&]quot;Their beating breast in vain, and pitcous bray, " He lays them quiv'ring on th' enfanguin'd fnows,

[&]quot; And with loud shouts rejoicing bears them home."

112 HISTORY OF QUADRUPEDS.

The female is less than the male, and has no horns. They are in season in the autumn; and bring forth in April, sometimes one, but generally two young ones at a time, which arrive at their full growth in six years.



THE AMERICAN ELK,

of which we here give a faithful portrait from a living one lately brought from the interior parts of America, feems to be a different animal from that generally deferibed under the name of the Elk or Mosse-deer, to which it has very little resemblance. It seems, indeed, to belong to a distinct species; and is probably the Elk or Orignal of Canada and the northern parts of America.

At the age of five years, the length of this creature was nine feet, from the end of the muzzle to the infertion of the tail; the head and neck being extended in a line with the body: Its height at the shoulder was four feet fix inches; length of the head, one foot fix inches; breadth over the forehead, feven inches; length of the fore legs, two feet five inches; length of the neck, two feet fix; its ears, nine inches; and tail, three. Its horns, which it had just shed, are not palmated, like those of the Moofe: They are large; and, when full grown, meafure above fix feet, from tip to tip. The antlers are round, and pointed at the ends: The lowermost antler forms a curve downward over each eye, to which it appears a defence. Its hair was long, of a dark dun colour on the back and fides; on the head and legs, dark-brown: Its eyes full and lively; and below each eye there is a deep slit, about two inches in length, the use of which we are unable to discover.

It was very lively and active; of great strength of body and limbs: Its hoofs fliort, and like those of a calf; the division between them is less than in those of the Rein-deer; and, when the animal is in motion, they do not make a rattling noise. It has no mane; but the hair under its neck is longer than that on any other part of the body.

We were told by the owner of this very rare and beautiful animal, that it does not attain its full growth till twenty years old, and that it sheds its horns every third year.



114 HISTORY OF QUADRUPEDS.




THE REIN-DEER.

This extraordinary animal is a native of the icy regions of the North; where, by a wife and bountiful difpensation, which disfuses the common goods of Nature over every part of the habitable globe, it abounds, and is made subservient to the wants of a hardy race of men inhabiting the countries near the pole, who would find it impossible to subsist among their snowy mountains without the aid of this most useful creature.

In more temperate regions, men are indebted to the unbounded liberality of Nature for a great variety of valuable creatures to serve, to nourish, and to cloath them. To the poor Laplander, the Rein-deer alone supplies the place of the Horse, the Cow, the Sheep, the Goat, &c.; and from it he derives the only comforts that tend to soften the severity of his situation in that most inhospitable climate.

HISTORY OF QUADRUPEDS. 115

The Rein-deer of Lapland are of two kinds,—the wild and the tame: The former are larger, stronger, and more hardy than the latter; for which reason, the tame females, in the proper season, are often sent out into the woods, where they meet with wild males, and return home impregnated by them. The breed from this mixture is stronger, and better adapted for drawing the sledge, to which the Laplanders accustom them at an



THE SLEDGE.

early age. They are yoked to it by a collar; from which a trace is brought under the belly between the legs, and fastened to the fore part of the sledge. These carriages are extremely light, and covered at the bottom with the skin of the Rein-deer. The person who sits in it guides the animal with a cord sastened to its horns; he drives it with a goad, and encourages it with his voice. Those of the wild breed, though by far the strongest, often prove refractory; and not only refuse to obey their master, but turn against him, and strike so surjourned with his sledge, upon which the enraged creature vents its sury: The

tame Deer, on the contrary, is patient, active, and willing.—When hard pushed, the Rein-deer will trot the distance of fixty miles without stopping; but in such exertions, the poor obedient creature fatigues itself so exceedingly, that its master is frequently obliged to kill it immediately, to prevent a lingering death that would ensue. In general, they can go about thirty miles without stopping; and that without any great or dangerous effort.—This mode of travelling can be performed only in the winter season, when the sace of the country is covered with snow; and, although the conveyance is speedy, it is inconvenient, dangerous, and troublesome.

As the Rein-deer constitutes the sole riches of the Laplander, it may well be supposed, that a constant attention to preserve and secure it, forms the chief employment of his life. It is no uncommon thing, for one person to possess above sive hundred in a single herd.

As foon as fummer appears, which forms but a short interval from the most piercing cold, the Laplander, who had fed his Rein-deer upon the lower grounds during the winter, drives them up to the mountains, leaving the woody country and the low pastures, which at that seafon are in a state truly deplorable. Myriads of insects, bred by the heat of the fun in the woods and fens with which this country abounds, are all upon the wing; the whole atmosphere fwarms with life; every place and every creature is infested; the natives are obliged to cover their faces with a mixture of pitch and milk, to shield them from these minute invaders, which are drawn in with the breath, and enter the nostrils, and even the eyes: But they are chiefly inimical to the Rein-deer: The horns of that animal being then tender, and covered with a skin which renders them extremely sensitive, a

cloud of these insects settle upon them, and drive the poor animal almost to distraction. In this extremity, there is no resource but flight. The herdsmen drive their flocks from the plains to the fummits of the mountains, whither the foe cannot follow them: There they will continue the whole day, with little or no food, rather than venture down into the lower parts, where they have no defence against their unceasing persecutors.

Besides the gnat, the gadsly is a common pest to the Rein-deer. In the autumn, this infect deposits its eggs in their skin; where the worms burrow, and often prove fatal to them. The moment a fingle fly is feen, the whole herd is in motion: They know their enemy, and endeavour to avoid it, by toffing up their heads, and running among each other; but all this too often proves ineffectual.

Every morning and evening, during the fummer, the herdsman returns to the cottage with his Deer to be milked; where a large fire of moss is prepared, for the purpose of filling the place with smoke, to drive off the gnats, and keep the Deer quiet whilst milking. The quantity of milk given by one female in a day, is about a pint. It is thinner than that of a Cow, but fweeter and more nourishing.

The female begins to breed at the age of two years, is in feason the latter end of September, goes with young eight months, and generally brings forth two at a time. The fondness of the dam for her young is very remarkable. They follow her two or three years, but do not acquire their full strength until four. It is at this age that they are trained to labour; and they continue ferviceable four or five years. They never live above fif-

118 HISTORY OF QUADRUPEDS.

Laplanders kill them for their skins and their slesh. Of the former they make garments, which are warm, and cover them from head to foot: They also serve them for beds; they spread them on each side of the sire upon the leaves of trees, and in this manner lie both soft and warm. The latter affords a constant supply of good and wholesome food, which, in the winter, when other kinds of provisions fail, is their chief subsistence. The tongue of the Rein-deer is considered as a great delicacy; and when dried, great numbers of them are sold into other countries. The sinews serve for thread, with which the Laplanders make their cloaths, shoes, and other necessaries; and, when covered with the hair, serve them for ropes.

Innumerable are the uses, the comforts, and advantages, which the poor inhabitants of this dreary climate derive from this animal. We cannot sum them up better, than in the beautiful language of the poet:—

- "Their Rein-deer form their riches: Thefe their tents,
- "Their robes, their beds, and all their homely wealth,
- " Supply, their wholesome fare, and chearful cups:
- " Obfequious at their call, the docile tribe
- "Yield to the fled their necks, and whirl them fwift
- " O'er hill and dale, heap'd into one expanse
- " Of marhled fnow, as far as eye can sweep,
- "With a blue crust of ice unbounded glaz'd."

The horns of the Rein-deer are large and slender, bending forward; with brow antlers, which are broad and palmated. A pair in our possession are in length two feet eight inches, and from tip to tip two feet five; they weigh nine pounds: The projecting brow antler is fourteen inches long, one foot broad, and ferrated at the end: It should seem, both from its situation and form,

an excellent instrument to remove the snow, under which its favourite moss lies. Both sexes have horns: Those of the semale are less, and have sewer branches.

We are happy in being able to give an accurate reprefentation of this fingular creature. The drawing was taken from one in the possession of Sir H. G. Liddell, Bart.; which he brought over from Lapland, with four others, in 1786. The height at the shoulder was three feet three inches: The hair on the body was of a darkbrown colour; and on the neck, brown, mixed with white: A large tuft of hair, of a dirty-white colour, hung down from the throat, near its breaft; and it had a large white fpot on the infide of each hind leg, close by the joint: Its head was long and fine; and round each eye was a large black space: Its horns were covered with a fine down, like velvet. The hoofs of this animal are large, broad, and deeply cloven: They fpread out to a great breadth on the ground; and, when the animal is in motion, make a crackling noife, by being drawn up forcibly together.

Not many attempts have been made to draw the Reindeer from its native mountains, and transport it to milder climes; and of these, sew have succeeded. Naturalists from thence have concluded, that it cannot exist but amidst ice and snow. M. Busson regrets the impossibility of procuring the animal alive; and says, that when transported to another climate, it soon dies. M. Regnard mentions some that were brought to Dantzick; where, being unable to endure the heat of the climate, they all perished. Queen Christina of Sweden procured sive and twenty, which she purposed sending to Oliver Cromwell: They were brought as far as Stockholm; but the Laplanders who attended them resusing to come to England,

fifteen of the number were killed by the Wolves, and the remaining ten did not long furvive, the climate being confidered as too warm.

To those brought over by Sir H. G. Liddell, five more were added the year following. They produced young ones, and gave promising hopes of thriving in this country: But, unfortunately, some of them were killed; and the others died, in consequence of a disorder similar to that called the rot in Sheep, which was attributed to the richness of the grass whereon they fed. Nor can we wonder at the failure of this spirited enterprize, when we consider, that it is the sole employment of the Laplander to tend and herd his Rein-deer, to drive them in the summer time to the summits of the mountains, to the sides of clear lakes and streams, and to lead them where they can find the most proper food. Want of knowledge or attention to minute particulars, is sufficient to overturn the best-laid plans.

There is, however, little doubt but this animal will live without the Lapland lichen; to which, perhaps, it only hath recourse, because there is in those latitudes no other sustenance during the winter. It is also, in England, free from its mortal enemy—the gadsiy. But as the desire of possessing this animal has hitherto been excited only by curiosity, it is not likely that much attention will be paid to it in a country like this, abounding with such variety of useful quadrupeds.

The Rein-dccr is wild in America, where it is called the Caribou.—It is found in Spitzbergen and Greenland; and is very common in the most northern parts of Europe, and in Asia as far as Kamtschatka, where some of the richest of the natives keep herds of ten or twenty thousand in number. fixth year, the autlers amount to fix or feven on each fide; but the number is not always certain.

The Stag begins to shed his horus the latter end of February, or the beginning of March. Soon after the old horn is fallen off, a foft tumour begins to appear, which is foon covered with a down like velvet: This tumour every day buds forth, like the graft of a tree; and, rifing by degrees, shoots out the antlers on each fide: The skin continues to cover it for some time, and is furnished with blood-vessels, which supply the growing horns with nourishment, and occasion the furrows obfervable in them when that covering is stript off: The impression is deeper at the bottom, where the vessels are larger; and diminishes towards the point, where they are smooth. When the horns are at their full growth, they acquire strength and folidity; and the velvet covering or skin, with its blood-vessels, dries up, and begins to fall off; which the animal endeavours to haften, by rubbing them against the trees; and, in this manner, the whole head gradually acquires its compleat hardness, expansion, and beauty.

Soon after the Stags have polished their horns, which is not compleated till July or August, they quit the thickets, and return to the forests: They cry with a loud and tremulous note: and fly from place to place, in search of the semales, with extreme ardour: Their necks swell: They strike with their horns against trees and other obstacles, and become extremely furious.—At this season, when two Stags meet, their contests are often desperate, and terminate in the deseat or slight of one of them; while the other remains in possession of his mistress and the field, till another rival approaches, that he is also obliged to attack and repel.—During this time,

fifteen of the number were killed by the Wolves, and the remaining ten did not long furvive, the climate being confidered as too warm.

To those brought over by Sir H. G. Liddell, five more were added the year following. They produced young ones, and gave promising hopes of thriving in this country: But, unfortunately, some of them were killed; and the others died, in consequence of a disorder similar to that called the rot in Sheep, which was attributed to the richness of the grass whereon they fed. Nor can we wonder at the failure of this spirited enterprize, when we consider, that it is the sole employment of the Laplander to tend and herd his Rein-deer, to drive them in the summer time to the summits of the mountains, to the sides of clear lakes and streams, and to lead them where they can find the most proper food. Want of knowledge or attention to minute particulars, is sufficient to overturn the best-laid plans.

There is, however, little doubt but this animal will live without the Lapland lichen; to which, perhaps, it only hath recourse, because there is in those latitudes no other sustenance during the winter. It is also, in England, free from its mortal enemy—the gadsly. But as the desire of possessing this animal has hitherto been excited only by curiosity, it is not likely that much attention will be paid to it in a country like this, abounding with such variety of useful quadrupeds.

The Rein-deer is wild in America, where it is called the Caribou.—It is found in Spitzbergen and Greenland; and is very common in the most northern parts of Europe, and in Asia as far as Kamtschatka, where some of the richest of the natives keep herds of ten or twenty thousand in number. fixth year, the antlers amount to fix or feven on each fide; but the number is not always certain.

The Stag begins to shed his horns the latter end of February, or the beginning of March. Soon after the old horn is fallen off, a foft tumour begins to appear, which is foon covered with a down like velvet: This tumour every day buds forth, like the graft of a tree; and, rifing by degrees, floots out the antlers on each fide: The skin continues to cover it for some time, and is furnished with blood-vessels, which supply the growing horns with nourishment, and occasion the furrows obfervable in them when that covering is stript off: The impression is deeper at the bottom, where the vessels are larger; and diminishes towards the point, where they are fmooth. When the horns are at their full growth, they acquire strength and folidity; and the velvet covering or skin, with its blood-vessels, dries up, and begins to fall off; which the animal endeavours to hasten, by rubbing them against the trees; and, in this manner, the whole head gradually acquires its compleat hardness, expansion, and beauty.

Soon after the Stags have polished their horns, which is not compleated till July or August, they quit the thickets, and return to the forests: They cry with a loud and tremulous note: and fly from place to place, in search of the semalcs, with extreme ardour: Their necks swell: They strike with their horns against trees and other obstacles, and become extremely surious.—At this season, when two Stags meet, their contests are often desperate, and terminate in the deseat or slight of one of them; while the other remains in possession of his mistress and the sield, till another rival approaches, that he is also obliged to attack and repel.—During this time,

which usually lasts about three weeks, the Stag is frequently seen by the sides of rivers and pools of water, where he can quench his thirst, as well as cool his ardour.—He swims with great ease and strength; and, it is said, will even venture out to sea, allured by the Hinds, and swim from one island to another, though at a considerable distance.

The Hinds go with young eight months and a few days; and feldom produce more than one young, called a Fawn.—They bring forth in May, or the beginning of June; and conceal their young with great care in the most obscure retreats. They will even expose themselves to the fury of the hounds, and fuffer all the terrors of the chase, in order to draw off the dogs from their hiding place. The Hind is also very bold in the protection of her offspring, and defends it with great courage against her numerous and rapacious enemies: The Wild Cat, the Dog, and even the Wolf, are frequently obliged to give way to her upon these occasions. But what appears to be strangely unnatural, the Stag himself is frequently one of her most dangerous foes; and would destroy the Fawn, if not prevented by the maternal care of the Hind, which carefully conceals the place of its retreat.

The Fawn never quits the dam during the whole fummer; and in winter, the Stags and Hinds of all ages keep together in herds, which are more or lefs numerous, according to the mildness or rigour of the season. They separate in the spring: The Hinds retire, to bring forth; while none but the young ones remain together.

Stags are gregarious, and fond of grazing in company: It is danger or necessity alone that separates them.

The usual colour of the Stag, in England, is red; in

other countries, it is generally brown or yellow. His eye is peculiarly beautiful, foft, and sparkling: His hearing is quick; and his sense of smelling acute. When listening, he raises his head, erects his ears, and seems attentive to every noise, which he can hear at a great distance. When he approaches a thicket, he stops to look round him on all sides, and attentively surveys every object near him: If the cunning animal perceive nothing to alarm him, he moves slowly forward; but, on the least appearance of danger, he slies off with the rapidity of the wind. He appears to listen with great tranquillity and delight to the sound of the shepherd's pipe, which is sometimes made use of to allure the poor animal to its destruction.

The Stag eats flowly, and is nice in the choice of his pasture. When his stomach is full, he lies down to chew the cud at leisure. This, however, seems to be attended with greater exertions than in the Ox or the Sheep; for the grass is not returned from the first stomach without violent straining, owing to the great length of his neck, and the narrowness of the passage. This effort is made by a kind of hiccup, which continues during the time of his ruminating.

The voice of the Stag is stronger and more quivering as he advances in age: In the rutting season, it is even terrible. That of the Hind is not so loud; and is seldom heard, but when excited by apprehension for herself or her young.

The Stag has been faid to be an uncommonly longlived animal; but later observations have fully consuted this unfounded opinion. It is a generally received maxim, that animals live seven times the number of years that bring them to perfection: Thus the Stag, being five or fix years in arriving at maturity, lives feven times that number, or from thirty-five to forty years.

The following fact, recorded in history, will ferve to shew, that the Stag is possessed of an extraordinary share of courage, when his personal fasety is concerned:—Some years ago, William, Duke of Cumberland, caused a Tiger and a Stag to be inclosed in the same area; and the Stag made so bold a defence, that the Tiger was at length obliged to give up.

The hunting of the Stag has been held, in all ages, a diversion of the noblest kind; and former times bear witness of the great exploits performed on these occafions. In our island, large tracts of land were set apart for this purpose; villages and facred edifices were wantonly thrown down, and converted into one wide waste, that the tyrant of the day might have room to purfue his favourite diversion. In the time of William Rufus and Henry the First, it was less criminal to destroy one of the human species than a beast of chase. Happily for us, these wide-extended scenes of desolation and oppression have been gradually contracted; useful arts, agriculture, and commerce, have extensively spread themselves over the naked land; and these superior beasts of the chase have given way to other animals more useful to the community.

In the prefent cultivated state of this country, therefore, the Stag is almost unknown in his wild state. The few that remain are kept in parks among the Fallow-deer, and distinguished by the name of Red Deer.—Its viciousness during the rutting season, and the badness of its slesh, which is poor and ill-slavoured, have occasioned almost the extinction of the species.—Some few are yet to be found in the forests that border on Cornwall and

Devonshire, on most of the large mountains of Ireland, and in the Highlands of Scotland, where Dr Johnson describes them as not exceeding the Fallow-deer in fize, and their flesh of equal flavour.

The Red Deer of this kingdom are nearly of the same fize and colour, without much variety: In other parts of the world, they differ in form and fize, as well as in their horns and the colour of their bodies.

THE CORSICAN STAG

is very fmall, not exceeding half the height of ours; his body is fhort and thick, his hair of a dark-brown colour, and his legs short.







THE AXIS, OR GANGES STAG,

is an inhabitant of those immense plains of India, watered by the river Ganges .- M. Buffon confiders it as a variety or shade between the Stag and the Fallow-deer. It is of the fize of the latter; but its horns are round, like those of the Stag; and it has no brow antlers. whole body is marked with white spots, elegantly difposed, and distinct from each other; the belly, inside of the thighs, and legs, are white; along the back there are two rows of spots, parallel to each other; those on the other parts of the body are irregular; the head and neck are grey; and the tail, which is red above and white beneath, is as long as that of the Fallow-deer.

The continent of America abounds with Stags, and other animals of the Deer kind, in great variety. In fome parts of that vast country, the inhabitants have domesticated them, and live chiefly upon the milk and cheefe with which they fupply them.

Thus we find, that the fame animal, which in fome parts contributes only to the amusement of man, may in others be brought to supply his necessities. The stores of Nature are various and abundant: It is necessity alone that draws them out to supply our wants, and contribute to our comforts.



THE FALLOW-DEER.

The principal difference between the Stag and the Fallow-deer, feems to be in their fize, and in the form of their horns,—the latter being much smaller than the former; and its horns, instead of being round, like those of the Stag, are broad, palmated at the ends, and better

garnished with antlers: The tail is also much longer than that of the Stag, and its hair is brighter; in other respects they nearly resemble each other.

The horns of the Fallow-deer are shed annually, like those of the Stag; but they fall off later, and are renewed nearly at the same time.—Their rutting season arrives sifteen days or three weeks after that of the Stag. The males then bellow frequently, but with a low and interrupted voice. They are not so surious at this season as the Stag, nor exhaust themselves by any uncommon ardour. They never leave their pasture in quest of the semales; but generally sight with each other, till one buck becomes master of the field.

They affociate in herds, which fometimes divide into two parties, and maintain obstinate battles for the possession of fome favourite part of the park: Each party has its leader, which is always the oldest and strongest of the flock. They attack in regular order of battle; they fight with courage, and mutually support each other; they retire, they rally, and seldom give up after one deseat: The combat is frequently renewed for several days together; till, after several deseats, the weaker party is obliged to give way, and leave the conquerors in possession of the object of their contention.

The Fallow-deer is easily tamed, feeds upon a variety of things which the Stag refuses, and preferves its condition nearly the same through the whole year, although its flesh is esteemed much finer at particular seasons.

They are capable of procreation in their fecond year; and, like the Stag, are fond of variety.—The female goes with young eight months; and produces one, fometimes two, and rarely three, at a time.—They arrive at perfection at the age of three years, and live till about twenty.

We have, in England, two varieties of the Fallow-deer, which are faid to be of foreign origin: The beautiful fpotted kind, supposed to have been brought from Bengal; and the deep-brown fort, now common in this country. These last were introduced by King James the First, out of Norway; where having observed their hardiness in bearing the cold of that severe climate, he brought some of them into Scotland, and from thence transported them into his chases of Ensield and Epping. Since that time they have multiplied exceedingly in many parts of this kingdom, which is now become famous for venison of superior fatness and slavour to that of any other country in the world.

The Fallow-deer, with some variation, is found in almost every country of Europe. Those of Spain are as large as Stags, but darker; their necks are also more slender; and their tails, which are longer that those of ours, are black above, and white beneath.

In Guiana, (a country of South-America) according to Labat, there are *Deer* without horns, fmaller than those of Europe, but resembling them in every other particular. They are very lively, light, and excessively timid; of a reddish colour; with sharp, piercing eyes, and short tails. When pursued, they sly into places of dissicult access. The natives frequently stand and watch for them in narrow paths; and, as soon as the game appears within reach, shoot them unperceived. Their sless is considered as a great delicacy.



THE ROE-BUCK

was formerly common in many parts of England and Wales; but at present is only to be found in the Highlands of Scotland.

The Roe is the smallest of all the Deer kind, being only three seet four inches long, and somewhat more than two feet in height: The horns are from eight to nine inches long, upright, round, and divided into three branches; the body is covered with long hair; the lower part of each hair is ash colour, near the end is a narrow bar of black, and the point is yellow; the hairs on the face are black, tipped with ash colour; the cars are long, their insides of a pale-yellow, and covered with long hair; the chest, belly, legs, and inside of the thighs, are of a yellowish-white, the rump is of a pure white, and the tail very short.

The form of the Roe-buck is elegant, and its motions

light and easy. It bounds seconingly without effort, and runs with great swiftness.—When hunted, it endeavours to clude its pursuers by the most subtle artifices: It repeatedly returns upon its former steps, till, by various windings, it has entirely consounded the scent. The cunning animal then, by a sudden spring, bounds to one side; and, lying close down upon its belly, permits the hounds to pass by, without offering to stir.

They do not keep together in herds, like other Deer, but live in separate families. The fire, the dam, and the young ones, affociate together, and seldom mix with others.

Their rutting scason continues but sisteen days,—from the latter end of October till about the middle of November. During this period, they will not suffer the fawns to remain with them: The buck obliges them to retire, in order that the dam and her succeeding progeny may remain undisturbed.

The female goes with young five months and a half; and brings forth about the end of April, or beginning of May. On these occasions, she feparates from the male, and conceals herself in the thickest and most retired part of the woods. She generally produces two fawns at a time, sometimes three. In ten or twelve days, these are able to follow their dam. When threatened with danger, she hides them in a thicket; and, to preserve them, offers herself to be chased: But, notwithstanding her care, she is frequently robbed of her young. Numbers of fawns are found out and taken alive by the peasants; and many more are worried by dogs, foxes, and other carnivorous animals. By these continual depredations, this beautiful creature is daily becoming more scarce;

and, in many countries, where once it was common, the race is now wholly extinct.

When about eight or nine months old, their horns begin to appear in the form of two knobs: The first year they are without antlers. They fled their horns the latter end of autumn, and renew them in the winter; in which they differ from the Stag, whose horns fall off in the fpring, and are renewed in fummer.

The life of the Roe-buck feldom exceeds twelve or fifteen years.

They are very delicate in the choice of their food; and require a large tract of country, fuited to the wildnefs of their nature, which can never be thoroughly fubducd. No arts can teach them to be familiar with their keeper, nor in any degree attached to him. They are eafily terrified; and, in their attempts to cscape, will run with fuch force against the walls of their inclosure, as sometimes to disable themselves: They are also subject to capricious fits of fierceness; and, on these occasions, will strike furiously with their horns and feet at the obicet of their dislike.

Some years ago, one of these animals, after being hunted out of Scotland, through Cumberland, and various parts of the North of England, at last took refuge in the woody recesses bordering upon the banks of the Tyne, between Prudhoe Castle and Wylam. It was repeatedly feen and hunted; but no dogs were equal to its speed: It frequently crossed the river; and, either by swiftness or artifice, eluded all its purfuers. It happened, during the rigour of a fevere winter, that being purfued, it crossed the river upon the icc with some disticulty; and being much strained by its violent exertions, was taken alive. It was kept for fome weeks in the house, and

was then again turned out; but all its cunning and activity were gone; it feemed to have forgotten the places of its former retreat; and, after running fome time, it laid down in the midst of a brook, where it was killed by the dogs.

The flesh of the Roe-buck is fine and well-tasted: That of the male, after the age of two years, is hard; the slesh of the semales, though farther advanced in years, is more tender: When very young, it is loose and soft; but, at the age of eighteen months, is in its highest state of perfection.

In America, the Roe-buck is much more common than in Europe.—In Louisiana, it is very large.—The inhabitants live chiefly upon its flesh, which is good and well-flavoured.





THE CAMEL

POSSESSES the various qualities of the Horse, the Cow, and the Sheep; and is to the Arabian, in a great measure, what those useful creatures are to us. Its milk is rich and nourishing; and, being mixed with water, makes a wholesome and refreshing beverage, much used by the Arabs in their journies: The sless of young Camels is also an excellent and wholesome food. Their hair or sleece, which falls off entirely in the spring, is superior to that of any other domestic animal, and is made into very sine stuffs, for cloaths, coverings, tents, and other furniture.

Possessed of his Camel, the Arabian has nothing either to want or to fear: In one day, he can perform a journey of fifty leagues into the desert, where he is safe from every enemy: For, without the aid of this useful animal, no person could pursue him amidst sandy deserts, where nothing presents itself to the eye but one uniform void, naked and solitary.

The Arabian regards his Camel as the most precious gift of Heaven; by the affistance of which he is enabled to subfift in those frightful intervals of Nature, which ferve him for an afylum, and fecure his independence.

But it is not to the plundering Arab alone, that the fervices of this useful quadruped are confined: In Turkey, Persia, Barbary, and Egypt, every article of merchandife is carried by Camels. Merchants and travellers unite together, and form themselves into numerous bodies, called caravans, to prevent the infults of the Arabs. One of these caravans frequently consists of many thoufands; the Camels being always more numerous than the men. Each Camel is loaded in proportion to his strength. At the command of their conductor, they lie down on their belly, with their legs folded under them, and in this posture receive their burden: As foon as they are loaded, they rife of their own accord, and will not fuffer any greater weight to be imposed upon them than they can bear with ease; when overloaded, they fet up the most piteous cries, till part of the burden be taken off. The common load of a Camel is from three to four hundred weight; and the medium of the expence of the conveyance for each hundred appears to be about one farthing per mile. The usual rate of travelling is three miles in the hour; and the number of hours that are actually employed on the route, exclusive of those allotted to refreshment, is seldom more than seven or eight in a day. Of the number of days which are confumed in a long journey, many are devoted to the purposes of occafional trade, recruiting the strength of the Camels, and procuring additional stores of provisions and water .- A particular mode of easy conveyance is provided for women and children, and for perfons oppressed with infirmity or illness: Six or eight Camels are yoked together in a Yow; and a number of tent poles are placed in parallel lines upon their backs: These are covered with earpets; and bags of corn are superadded to bring the shoot to a level, as well as to soften the harshness of the Camels' movements: Other carpets are then spread; and the travellers sit or lie down with the most perfect ease.

The general food of the Camels is such only as their nightly pasture affords; and is frequently confined to the hard and thorny shrubs of the desert, where a sullen kind of vegetation is created by the rains of the winter, and sustained by the dew that descends in copious abundance through all the remainder of the year.

But the peculiar and distinguishing characteristic of the Camel is, its faculty of abstaining from water for a greater length of time than any other animal; for which Nature has made a wonderful provision, in giving it, befides the four ftomachs which it has in common with other ruminating animals, a fifth bag, ferving as a refervoir for water, where it remains without corrupting or mixing with the other aliments. When the Camel is pressed with thirst, and has occasion for water to macerate its food while ruminating, it makes part of it pass into its stomach, by a simple contraction of certain muscles. By this fingular structure, it can take a prodigious quantity of water at one draught, and is enabled to pass feveral days without drinking; Leo Africanus fays fifteen.—Camels can discover water by their smell at half a league's distance; and, after a long abstinence, will hasten towards it, long before their drivers perceive where it lies.

The feet of the Camel are peculiarly adapted to the foil on which he treads. On moist or slippery ground,


he cannot well support himself; and his broad and tender feet are liable to be injured by the resistance of stones: But he is observed to tread with persect ease and security on the dry and yielding sand; and whilst, from its peculiar structure, his hoof is incapable of sastening with any degree of security on the ground of a steep ascent or shelving declivity, his movements on a smooth and level surface are singularly sirm and safe.

Many attempts have been made to introduce this ferviceable animal into other countries; but, as yet, none have succeeded. The race seems to be consined to certain districts, where its utility has been known for ages.

Though a native of warm climates, the Camel dreads those which are excessively hot: It can neither subsist in the burning heat of the torrid zone, nor in the milder air of the temperate. It seems to be an original native of Arabia; for, in that country, it is not only more numerous, but thrives better than in any other part of the world.

There are two varieties of this animal, which have been distinguished previous to all historical record: That which is called the *Bactrian Camel*, has two hunches on its back, and is found chiefly in Turkey and the countries of the Levant; whilst the *Arabian Camel* has only one hunch.





THE ARABIAN CAMEL, OR DROMEDARY,

is common in Arabia and all the northern parts of Africa, from the Mediterranean Sea to the river Niger; and is infinitely more numerous, and more generally diffused, than the Camel: It is also much swifter, and is therefore generally employed on business which requires dispatch.

In Arabia, they are trained for running matches; and, in many places, for carrying couriers, who can go above a hundred miles a day on them, and that for nine or ten days together, over burning and uninhabitable deferts. They require neither whip nor fpur to quicken their pace; but go freely, if gently treated; and are much enlivened by finging or the found of the pipe, which gives them fpirits to purfue their journey.

They are mild and gentle at all times, except when they are in heat: At that period, they are feized with a fort of madness; they eat little, and will sometimes attempt to bite their masters; so that it is not safe to approach them. The Camel arrives at its full strength at the age of fix

years, and lives forty or fifty.

The females are not usually put to labour, but are allowed to pasture and breed at full liberty. Their time of gestation is nearly twelve months; and they generally bring forth one at a birth.

THE LAMA

is the Camel of Peru and Chili; and, before the conquest of those countries by the Spaniards, was the only beast of burden known to the Indians.—Its disposition is mild, gentle, and tractable.

Before the introduction of Mules, these animals were used by the natives to plough the land, and now serve to carry burdens. They march flowly, and feldom accomplish journies of more than four or five leagues a day; but what they want in speed is made up by perseverance and industry. They travel long journies in countries impassable to most other animals; are very sure-footed; and are much employed in transporting the rich ores, dug out of the mincs of Potofi, over the rugged hills and narrow paths of the Andes: Boliver remarks, that, in his time, three hundred thousand of them were constantly employed in this work. They lie down to be loaded, and, when weary, no blows can excite them to quieken their pace.—They neither defend themselves with their feet nor their teeth. When angry, they have no other method of revenging injuries, but by spitting. They can throw out their faliva to the distance of ton paces; and if it fall on the skin, it raises an itching, accompanied with a flight inflammation .- Their flesh is eaten, and faid to be as good as mutton.

Like the Camel, they have the faculty of abstaining long from water (sometimes sour or five days); and like that animal's, their food is coarse and trisling. They are neither allowed corn nor hay; green herbage, of which they eat very moderately, being sufficient for their nourishment.

The wild Lamas, called Guanacos, are stronger and more active than the domestic kind. They live in herds, and inhabit the highest regions of the Cordelicres. They run with great swiftness in places of dissipult access, where dogs cannot easily follow them. The most usual way of killing them is with the gun. They are hunted for the sake of their slesh and their hair: Of the latter the Indians make cloth.

The Lama resembles the Camel in the form of its body, but is without the dorsal hunch: Its head is small and well shaped; its neck long, and very protuberant near its junction with the body: In its domestic state, its hair is short and smooth; when wild, it is coarse and long, of a yellowish colour: A black line runs along the top of the back, from the head to the tail. The tame ones vary in colour: Some of them are white, others black, others of a mixed colour—white, grey, and russet, dispersed in spots. Its tail is short: Its ears are four inches long: Its feet are cloven like those of the Ox; and are armed behind with a spur, by which the animal is enabled to support itself on rugged and difficult ground. The height of the Lama is about four feet; and its length, from the neck to the tail, six feet.



THE PACOS

rery much refembles the Lama in figure, but is much fmaller. Its body is covered with very fine long wool, of the colour of dried roses, or a dull purple; the belly is white.—They live in vast herds, and inhabit the most elevated parts of the highest mountains, where they endure the utmost rigour of frost and snow. They are exceedingly swift; and so timid, that it is very difficult to come near them.

The manner of taking them is fingular. The Indians tie cords, with small pieces of wool or cloth hanging from them, across the narrow passes of the mountains, about three or four feet from the ground: They then drive a herd of these animals towards them; and they are so terrified by the slutter of the rags, that they dare not pass, but huddle together, and suffer themselves to be killed in great numbers.


Their wool is a valuable article of commerce; and is made into gloves, stockings, bed-cloaths, carpets, &c.

The Pacos are domesticated; and, like the Lamas, are employed in carrying burdens; but cannot bear more than from fifty to seventy-five pounds; and are still more subject to capricious fits of obstinacy. When once they lie down with their load, no blows can provoke them to rise.

The great advantage, derived from the wool of these creatures, induced the Spaniards to attempt their introduction into Europe. Some of them were brought over to Spain; but, by not sufficiently attending to the necessity of placing them in situations similar to those which they had always been accustomed to, the experiment proved unsuccessful.

THE HOG KIND.

NIMALS of the Hog kind feem to possess a middle nature, between those that live upon grass and such as are carnivorous; and unite in themselves most of those distinctions which are peculiar to each class. Like the one, they will feed on animal substances, and do not ruminate; like the other, they are cloven-hoosed, live chiefly on vegetables, and seldom seek after animal food, except when urged by necessity.



THE WILD-BOAR,

which is the original of all the varieties to be found in this creature, is much smaller than those of the domestic kind; and does not, like them, vary in colour, but is uniformly of a brindled or dark-grey, inclining to black.


—His snout is longer than that of the tame Hog; and his ears are short, round, and black. He is armed with

formidable tulks in each jaw, which ferve him for the double purpole of annoying his enemy, or procuring his food, which is chiefly roots and vegetables: Some of these tulks are almost a foot long: Those in the upper jaw bend upwards in a circular form, and are exceedingly sharp at the points; those of the under jaw are always most to be dreaded; for with them the animal defends himself, and frequently gives mortal wounds.

Wild-Boars are not gregarious; but while young, live together in families, and frequently unite their forces against the wolves or other beasts of prey. When likely to be attacked, they call to each other with a very loud and fierce note: The strongest face the danger, and form themselves into a ring, the weakest falling into the center. In this position, sew beasts dare venture to engage them; but leave them to pursue a less dangerous chase.—When the Wild-Boar is arrived at a state of maturity, he walks the forest alone and fearless. At that time he dreads no single foe; nor will he turn out of his way even for man himself. He offends no animal; at the same time he is furnished with arms which render him a terror to the siercest.

The hunting of the Wild-Boar is a dangerous but common amusement of the great in those countries where it is to be found. The Dogs chiefly used for this sport are of a flow and heavy kind.—When the Boar is roused, he goes slowly forward, not much as afraid, nor very far before his pursuers. He frequently turns round, stops till the hounds come up, and offers to attack them: after keeping each other at bay for a while, the Boar again goes slowly forward, and the Dogs renew the pursuit. In this manner the chase is continued till the Boar

becomes quite tired, and refuses to go any farther: The Dogs then attempt to close in upon him from behind; and in this attack the young ones, being generally the most forward, frequently lose their lives: The old seafoned Dogs keep the animal at bay until the hunters come up, who kill him with their spears.



THE COMMON BOAR

is, of all other domestic quadrupeds, the most filthy and impure. Its form is elumfy and disgusting, and its appetite gluttonous and excessive.—In no instance has Nature more conspicuously shewn her economy than in this race of animals, whose stomachs are sitted to receive nutriment from a variety of things that would otherwise be wasted: The resuse of the field, the garden, the barn, or the kitchen, affords them a luxurious repast.

Ufeless during life, and only valuable when deprived of it, this animal has sometimes been conpared to a mifer, whose hoarded treasures are of little value till death has deprived them of their rapacious owner.

The parts of this animal are finely adapted to its mode of living. Nature has given it a form more prone than that of other animals. Its neck is strong and brawny; its fnout is long and callous, well calculated for the purpose of turning up the earth for roots of various kinds, of which it is extremely fond; and it has a quick fenfe of fmelling, by which it is enabled to trace out its food. It is naturally stupid, inactive, and drowfy; much inclined to increase in fat, which is disposed in a different manner from that of other animals, and forms a thick and regular coat between the flesh and the skin. It is reftlefs at a change of weather; and during certain high winds is fo agitated, as to run violently, fcreaming horribly at the same time. It appears to foresee the approach of bad weather, as it previously carries straw in its mouth to its sty, prepares a bed, and feems endeavouring to hide itself from the impending storm.

Linnæus observes, that the flesh of the Hog is a wholesome food for those that use much exercise, but bad for such as lead a sedentary life. It is of universal use, and makes, in various ways, a constant article in the elegancies of the table. It is of great importance to this country, as a commercial nation; for it takes falt better than any other kind, and confequently is capable of being preserved longer: It is therefore of great use in ships, and makes a principal part of the provisions of the British navy.

The domestic Sow brings forth twice a year, and produces from ten to twenty at a litter: She goes four months with young, and brings forth in the fifth. At that time she must be carefully watched, to prevent her from devouring her young: Still greater attention is neceffary to keep off the male, as he would destroy the whole litter.

The most numerous breed of Hogs in this island is that generally known by the name of the Berkshire Pigs, now spread through almost every part of England, and some parts of Scotland. They are in general of a red-dish-brown colour, with black spots upon them; have large ears hanging over their eyes; are short-legged, small-boned, and are readily made fat. Some of these have been fed to an almost incredible size. Mr Culley, in his Treatise on Live Stock, gives an account of one that was killed at Congleton in Cheshire, which measured, from the nose to the end of the tail, three yards eight inches; in height, it was four feet and a half; and weighed, after it was killed, eighty-six stones eleven pounds, avoirdupoise.

The Chinese or black breed are now very common in England. They are smaller, have shorter legs, and their sless whiter and sweeter than the common kind.—Of this fort were those found in New Guinea, which proved so seasonable a relief to our circumnavigators, when that country was first visited by them.—There are likewise great numbers of them in the Friendly and Society Isles, the Marquesas, and many other of the newly-discovered islands in the South seas. These are fed with plantains, bread-fruit, and yams, and are exceedingly fat. They are frequently seen by the natives in their canoes, swimming from one island to another, and killed by them with lances and arrows.

The Hog species, though very numerous, and diffused over Europe, Asia, and Africa, did not exist in America, till transported thither by the Spaniards. In may places they have multiplied exceedingly, and become wild.

They refemble the domestic Hog; but their bodies are shorter, and their snout and skin thicker.



THE AFRICAN WILD-BOAR, OR WOOD-SWINE,

lives in a wild, uncultivated state, in the hottest parts of Africa.--It is a very vicious animal, and quick in all its motions. It is as dangerous to attack one of them, as a Lion: For, though much smaller, it rushes upon a man as swift as an arrow; and throwing him down before he has time to strike with his javelin, breaks his legs, and almost at the same instant rips up his belly.

It has four tusks: Two very large ones proceed from the upper jaw, and turn upwards like a horn---they are nine inches long, and full five inches round at the base; the two other tusks, which come from the lower jaw, project but three inches from the mouth. These tusks the animal makes use of as the dreadful instruments of his vengeance.—He will attack a man on horseback, if he should venture to come too near him; and first breaking the horse's legs, kills both him and his rider.


Sparrman describes it as being of a bright-yellow colour, like the domestic kind. Its nose is broad, flat, and of a horny hardness; its head is very large, in proportion to the size of its body; underneath each eye it has a great lobe or wattle, lying almost horizontally, broad, flat, rounded at the end, and placed so as to intercept the view of any thing immediately beneath it; the ears are large and slarp-posited, lined on the inside with long whitish hairs; its tail is slender and flat; when the animal is pursued, it always holds it quite erect.

They live in holes underground, the avenues to which are exceedingly narrow. The natives feldom dare attack them in their retreats, as there is always danger of their rushing out unawares. When pursued with their young ones, it is no uncommon thing to see them take them up in their mouths, and run with them in that manner at a great rate.

From the shortness of their necks, they frequently fall on their knees to feed; and change this posture to that of standing with the greatest ease.

The flesh of this animal is good, and very much resembles that of the common Hog.





THE PECCARY, OR MEXICAN HOG,

inhabits the hottest parts of South-America, where the species is very numerous: Herds, consisting of two or three hundred, are sometimes to be seen together.—It is very sierce; and will sight stoutly with beasts of prey, when attacked by them. The Jaguar, or American Leopard, is its mortal enemy; and frequently loses its life in engaging a number of these animals. They assist each other, surround their enemies, and often come off victorious.

They live chiefly in mountainous places; and are not fond of wallowing in the mire, like the common Hog. They feed on fruits, roots, and feeds: They likewife eat ferpents, toads, and lizards; and are very dexterous in first taking off the skins with their fore feet and teeth.

The Peccary in appearance refembles the Hog, though fomewhat fmaller: Its body is covered with long briftles, which, when the creature is irritated, rife up like the prickles of a Hedgehog, and are nearly as strong—they are of a dusky colour, with alternate rings of white;


across the shoulders to the breast, there is a band of white; its head is short and thick; it has two tusks in each jaw; its ears are small and erect; and instead of a tail, it has a small sleshy protuberance, which does not cover its posteriors. It differs most essentially from the Hog, in having a small orifice on the lower part of the back, from whence a thin watry humour, of a most disagreeable smell, slows very copiously. In the Philosophical Transactions, Dr Tyson has described this orifice very minutely, as well as some other peculiarities in the conformation of its stomach and intestines.

Like the Hog, the Peccary is very prolific. The young ones, if taken at first, are casily tamed, and soon lose all their natural serocity; but can never be brought to discover any signs of attachment to those that feed them. They do no mischief, and may be allowed to run about at pleasure. They seldom stray far from home, and return of their own accord.—When angry, they grunt like the Hog, but much stronger and harsher; and, when suddenly alarmed, make a sharp noise with their breath, and erect their bristles.

The flesh of the Peccary, though drier and leaner than that of our Hog, is by no means disagreeable, and may be greatly improved by castration. When killed, the dorsal gland must be immediately cut off. If this operation be deferred for the space of half an hour, the slesh becomes utterly unsit to be eaten.

Although the European Hog is common in America, and in many parts has become wild, the Peccary has never been known to breed with it. They frequently go together, and feed in the fame woods; but hitherto no intermediate breed has been known to arise from their intercourse.

M. de la Borde describes two kinds of this animal,—one smaller than the other.—He relates, that being one day engaged with some others in hunting a drove of Peccaries, they were surrounded by them, and obliged to take resuge upon a piece of rock; and, notwithstanding they kept up a constant sire among them, the creatures did not retire till a great number of them were slain.



THE BABIROUSSA,

though classed by naturalists with the Hog kind, differs from animals of that species in a variety of particulars: Its legs are longer, and its body more slender; it is covered with short hair as soft as wool, and of a dark-grey colour, mixed with red; its ears are short and pointed; its tail is long, tusted at the end, and twisted. Its most distinguishing characteristic consists in four large tusks, the two stoutest of which proceed, like those of the Wild Boar, from the under jaw, pointing upwards, and standing near eight inches out of the sockets; the two others rise up like horns on the outside of the upper jaw, just


above the nose, and extend in a curve above the eyes, almost touching the forehead, and are twelve inches in length. These tusks are of the most beautiful ivory, but not so hard as those of the Elephant.

The Babiroussa abounds in several of the islands of the East-Indies; particularly Buero, a small isle near Amboyna.

It is easily tamed; and its flesh is well tasted. It lives on leaves of trees and other vegetables. Its scent is exquisite: It can discover the approach of dogs at a distance. When closely pursued, it plunges into the sca, swims and dives with great facility from one island to another, and by that means frequently escapes from its pursuers.

They live in herds; and when any number of them are together, their odour is fo strong, that the dogs can scent them at a considerable distance.—When attacked, they growl frightfully, and defend themselves with their under tusks: The upper ones are serviceable to them in taking their repose, by hooking them on the branches of trees.






THE LONG-NOSED TAPIIR

is the Hippopotamus of the new world, and has by some authors been mistaken for that animal.---It inhabits the woods and rivers on the eastern side of South-America, from the isthmus of Darien to the river of the Amazons. ---It is a solitary animal, sleeps during the day, and goes out in the night in search of food; lives on grass, sugarcanes, and fruits. If disturbed, it takes to the water; swims with great ease, or plunges to the bottom; and, like the Hippopotamus, walks there as on dry ground.

It is about the fize of a fmall Cow: Its nose is long and slender, and extends far beyond the lower jaw, forming a kind of proboscis, which it can contract or extend at pleasure; each jaw is furnished with ten cutting teeth, and as many grinders; its ears are small and erect; its body formed like that of a Hog; its back arched; legs short; and hoofs, of which it has four upon each foot, small, black, and hollow; its tail is very small; its hair short, and of a dusky-brown colour.

The Tapiir is mild and inoffensive, avoids all hostilities

with other animals, and flies from every appearance of danger. Its skin, of which the Indians make bucklers, is very thick; and when dried, is so hard, as to resist the impression of an arrow. The natives eat its sless, which is said to be very good.



THE RHINOCEROS.

We are indebted to the labours of many learned and ingenious naturalists for accurate descriptions of this wonderful creature, which in fize is only exceeded by the Elephant, and in strength and power is inferior to no other animal. Bontius says, that in the bulk of its body it equals the Elephant, but is lower only on account of the shortness of its legs.

The length of the Rhinoceros, from the extremity of the muzzle to the infertion of the tail, is usually twelve seet; and the circumference of its body nearly equal to its length. Its nose is armed with a formidable weapon, peculiar to this creature, being a very hard and solid horn, with which it defends itself from every adversary. The Tiger will rather attack the Elephant, whose trunk it can lay hold of, than the Rhinoceros, which it cannot face, without danger of having its bowels torn out.

The body and limbs of the Rhinoceros are covered with a skin fo hard and impenetrable, that he fears neither the claws of the Tiger, nor the more formidable proboscis of the Elephant: It will turn the edge of a scimitar, and even resist the force of a musket-ball. The skin, which is of a blackish colour, forms itself into large folds at the neck, the fhoulders, and the crupper, by which the motion of the head and limbs is facilitated; round the neck, which is very short, are two large folds; there is also a fold from the shoulders, which hangs down upon the fore legs; and another from the hind part of the back to the thighs. The body is every-where covered with fmall tuberofities or knots, which are fmall on the neck and back, but larger on the fides: The thighs, legs, and even the feet, are full of these incrustations, which have been mistaken for scales by some authors: They are, however, only simple indurations of the skin, without any uniformity in their figure, or regularity in their position. Between the folds, the skin is penetrable and delicate, as foft to the touch as filk, and of a light flesh colour: The skin of the belly is nearly of the same colour and confiftency.

The body of the Rhinoccros is long and thick; its belly is large, and hangs near the ground; its legs fhort, round, and very strong; and its hoofs are divided into three parts, each pointing forward. The head of this animal is large; its cars long and creet; and its eyes fmall, funk, and without vivacity: The upper lip is long, overhangs the lower, and is capable of great extension: It is fo pliable, that the Rhinoceros can move it from

fide to fide, twift it round a flick, collect its food, or feize with it any thing it would carry to its mouth.

The Rhinoceros, without being ferocious, carnivorous, or even extremely wild, is, however, totally untractable and rude. It feems to be subject to paroxysms of sury, which nothing can appease. That which Emanuel, king of Portugal, sent to the pope in the year 1513, destroyed the vessel in which they were transporting it.

Like the Hog, the Rhinoceros is fond of wallowing in the mire.—It is a folitary animal, loves moist and marshy grounds, and seldom quits the banks of rivers.—It is found in Bengal, Siam, China, and other countries of Asia; in the isles of Java, Sumatra, Ceylon, &c.; in Ethiopia, and the country as low as the Cape of Good Hope: But in general, the species is not numerous, and is much less diffused than that of the Elephant.

The female produces but one at a time, and at confiderable intervals.—During the first month, the young Rhinoceros exceeds not the size of a large dog. At the age of two years, the horn is not more than an inch long; at six years old, it is nine or ten inches long; and grows to the length of three feet and a half, and sometimes four feet. The horn is much esteemed by the natives as an antidote against poison, as well as a remedy for particular diseases.

The Rhinoceros feeds on the groffest herbs, and prefers thistles and shrubs to soft or delicate pasturage. It is fond of the sugar-cane, and eats all kinds of grain.


Dr Parsons remarks, that this animal has an acute and very attentive ear. It will listen with a deep and long-continued attention to any kind of noise; and, though it be cating, lying down, or obeying any pressing demands of Nature, it will raise its head, and listen till the noise cease.

From the peculiar construction of his eyes, the Rhinoceros can only see what is immediately before him. When he pursues any object, he proceeds always in a direct line, overturning every obstruction. With the horn on his nose, he tears up trees, raises stones, and throws them behind him to a considerable distance.—His sense of smelling is so exquisite, that the hunters are obliged to avoid being to windward of him. They sollow him at a distance, and watch till he lies down to sleep: They then approach with great precaution, and discharge their muskets all at once into the lower part of the belly.

The Rhinoceros is supposed to be the *Unicorn* of holy writ, and possesses all the properties ascribed to that animal,—rage, untameableness, great swiftness, and immense strength.—It was known to the Romans in very early times, and is handed down to us in some of the works of that celebrated people. Augustus introduced one into the shows, on his triumph over Cleopatra.

Its flesh is eaten, and much relished by the natives of India and Africa.





THE TWO-HORNED RHINOCEROS.

We have given the figure of this hitherto undescribed animal from Mr Sparrman, whose authenticity there is every reason to depend upon, and who has given a most exact anatomical description of it. Of two that were shot, he only mentions the fize of the smaller of them; which was eleven feet and a half long, feven feet high, and twelve in circumference. Its skin was without any folds, and of an ash colour; excepting about the groin, where it was flesh-coloured: The surface was scabrous and knotty, of a close texture, and when dry, extremely hard. There were no hairs on any part of the body, except the edges of the ears and the tip of the tail, on which were a few dark briftly hairs, about an inch long.

The horns are placed one behind the other, in a line with the nose: The foremost of them measures about eighteen inches in length, and is always the larger of the two. They are of a conical shape, and the tips incline a little backward; the lower parts are rough, and feem as

if composed of horny fibres; the upper parts are smooth and plain like those of an Ox. It is remarkable, that the Rhinoceros makes use of the shorter horn only for the purpose of digging up roots, of which its food chiesly consists, being endued with the power of turning the larger horn on one side out of the way.—The feet are round, and do not spread much: They have three hoofs on each of them, which project but little; the middle one is the longest.

The eyes of the Rhinoceros are fmall, and funk into its head; in consequence of which it sees indistinctly. But its organs of hearing and smelling are very acute: At the least noise, the creature takes the alarm, pricks up its ears, and listens with great attention: If it happen to catch the scent of any person within a small distance, it rushes out with astonishing rapidity; and it is dissicult to avoid the impetuous attack of this powerful animal.

It has been generally said of the Rhinoceros, that its tongue is so hard and rough, as to take away the skin and slesh wherever it licks any person that has unfortunately sallen a victim to its sury. Mr Sparrman says, however, that he thrust his hand into the mouth of one that had just been shot, and sound the tongue persectly soft and smooth.—From the account of its intestines, given us by the same ingenious author, we shall just mention the sollowing, which will enable our readers to form a more persect idea of its enormous bulk:—The stomach was sour feet in length, and two in diameter; to which was annexed a tube or canal, twenty-eight sect long, and six inches diameter; the kidnies were a foot and a half in breadth; the heart was a foot and a half long, and near-

ly the same in breadth; the liver, when measured from right to left, was found to be three feet and a half in breadth, and two feet and a half deep, as it hangs in the animal's body when in a standing position: It had no gall-bladder, in which it refembles the Horse. Upon opening the stomach, the contents of it were found to confift of roots and small branches of trees masticated, fome of which were as big as the end of a man's finger; in the mass there appeared a great quanty of succulent plants, as well as fome that were harsh and prickly: The effluvium arifing from this mass was so far from being offensive, that it diffused around a very strong and not difagreeable aromatic odour. We shall conclude this account by observing, that the cavity which contained the brains was fmall, being only fix inches long, and four high, and of an oval shape: Being filled with pease, it was found to contain barely one quart; a human skull, measured at the same time, did not require much less than three pints to fill it.





THE HIPPOPOTAMUS.

The great difficulties that have always attended a complete investigation of this huge animal, have arisen as well from the remoteness of its situation, as from its peculiar habits and disposition.

Though the Hippopotamus has been celebrated from the remotest antiquity; though the facred writings mention him under the name of Behemoth; and though his sigure is to be seen engraven on Egyptian obelisks, and on Roman medals; yet his history was very imperfectly known to the ancients. Aristotle says, that he has a mane like a Horse, and hoofs like an Ox; tusks and tail like a Boar; that he is of the size of an Ass, and has the voice of a Horse; with other things equally absurd;—all which Pliny has copied; and, instead of correcting, has added to the number of his errors.—Of the accounts of later writers, it is much to be lamented that suitable delineations have not accompanied their accurate descriptions—A general desect, by which the study of nature

has been much retarded, the laborious refearches of many learned and ingenious naturalists greatly frustrated, and the errors of former times repeatedly copied and multiplied without number.

The fize of the Hippopotamus is nearly equal to that of the Elephant. M. Vaillant fays, that one which he killed, measured, from the tip of the nose to the insertion of the tail, ten seet seven inches, and was eight feet eleven inches in circumference; but, from the smallness of its tusks, he supposed it to be a young one. In its stomach were found leaves and reeds, grossly chewed; likewise small branches of trees, a little bruised.

It inhabits all the larger rivers of Africa, from the Niger to the Cape of Good Hope; but is found in none of the African rivers that run into the Mediterranean, except the Nile, and in that part of it only which runs through the Upper Egypt, and in the fens and lakes of Ethiopia.

The head of this animal is enormously large; its mouth vastly wide. Ray says, that the upper mandible is moveable, like that of a Crocodile. In each jaw there are four cutting teeth; those in the lower jaw point straight forward: It has four large tusks; the largest, which are always in the lower jaw, are sometimes above two feet long: It is said that the canine teeth are so hard, as to emit fire on being struck with steel; they are perfectly white, and preferable to ivory for making artificial teeth: The grinders are square or oblong, like those of a man; and so large, that a single tooth weighs above three pounds: The skin is of a dusky colour, bears a resemblance to that of the Rhinoceros, but is thicker, and is made into whips: The tail is nearly a foot long, taper, and slatted at the end, which is thinly surnished

with hairs like briftles: its legs are fo short, that its belly almost touches the ground: The hoofs are divided into four parts, unconnected by membranes.

When alarmed or purfued, it takes to the water, plunges in, and finks to the bottom; where it walks at full eafe. It often rifes to the furface, and remains with its head out of the water, making a bellowing noife, which may be heard at a great distance.---It feeds during night on the banks of the rivers, and fometimes does great damage in the adjacent plantations of rice and other grain.


The Hippopotamus is naturally mild and gentle, very flow and heavy in its movements upon land, but in the water bold and active; and when provoked or wounded, will rife, and attack boats or canoes with great fury. Dampier fays, he has known one of these animals sink a boat full of people, by biting a hole in the bottom with its tusks .--- The method of taking it is by digging pits in the fand, in those parts through which the animal passes in its way to the river after it has been feeding.

The flesh of the Hippopotamus is tender and good: The fat is fine and well tasted, and much in request with the colonists at the Cape, who look upon it as the most wholesome meat that can be eaten: The gelatinous part of the feet in particular is accounted a great delicacy: The tongue, when dried, is also considered at the Cape as a rare and excellent dish.

Sparrman has given an engraving of this animal, taken from a young one which he caught at the Cape, from which ours is copied. The female brings forth one young at a time.

Scaurus treated the Romans with one of these crea-

tures, and five crocodiles, during his ædileship, and exhibited them on a temporary lake. Augustus produced one in the celebration of his triumph over Cleopatra.



THE ELEPHANT.

Of all the creatures that have hitherto been taken into the fervice of man, the Elephant is pre-eminent in the fize and strength of his body, and inferior to none in sagacity and obedience.

From time immeniorial this animal has been employed either for the purposes of labour, of war, or of oslentatious parade; to increase the grandeur of eastern princes, extend their power, or enlarge their dominions.

The Elephant is a native of Asia and Africa, and is not to be found in its natural state either in Europe or America. From the river Senegal to the Cape of Good Hope, they are met with in great numbers. In this ex-

167

other part of the world, so are they less fearful of man. The favage inhabitants of this dreary country, instead of attempting to subdue this powerful animal, and render it subservient to their necessities, seem desirous only of avoiding its sury.

Sparrman fays, that in the country near the Cape they are fometimes feen in large herds, confisting of many hundreds; and thinks it probable, that in the more remote and unfrequented parts of that vast country they are still more numerous.

They are frequently hunted by the colonists at the Cape, who are very expert in shooting them, and make great advantage of their teeth. The largest teeth weigh an hundred and fifty Dutch pounds, and are fold to the governor for as many guilders; fo that a man may earn three hundred guilders at one shot. It is not therefore to be wondered at, that a traffic fo lucrative should tempt the hunter to run great risks. In approaching this animal, great care must be taken to steal upon him unperceived. If the Elephant discover his enemy near, he rushes out, and endeavours to kill him. One of these hunters being out upon a plain, under the shelter of a few scattered thorn trees, thought he could be able to advance near enough to shoot an Elephant that was at a little distance from him; but he was discovered, pursued, and overtaken by the animal, which laid hold of him with his trunk, and beat him instantly to death.

The height of the Elephant at the Cape is from twelve to fifteen feet. The female is less than the male, and her tusks do not grow to such a size.

In proportion to the fize of the Elephant, his eyes are

very fmall; but they are lively, brilliant, and capable of great expression. He turns them slowly, and with gentleness, towards his master. When he speaks, the animal regards him with an eye of mildness and attention. -His ears are very large, and much longer, in proportion to his body, than those of the Ass: They lie flat on the head, and are commonly pendulous; but he can raife and move them with great facility, and frequently uses them as a fan to cool himself, or defend his eyes from dust and insects .-- His hearing is likewise remarkably fine; for he delights in the found of mufical instruments, and moves in cadence to the trumpet and tabor.—There are four grinders in each jaw, closely united together; forming, with the jaw-bone, one hard and compact body. One of these grinders sometimes measures nine inches broad, and weighs four pounds and a half .- The texture of the skin is uneven, wrinkled, and knotty; full of deep fiffures, nearly refembling the bark of an old oak tree, which run in all directions over its furface. It is of a tawny colour, inclining to citron. In the fiffures there are fome briftly hairs, which are also thinly scattered over the body .- The legs refemble mastly columns, of fifteen or eighteen inches diameter, and from five to fix feet high.—The foot is short, and divided into five toes, covered with the skin, so as not to be visible. To each toe there is affixed a nail or hoof, of a horny fubstance.

The most remarkable feature of the Elephant is his trunk or probofcis, which is composed of membranes, nerves and muscles. It is both an organ of feeling and of motion. The animal cannot only move and bend it, but can contract, lengthen, and turn it in every direction. The extremity of the trunk terminates in a protuberance, which stretches out on the upper side in the form of a finger, and possesses in a great degree the niceness and dexterity of that useful member. It is equally slexible, and as capable of laying hold of objects as the singers of a man. He lifts from the ground the smallest piece of money; he selects herbs and slowers, and picks them up one by one; he unties the knots of ropes, opens and shuts gates, &c. With his trunk he grasps any body which it is applied to, so firmly, that no force can tear it from his gripe.

Of all the instruments which nature has so liberally bestowed on her most favourite productions, the trunk of the Elephant is perhaps the most complete and admirable. Ray says, it is divided into three partitions or chambers: two of which run in spiral directions, and the other in a right line. It is eight feet long in an Elephant of sourteen feet high, and sive feet in circumference at the thickest part. The nostrils are situated at the extremity; through which it draws in water by a strong suction, either for the purpose of quenching its thirst, or of washing and cooling itself, which it frequently does, by taking up a large quantity; part of which it carries to its mouth, and drinks; and by elevating the trunk, allows the remainder to run over every part of its body.

Roots, herbs, leaves, and tender wood, are the ordinary food of the Elephant. He does not ruminate, and has but one stomach: This want, however, is amply supplied by the magnitude and length of his intestines, and particularly of the colon, which is from sisteen to twenty feet in length, and two or three in diameter. When one of them discovers a plentiful pasture, he calls to the others, and invites them to partake. As they require a great quantity of forage, they frequently change their

pasture, and do incredible damage whenever they happen to stray into cultivated ground. From the weight of their bodies and the size of their feet, they destroy much more than they use for food.—The Indians and negroes use every artistice to prevent the approach of these unwelcome visitants, making loud noises, and kindling fires round their habitations; but in spite of all their pre-

destroy their whole harvest, and overturn their huts. It is not easy to separate them: They generally act in concert, whether they attack, march, or sly.

cautions, the Elephants often break through their fences,

The ordinary walk of the Elephant is not quicker than that of a Horse; but when pushed, he assumes a kind of ambling pace, which in sleetness is equal to a gallop.

He goes forward with ease and celerity; but it is with great disficulty that he turns himself round, and that not without taking a pretty large circuit. It is generally in narrow and hollow places that the negroes attack him, and cut off his tail, which they value above every other part of his body.—He swims well, and is of great use in carrying quantities of baggage over large rivers.—When swimming, he raises his long trunk above the surface of the water for the sake of respiration, every other part of his body being below: In this manner several of these animals swim together, and steer their course without danger of running soul of each other.

The Elephant, when tamed, is gentle, obedient, and docile: Patient of labour, it submits to the most toil-some drudgery; and so attentive to the commands of its governor, that a word or a look is sufficient to stimulate it to the most violent exertions. Its attachment to its keeper is so great, that it caresses him with its trunk, and frequently will obey no other master: It knows his

voice; and can diffinguish the tone of eommand, of anger, or approbation; and regulates its actions accordingly: It receives his orders with attention, and executes them with cagerness, but without precipitation All its motions are orderly, and feem to correspond with the dignity of its appearance, being grave, majestic, and eautious. It kneels down for the accommodation of those who would mount upon its back, and with its pliant trunk even assists them to ascend. It suffers itself to be harneffed, and feems to have a pleasure in the finery of its trappings. It is used in drawing chariots, waggons, and various kinds of machines. One of them will perform with eafe the work of many horses.

The conductor of the Elephant is usually mounted on its neek; and makes use of a rod of iron, sharp at the end, and hooked; with which he urges the animal forward, by pricking its head, ears, or muzzle: But in general, a word from the keeper is fushcient to encourage this intelligent ereature to proceed on its way, or perform the task assigned to it.—In India, where they were once employed in launching ships, one of them was directed to force a large vessel into the water; which proved superior to his strength, the master, in an angry tone, cried out, 'Take away that lazy beaft, and bring another in its place.' The poor animal instantly redoubled its efforts, fractured its skull, and died upon the spot.

The Indians, from very early periods, have employed Elephants in their wars: Porus opposed the passage of Alexander over the Hydaspes with eighty-five of them. M. de Buffon imagines, that it was fome of the Elephants taken by that monarch, and afterwards transported into Greece, which were employed by Pyrrhus against the Romans.-Since the invention of fire-arms, the Elephant has been of little use in deciding the contests of hostile nations; for, being terrified with the slash of the powder, and the report that immediately succeeds, they are soon thrown into confusion, and then become dangerous to their employers.—They are now chiefly used for the purposes of labour or magnificent parade.

The Indian princes, in their travels, are attended by hundreds of these animals: Some are employed to convey the ladies which compose the seraglio, in latticed cages made for that purpose, and covered with branches of trees; whilst others transport immense quantities of baggage, with which the sovereigns of the East are always accompanied in their marches from one place to another.—They are likewise made use of as the dreadful instruments of executing condemned criminals—a task which they perform with great dexterity. At the word of command, they break the limbs of the criminal with their trunks; they sometimes trample him to death, or impale him on their enormous tusks, just as they are directed by their more barbarous keeper.

It is a fingular circumstance in the history of this extraordinary animal, that, in a state of subjection, it is unalterably barren; and, though it has been reduced under the dominion of man for ages, it has never been known to breed,—as if it had a proper sense of its degraded condition, and obstinately refused to increase the pride and power of its conqueror, by propagating a race of slaves. It therefore follows, that of all the numerous bands of Elephants that are trained to service, there is not one that has not been originally wild, nor one that has not been forced into a state of subjection. To recruit, therefore, the numbers that are unavoidably consumed by disease, accident, or age, the eastern princes

are obliged every year to fend into the forests, and use various methods to procure fresh supplies.

The manner of taking, taming, and rendering thefe animals submissive, is curious, and well deserves a place in the history of the Elephant. In the midst of a forest abounding with Elephants, a large piece of ground is marked out, and furrounded with strong palifades, interwoven with branches of trees: One end of the inclosure is narrow; from which it widens gradually, fo as to take in a great extent of country. Several thousand men are employed upon the occasion, who place themselves in fuch a manner as to prevent the wild Elephants from making their escape: They kindle large fires at certain distances, and make a dreadful noise with drums and various kinds of discordant instruments, calculated for the purpose of stunning and terrifying the poor animals; whilst another party, consisting of some thousands, with the affistance of tame female Elephants, trained for the purpose, drive the wild Elephants slowly towards the great opening of the inclosure, the whole train of hunters closing in after them, shouting, and making a great noise, till they are driven by insensible degrees into the narrow part of the inclosure, through which there is an opening into a smaller space, strongly fenced in, and guarded on all sides. As soon as one of the Elephants enters this strait, a strong bar closes the passage from behind, and he finds himself completely environed. On the top of this narrow passage some of the huntsmen stand with goads in their hands, urging the creature forward to the end of the passage, where there is an opening just wide enough to let him pass. He is now received into the custody of two females, who stand on each side of him, and press him into the service: If he

be likely to prove refractory, they begin to discipline him with their trunks, till he is reduced to obedience, and fusfers himself to be led to a tree, where he is bound by the leg with flout thongs, made of untanned elk or buck skin. The tame Elephants are then led back to the inclosure; and the others are made to submit in the same manner. They are all suffered to remain fast to the trees for feveral days. Attendants are placed by the fide of cach animal, who fupply him with food by little and little, till he is brought by degrees to be fensible of kindness and caresses, and allows himself to be led to the stable. In the space of fourteen days, his absolute submisfion is completed. During that time, he is fed daily with cocoa-nut leaves, and led once a day to the water by the tame ones. He becomes accustomed to the voice of his keeper, and at last quictly resigns his prodigious powers to the dominion and fervice of man.

The time of gestation of the Elephant is hitherto but imperfectly known: Aristotle says, it goes two years with young; which is the more likely, as the season of desire in the male returns but once in three years. The female produces one young at a time. The young Elephants are said to suck with their trunk, the teats of the female being situated between its fore legs.

The Elephant is thirty years in arriving at its full growth; and is faid to live, though in a state of captivity, to the age of an hundred and twenty or an hundred and thirty years: In a state of unrestrained freedom, it is supposed to live much longer.

The Elephant will drink winc, and is fond of spirituous liquors. By shewing him a vessel filled with arrack, he is induced to exert the greatest essorts, and perform the most painful tasks, in hopes of receiving it as the reward

of his labour. To difappoint him is dangerous, as he feldom fails to be revenged. The following instance is given as a fact, and deferves to be recorded :-- An Elephant, disappointed of its reward, out of revenge killed his cornac or governor. The poor man's wife, who beheld the dreadful fcene, took her two infants, and threw them at the feet of the enraged animal, faying, 'Since you have flain my husband, take my life also, as well as that of my children.' The Elephant instantly stopped, relented, and as if stung with remorfe, took the eldest boy in its trunk, placed him on its neck, adopted him for its cornac, and would never allow any other person to mount it.

This animal feems to know when it is mocked, and never fails to retaliate accordingly. A painter wished to draw one in an unufual attitude, with its trunk elevated, and its mouth open. In order to induce the Elephant to exhibit to more advantage, a person was employed to throw fruit into its mouth, who fometimes deceived it by only making an offer of doing so, and retaining the fruit in his hand. Enraged at this kind of treatment, and, as it should scem, guessing the painter to be the cause, it ejected a quantity of water from its trunk, which spoiled his paper, and prevented him from proceeding in his work.

We might quote many other facts equally curious and interesting: Those we have already recited are sufficient to shew, that the Elephant is possessed of instinctive faculties superior to those of any other animal. We must at the fame time admire the admirable order of that difpenfation, which, to an animal of fuch enequalled powers, has added a difposition so mild and tractable.-What ravages might we not expect from the prodigious

strength of the Elephant, combined with the siereeness and rapacity of the Tiger!

We cannot elofe our account of the Elephant, without taking some notice of the teeth of that animal, which have been fo frequently found in a fossil state in various parts of the world. Some years ago, two great grindingteeth, and part of the tusk of an Elephant, were discovered, at the depth of forty-two yards, in a lead mine, in Flintshire, lying in a bed of gravel: The grinders were almost as perfect as if they had been just taken from the living animal; the tulk was much decayed, and very foft.-Near the banks of many rivers in Siberia, large tusks and teeth have been frequently dug up, which were formerly attributed to a creature called the Mammouth; but they are now univerfally believed to have belonged to the Elephant. The molares or grinders are perfectly the same with those of the present race; but both they and the tusks are much larger: Some of the latter have been known to weigh four hundred pounds; and grinders, of the weight of twenty-four pounds, have not unfrequently been discovered. One of these was taken from a skeleton of the same head in which the tusks were found: And as the ivory of the latter was in every respect the same as that generally known, and made use of for the purposes of useful and ornamental works, we cannot deny our affent to the opinion of those who suppose them to have been once parts of the animal we have just described .- Tusks of a prodigious size, teeth, jaw-bones, thigh-bones, and vertebræ, have likewife been frequently found on the banks of the river Ohio, in America, five or fix feet beneath the furface.--Some of the tulks are near feven feet long; one foot nine inches in circumference at the base, and one foot

HISTORY OF QUADRUPEDS. 177

near the point. They differ from those of the Elephant, in having a larger twist or spiral curve towards the smallend. There is a still greater difference in the form of the grinders, which are made like those of a carnivorous animal, not flat and ribbed transversely on their surface, like those of an Elephant, but furnished with a double row of high and conic projections, as if intended to mafticate, not grind, their food .--- Specimens of these teeth and bones are deposited in the British museum, that of the Royal Society, and in the cabinet of the late ingenious Dr Hunter .-- These fossil bones are also found in Peru, and in the Brazils. --- As yet, the living animal has evaded the fearch of the curious naturalist; but it is not improbable that it may exist in some of those remote parts of that vast continent, yet unpenetrated by Europeans.



ANIMALS OF THE CAT KIND.

task of describing most of those numerous tribes of mimals that are more nearly connected with the interests of mankind; that serve as the instruments of man's happiness, or at least, that do not openly oppose him; that depend upon his care for their subsistence, and in their turn contribute largely to his comfort and support. We have taken an ample range among the wilder inhabitants of the forest, which, though in a more remote degree dependant on man, are nevertheless objects of his attention and pursuit. We have followed Nature to her most retired recesses, and have seen and admired her works under a variety of the most beautiful living forms; but our progress has hitherto been unstained with blood.

The attention of our readers will now be engaged in a different pursuit. The scene must be diversified.

We come now to a fanguinary and unrelenting tribe,—the bold and intrepid enemies of man; that disdain to own his power, and carry on unceasing hostilities against him.

This numerous and ferocious tribe is chiefly distinguished by their sharp and formidable claws, which are lodged in a sheath, and are capable of being extended or drawn in at pleasure.—They lead a solitary and a ravenous life; and never unite for mutual defence or support, like those of the herbivorous kinds. They seek their food alone, and are frequently enemies to each other. Though differing greatly in size and in colour, they are nearly allied to each other in form and disposition, being

his room; and drawing his curtains, he perceived it to proceed from the Lion, which was growling over the body of the unhappy man, whom it had just killed, and had separated his head from his body. The terror and confusion of the gentleman may be easily conceived: He slew out of the room; and, with the assistance of some people, had the animal secured from doing further mischief.

As the passions of this animal are strong, and its appetites vehement, we ought not to presume that the impressions of education will always be sufficiently powerful. It must be dangerous, therefore, to suffer it to remain too long without food, or to persist in irritating or abusing it.

However, numberless accounts assure us, that the anger of the Lion is noble, its courage magnanimous, and its temper susceptible of grateful impressions. It has been often seen to despise weak and contemptible enemies, and even to pardon their insults, when it was in its power to punish them: It has been known to spare the life of an animal that was thrown to be devoured by it, to live in habits of perfect cordiality with it, to share its subsistence, and even to give it a preference where its portion of food was scanty.

The form of the Lion is strikingly bold and majestic: His large and shaggy mane, which he can erect at pleafure, surrounding his awful front; his huge eye-brows; his round and sicry eye-balls, which, upon the least irritation, seem to glow with peculiar lustre; together with the formidable appearance of his teeth,—exhibit a picture of terrisic grandeur, which no words can describe.

The length of the largest Lion is between eight and

nine feet, the tail about four, and its height about four feet and a half. The female is about one-fourth part less, and without the manc.

As the Lion advances in years, its mane grows longer and thicker. The hair on the rest of the body is short and smooth, of a tawny colour, but whitish on the belly.

The roaring of the Lion is loud and dreadful: When heard in the night, it refembles distant thunder. Its cry of anger is much louder and shorter.

The Lion feldom attacks any animal openly, except when compelled by extreme hunger: In that case, no danger deters him. But as most animals endeavour to avoid him, he is obliged to have recourse to artifice, and take his prey by furprife. For this purpofe, he crouches on his belly in some thicket, where he waits till his prey approaches; and then, with one prodigious fpring, he leaps upon it at the distance of fifteen or twenty feet, and generally feizes it at the first bound. If he miss his object, he gives up the pursuit; and, turning back towards the place of his ambush, he measures the ground step by step, and again lies in wait for another opportunity.-The lurking-place of the Lion is generally chosen near a fpring, or by the fide of a river; where he frequently has an opportunity of catching fuch animals as come to quench their thirst.

There are, however, instances where the Lion deviates from his usual method of taking his prey; of which the following, related by Sparrman, is remarkable:—A Hottentot, perceiving that he was followed by a Lion, and concluding that the animal only waited the approach of night to make him his prey, began to consider of the best method of providing for his safety, which he at length effected in the following singular manner:—Observing a

piece of broken ground, with a precipitate descent on one fide, he fat down by the edge of it; and found, to his great joy, that the Lion also made a halt, and kept at the fame distance as before. As soon as it grew dark, the Hottentot, fliding gently forward, let himfelf down a little below the edge of the hill, and held up his cloak and hat upon his stick, making at the same time a gentle motion with it: The Lion, in the mean while, came creeping foftly towards him, like a Cat; and mistaking the skin cloak for the man himself, made a spring, and fell headlong down the precipice: By which means, the poor Hottentot was fafely delivered from his infidious

enemy.

That the Lion does not always kill whatever animal happens to be in its power, has already been observed; and this peculiarity in its temper is remarkably obvious, with regard to the human species. Of this there have been many instances. At St Catherine Cree's church, Leadenhall-street, London, provision is made, under the will of Sir John Gager, who was Lord-mayor in the year 1646, for a fermon to be annually preached on the 16th of November, in commemoration of his happy deliverance from a Lion which he met in a defert as he was travelling in the Turkish dominions, and suffered him to pass unmolested. The minister is to have 20s. for the fermon, the clerk 2s. 6d. and the fexton 1s. The fum of 81. 16s. 6d. is likewife to be distributed among the necessitous inhabitants, pursuant to the will of Sir John. -Sparrman, among feveral inftances of the fame nature, mentions a perfon who, though he was thrown down by a Lion, and wounded by it in feveral places, was after all generously left with his life.

184 HISTORY OF QUADRUPEDS.

The strength of this animal is great: One of them was observed to seize a heiser, which it carried off in its mouth with ease, and leaped over a ditch without much apparent difficulty.

At the Cape of Good Hope, the Lion is frequently hunted by the colonists.—In the day-time, and upon an open plain, twelve or fixteen dogs will easily get the better of a large Lion. As the Lion is not remarkably swift, the dogs soon come pretty near him; when, with a sullen kind of magnanimity, he turns round, and waits for the attack, shaking his mane, and roaring with a short and sharp tone. The hounds surround him; and, rushing upon him all at once, soon tear him to pieces. It is said, that he has seldom time to make more than two or three strokes with his paws; each of which is attended with the death of one of his affailants.

The Lioness goes with young five months, and brings forth three or four at a time. The young ones are about the size of a large pug-dog, harmless, pretty, and playful. They continue at the teat twelve months, and are above five years in coming to perfection.


The Lion is a long-lived animal, although naturalists have differed greatly as to the precise period of its existence. Buffon limits it to twenty, or twenty-two years at most. It is however certain, that it lives much beyond that time. The great Lion, called Pompey, which died in the year 1760, was known to have been in the Tower above seventy years; and one, brought from the river Gambia, died there not long ago at the age of sixty-three.—Several of these animals have been bred in the Tower; so that the time of their gestation, the number they produce, and the time of their arriving at persection, are all pretty well known.

The attachment of the Lioness to her young is remarkably strong: For their support, she is more ferocious than the Lion himself, makes her incursions with greater boldness, destroys, without distinction, every animal that falls in her way, and carries it recking to her cubs.—She usually brings forth in the most retired and inaccessible places; and when afraid of her retreat being discovered, endeavours to hide her tract, by brushing the ground with her tail. When much disturbed or alarmed, she will sometimes transport her young from one place to another in her mouth; and, if obstructed in her course, will defend them to the last extremity.

The flesh of the Lion is said to have a strong, disagreeable flavour; yet it is frequently eaten by the negroes.—
The skin, which was formerly a robe of distinction for heroes, is now made use of by those people as a mantle or a bed. They also preserve the grease, which is of a penetrating nature, and is used in medicine.

The representation we have given, was drawn from a remarkably fine one, exhibited at Newcastle in the year 1788. It was then young, extremely healthful, active, and in full condition.





THE TIGER

is the most rapacious and destructive of all carnivorous animals. Fierce without provocation, and cruel without necessity, its thirst for blood is insatiable: Though glutted with slaughter, it continues its carnage, nor ever gives up so long as a single object remains in its sight: Flocks and herds fall indiscriminate victims to its sury: It fears neither the sight nor the opposition of man, whom it frequently makes its prey; and it is even said to prefer human sless to that of any other animal.

The Tiger is peculiar to Asia, and is found as far North as China, and Chinese Tartary: It inhabits Mount Ararat, and Hyrcania, of old famous for its wild beasts. The greatest numbers are met with in India, and its islands. They are the scourge of the country: They lurk among the bushes, by the sides of rivers, and almost depopulate many places. They scldom pursue their prey; but bound upon it from the place of their ambush, with an elasticity, and from a distance, scarcely credible. It is highly probable, that, from this circumstance, the

Tiger may derive its name, which, in the Armenian language, fignifies an arrow; to the flight of which this creature may very properly be compared, in the quicknefs and agility of its bounds.

The strength of this animal is fo great, that, when it has killed a Deer or other animal, it carries it off with fuch eafe, that it feems no impediment to its flight. If it be undisturbed, it plunges its head into the body of the animal up to its very eyes, as if to fatiate itself with blood.

The Tiger is one of the few animals whose ferocity can never be wholly fubdued. Neither gentleness nor constraint has any effect in softening its temper. It does not feem fensible of the attention of its keeper; and would equally tear the hand that feeds, with that by which it is chastifed.

A beautiful young male Tiger, lately brought over from China in the Pitt East-Indiaman, at the age of ten months, was fo far domesticated, as to admit every kind of familiarity from the people on board. It feemed to be quite harmless, and was as playful as a kitten. It frequently flept with the failors in their hammocks; and would fuffer two or three of them to repose their heads upon its back, as upon a pillow, whilst it lay stretched out upon the deck. In return for this, it would, however, now and then steal their meat. Having one day taken a piece of beef from the carpenter, he followed ' the animal, took the meat out of its mouth, and beat it feverely for the theft; which punishment it suffered with all the patience of a dog. It would frequently run out on the bowsprit; climb about the ship, like a Cat; and perform a number of tricks, with an agility that was cruly astonishing. There was a Dog on board the ship,

with which it would often play in the most diverting manner.—From these circumstances, one might be led to suppose, that the disposition of the Tiger, like that of many other animals, was capable of some degree of culture. But it ought to be remembered, that at the time this one was taken on board the ship, it was only a month or six weeks old; and when arrived in this country, it had not quite compleated a year. How much longer its good humour might have continued, it is impossible to say: But it is much to be doubted, that the same innocent playfulness would have formed a part of its character when arrived at its full state of maturity.

Notwithstanding the cruelty of this creature's disposition, a sudden check has sometimes had a good effect in preventing its meditated attack. Some ladies and gentlemen, being on a party of pleasure under a shade of trees on the banks of a river in Bengal, were suddenly surprised at seeing a Tiger ready to make its satal spring. One of the ladies, with amazing presence of mind, laid hold of an umbrella; and, unsurling it directly in the animal's face, it instantly retired.—Another party had not the same good fortune. A Tiger darted among them whilst they were at dinner, seized on a gentleman, and carried him off in the sight of his disconsolate companions.

They attack all kinds of animals, even the Lion; and furious combats have frequently been maintained between them, in which both have perished.

Father Tachard gives an account of a battle between a Tiger and two Elephants, at Siam; of which he was an eye-witness. The heads, and part of the trunks of the Elephants, were defended from the claws of the Tiger by a covering made for the purpose. They were

placed in the midst of a large inclosure. One of them was suffered to approach the Tiger, which was confined by cords, and received two or three heavy blows from the trunk of the Elephant upon its back, which beat it to the ground, where it lay for some time as if it were dead: But, though this attack had a good deal abated its fury, it was no fooner untied, than, with a horrible roar, it made a fpring at the Elephant's trunk, which that animal dexteroufly avoided by drawing it up; and, receiving the Tiger on its tusks, threw it up into the air. The two Elephants were then allowed to come up; and, after giving it feveral heavy blows, would undoubtedly have killed it, if an end had not been put to the combat.-Under fuch restraints and disadvantages, we cannot wonder that the issue was unfavourable to the Tiger. We may however, by this, judge of its great strength and fierceness,-that, after being disabled by the first attack of the Elephant, whilst it was held by its cords, it would venture to continue fuch an unequal engagement.

We are happy in being able to prefent our curious readers with an engraving of this rare animal, drawn from the life, from a Tiger that was exhibited at Newcastle in 1787, and was generally allowed to be one of the finest creatures of its kind ever feen in England. The beautiful bars of black with which every part of its body was streaked, are accurately copied: The colour of the ground was yellow, deeper on the back, and foftening by degrees towards the belly, where it was white; as were also the throat and insides of the legs: A white space, spotted with black, surrounded each eye; and on each cheek, a stripe of the same colour extended from the ears to the throat. It was nearly the fame height as the Lion; and was of the largest species of the Tiger,


.

which is called the Royal Tiger. The smallest of them is not above two feet high, said to be extremely cunning, and delights in human slesh. The second kind is about three feet high, and is fond of deer, wild hogs, &c. which it frequently takes by the sides of rivers, as they come down to quench their thirst.

The skin of this animal is much esteemed all over the East, particularly in China. The Mandarins cover their seats of justice with it; and, during the Winter, use it for cushions and pillows.

We have now described the two great heads of this mischievous family, which are eminently distinguished from the rest in size, strength, and colour.

The three fucceeding species have been frequently confounded with each other; and, although there is some difference in their fize and in the disposition of their fpots, yet these have been so indiscriminately defined, as to make it difficult to form a true criterion, fo as accurately to diftinguish each species. Strikingly similar in the form of their bodies, in the beauty of their skins, as well as in their dispositions and habits, which seem to be equally formed for rapine and cruelty,-there is great room to conjecture, that commixture may be one great cause of producing the slight differences observable in them .- If we regard the figure and diversity of the spots, we shall find many varieties not taken notice of by naturalists; if we be led to judge by the fize, we shall find an almost imperceptible gradation from the Cat to the Tiger. It would be vain, therefore to make as many varieties in these animals, as we see differences in spots or stature: It will be sufficient to point out the most general diffinctions.



PANTHER

is next in fize to the Tiger: and has, by many naturalists, been mistaken for that animal.—Its hair is short and fmooth; and, instead of being streaked like the Tiger, is beautifully marked on the back, fides, and flanks, with black spots, disposed in circles, from four to five in each, with a fingle fpot in the center; on the face, breast, and legs, the spots are single: The colour of the body on the back and fides is yellow, deep on the back, and paler towards the belly, which is white: Its ears are short and pointed; its eye is restless; and its whole aspect fierce and cruel.

It is an untameable animal; and inhabits Africa, from Barbary to the remotest parts of Guinea.

Its manner of taking its prey is the same with that of the Tiger, -Always by surprize, either lurking in thickets, or creeping on its belly till it come within reach. When pressed with hunger, it attacks every living creature without distinction, but happily prefers the slesh of bru'es to that of mankind: It will even climb up trees in pursuit of monkies and leffer animals; fo that nothing is fecure from its attacks.

192 HISTORY OF QUADRUPEDS.


The Panther is about the fize of a large Mastisf Dog; but its legs are not quite so long. Its voice is strong and hoarse; and it growls continually.

The ancients were well acquainted with these animals. The Romans drew prodigious numbers from the deserts of Africa, for their public shews; sufficient, one might suppose, to have entirely exhausted them. Scaurus exhibited an hundred and fifty of them at one time; Pompey sour hundred and ten; and Augustus sour hundred and twenty. They probably thinned the coasts of Mauritania of these animals; but they still swarm in the southern parts of Guinea.

In China, there is a most beautiful animal of this kind, called the Louchu; the skin of which sells for six pounds sterling.

An animal of this species is likewise found in Asiatic Tartary, called there the Babr. It is seven feet long, extremely rapacious, and very destructive of horses and camels. Its skin is sinc, and valued in Russia at one pound sterling.





THE LEOPARD.

The very trifling difference between this and the lastmentioned animal gives reason to suppose, that it consists chiefly in the name. It inhabits the same countries; and in some places goes by the same name, being called the Panther: of Senegal; and is chiefly found there. It is mentioned by Ray as the female Panther, but is rather fmaller than that animal. Its length, from nofe to tail, is about four feet: The colour of the body is a more lively yellow; and the spots with which it is diversified are smaller and closer than those of the Panther.

The interior parts of Africa abound with these animals; from whence they come down in great numbers, and make dreadful havock among the numerous herds that cover the plains of the Lower Guinea. When beasts of chace fail, they spare no living creature.

The negroes take them in pitfalls, flightly covered at the top, and baited with flesh. Their chief inducement for pursuing them is their slesh, which they eat, and is said to be white as veal and well tasted. The ne-

194 HISTORY OF QUADRUPEDS.


gresses make collars of their teeth, and wear them as charms.

The skins of these animals are brought to Europe, where they are greatly esteemed.

In India, there is a species of Leopard, about the size of a large Greyhound, with a small head, and short ears: Its face, chin, and throat, of a pale-brown colour, inclining to yellow; the body is of a light tawny-brown, marked with small round black spots, scattered over the back, sides, head, and legs; the hair on the top of the neck is longer than the rest; the belly is white; the tail very long, marked on the upper side with large black spots.

This is the animal, mentioned in our account of the Antelope, which is made use of in India for hunting that and other beasts of the chace.—It is carried in a small kind of waggon, chained and hoodwinked till it approaches the herd; when it is unchained, and suffered to pursue the game. It begins by creeping along, with its belly close to the ground, stopping and concealing itself till it gets an advantageous situation; it then darts on its prey with great agility, frequently making five or six amazing bounds. If it should not succeed in its sirst effort, it gives up the point for that time, and readily returns to its master.





THE OUNCE

is smaller than the Leopard, being three feet and a half long from the nose to the tail, very strong, long-backed, and short-legged. The hair is long, and of a light-grey colour, tinged with yellow; lighter on the breast and belly: The head is marked with small round spots: Behind each ear there is a large black spot: The back is beautifully varied with a number of oval sigures, formed by small spots almost touching each other; the spots on the sides are more irregular; those on the legs and thighs small, and thinly dispersed: The tail is full of hair, irregularly marked with large black spots, and upwards of three feet long.


It is common in Barbary, Persia, and China; is much more gentle than the Leopard; and, like the Hunting-Leopard, is sometimes trained to the chace. Instead of being conveyed in a waggon, it is carried on the crupper of the Horse, is as much under command as a Setting-Dog, returns at a call, and jumps up behind its master.

The fcent of the Ounce is not fo fine as that of the Dog.—It neither follows animals by their foot, nor is it

able to overtake them in a continued chace: It hunts folely by the eye, and makes only a few fprings at its prey. It is fo nimble, as to clear a ditch or a wall of many feet. It often climbs trees to watch animals that are passing, and suddenly darts upon them.

It is supposed to be the Lesser Panther of Oppian, and

the Panthera of Pliny.



The JAGUAR


is the most formidable animal of the new continent, rather larger than the Panther, with hair of a bright-tawny colour. The top of the back is marked with long stripes of black; the sides beautifully variegated with irregular oblong spots, open in the middle; the tail not so long as that of the Ounce, and irregularly marked with large black spots.

It is found in the hottest parts of South-America; is very sierce; and, when pressed with hunger, will sometimes venture to seize a man.

The Indians are much afraid of it, and think it prefers them to the white inhabitants, who, perhaps, are better prepared to repel its attacks. In travelling through the deferts of Guiana, they light great fires in the night, of which these animals are much asraid.

They howl dreadfully. Their cry, which is expressive of the two monofyllables—hou, hou, is somewhat plaintive, grave, and strong, like that of an Ox.

The Ant-eater, though it has no teeth to defend itself with, is the most cruel enemy the Jaguar has to encounter. As soon as the Jaguar attacks this little animal, it lies down on its back, and, with its long claws, seizes and suffocates him.



THE COUGUAR

inhabits the continent of America, and is called by some the *Puma* or *American Lion*; but differs so much from that noble animal, as not to admit of any comparison.— Its head is small; it has no mane; its length, from nose to tail, is sive scet three inches; the tail two seet: The predominant colour is a lively red, mixed with black: especially on the back, where it is darkest: Its chin,

throat, and all the inferior parts of its body, are whitish: Its legs are long; claws white; and the outer claw of the fore feet much longer than the others.

It is found in many parts of North-America, from Canada to Florida: It is also common in Guiana, Brazil, and Mexico.

It is fierce and ravenous in the extreme; and will fwim rivers to attack cattle, even in their inclosures.—In North-America, its fury feems to be subdued by the rigour of the climate; for it will fly from a dog in company with its master, and take shelter by running up a tree.

It is very destructive to domestic animals, particularly to Hogs. It preys also upon the Moose and other Deer; lies lurking upon the branch of a tree till some of these animals pass underneath, when it drops down upon one of them, and never quits its hold till it has drunk its blood. It will even attack beasts of prey. In the Museum of the Royal Society is preserved the skin of one of these animals, which was shot just as it had seized a Wolf.—When satisfied with eating, it conceals the rest of the carcase, covering it carefully with leaves.—It purrs like a Cat, and sometimes howls dreadfully.

The fur is foft, and is used by the Indians for a winter habit; when dressed, it is made into gloves and shoes. The slesh is white, and, by the natives, reckoned excellent food.

The Couguar, when brought into captivity, is almost as gentle as the domestic Cat, allows itself to be caressed, and will permit boys to mount on its back.——It is sometimes called the *Poltron Tiger*.



THE BLACK-TIGER

differs from the former chiefly in the colour, which is dusky, sometimes spotted with black, but generally plain. The throat, belly, and insides of the legs, are of a paleash colour; the upper lip white, covered with long whiskers: Above each eye, it has very long hairs; and at the corner of the mouth, a black spot: Its paws are white; and its ears sharp and pointed.


It grows to the fize of a heifer of a year old, and has great strength in its limbs.

It inhabits Brazil and Guiana, is a cruel and fierce animal, much dreaded by the Indians; but fortunately the species is not numerous.

M. de la Borde, in his description of these animals, fays, that they frequent the sea-shore, and eat the eggs deposited there by the turtles. They likewise eat caimans or alligators, lizards, and sishes, and sometimes the buds and tender leaves of the Indian sig.—They are excellent swimmers.—In order to catch the alligator, they lie down on their belly at the edge of the river,

200 HISTORY OF QUADRUPEDS.

strike the water to make a noise, and as soon as the alligator raises its head above the water, dart their claws into its eyes, and drag it on shore.



THE OCELOT.

The skin of the male Ocelot is extremely beautiful, and most elegantly variegated. Its general colour is that of a bright-tawny; a black stripe extends along the top of the back, from head to tail; its forehead is spotted with black, as are also its legs; its shoulders, sides, and rump, are beautifully marbled with long stripes of black, forming oval sigures, filled in the middle with small black spots; its tail is irregularly marked with large spots, and black at the end.—The colours of the semale are not so vivid as those of the male; neither is it so beautifully marked.

The Ocelot very much refembles the common Cat in the form of its body, although it is a great deal larger. Buffon makes its height two feet and a half, and about four feet in length.

It is a native of South-America, inhabits Mexico and

Brazil, is very voracious, but timid, and feldom attacks men. It is afraid of dogs; and, when purfued, flies to the woods.


It lives chiefly in the mountains, and conceals itself amongst the leaves of trees; from whence it darts upon fuch animals as come within its reach. It fometimes extends itself along the boughs, as if it were dead, till the monkies, tempted by their natural curiofity, approach within its reach .- It is faid to prefer the blood of animals to their flesh.

The Ocelot cannot easily be tamed, and retains its original wildness in a state of captivity. Nothing can soften the natural ferocity of its disposition, nor calm the restlessness of its motions. For this reason, it is always kept in a cage .- One of these animals, shewn at Newcastle in 1788, although extremely old, exhibited great marks of ferocity. It was kept closely confined, and would not admit of being careffed by its keeper in the fame manner as the Lion; but growled constantly, and always appeared in motion .- A male and female Ocelot were brought to France some years ago, which had been taken when very young. At the age of three months, they became fo strong and fierce, as to kill a bitch that was given them for a nurse. When a live Cat was thrown to them, they sucked its blood, but would not taste its slesh. The male feemed to have a great superiority over the female, as he never allowed her to partake till his own appetite was fatisfied.

The female Ocelot, like all the larger animals of the Cat kind, produces a fmall number at a time. The two above-mentioned were the only young ones found with the mother, which was killed at the time they were

202 HISTORY OF QUADRUPEDS.

taken; and makes it probable, that they bring forth only that number.



THE MARGAY

known in many places by the name of the Tiger Cat. The ground colour of the body is tawny; the face is striped with black; the body is marked with stripes and large spots of black; the breast and insides of the legs are white, spotted with black; the tail is long, marked with alternate spots of black, tawny, and grey.

The Margay is smaller than the Ocelot, and about the fize of the Wild Cat, which it resembles in disposition and habit, living on small animals, birds, &c.—It is very wild, and cannot easily be brought under subjec-

tion.

Its colours vary, though they are generally such as have been described.

It is common in Guiana, Brazil, and varous parts of South-America.

It is called the Cayenne Cat, and is not so frequent in temperate as in warm climates.

HISTORY OF QUADRUPEDS.

In taking a furvey of this beautiful race of animals, we are unavoidably led to observe, that much remains for the laborious refearches of the natural historian, before a complete account can be made out of the various kinds of which it is composed .--- Several species are frequently found in the East-Indies, in the woods near the Cape of Good Hope, and in the continent of America; but in general these have been so negligently or so injudiciously mentioned, as to render it impossible to form a perfect description of them. A good history of these animals is one of the many defiderata of the naturalist; but when we consider the great distance which most of this ferocious tribe observe in their separation from mankind, and the dangers that must be encountered in approaching their folitary habitations, we are obliged to lament that this desirable object is not likely to be soon accomplished.





THESERVAL


inhabits the mountainous parts of India; and is called, by the natives of Malabar, the *Marapute*.---It is larger than the Wild-Cat----Its general colour is a pale-yellow; white on the breaft and belly; variegated with round fpots, which are equally diffributed over every part of its body: Its eyes are extremely brilliant, and have a wild, piercing look; its whifkers are long and ftiff; its tail fhort; and its feet armed with long hooked claws.

It is feldom to be feen upon the ground; but lives chiefly in trees, where it makes its nest, and breeds its young. It feeds on young birds, and leaps with great agility from tree to tree. It is extremely fierce; but avoids mankind, unless provoked; when it darts surjously upon the offender, and tears and bites nearly in the same manner as the Panther.

Sparrman mentions an animal of this kind, found at the Cape of Good Hope, which he calls the Tiger Cat, and supposes to be the same with the Serval.

The same author mentions another animal of this kind, called at the Cape the Wild Red Cat; the skin of which is supposed by the natives to possess great medicinal powers, and give ease to persons afflicted with the gout, lumbago, and pains in the joints. The fur is very fine and foft: And, probably, there are many other skins, which, if applied with an equal degree of good faith, might have the same falutary effects.

The colour of the upper part of this creature is of a very bright-red; towards the fides it is mixed with white and grey; the belly is white; the upper part of the ears, which have tufts of hair on the tips, is dark-brown, fprinkled with grey. Its body is long, and about two feet in height.



THE WILD-CAT

The history of this animal is so intimately connected with that of the common or domestic kind, that we shall include our account of both under one general head, and describe them as constituting the same species.

The domestic Cat, if suffered to escape into the woods, becomes wild, and lives on small birds and such other game as it can find there. It likewise breeds with the wild one. It is no uncommon thing for semales of the tame species to quit their houses during the time they are in feason, go in quest of male Wild-Cats, and return to the same habitations impregnated by them. It is by this means, that some of our domestic Cats so perfectly resemble those of the wild breed.

The hair of the Wild-Cat is foft and fine, of a paleyellow colour, mixed with grey; a dusky list runs along the middle of the back, from head to tail; the sides are streaked with grey, pointing from the back downwards; the tail is thick, and marked with alternate bars of black and white. It is larger and stronger than the tame Cat, and its fur much longer.

It inhabits the most mountainous and woody parts of this island, lives in trees, and hunts for birds and small animals, such as rabbits, hares, rats, mice, moles, &c. It frequently makes great havock among poultry; will even kill young lambs, kids, and fawns; and is the fiercest and most destructive beast of prey in this kingdom.

It is taken either in traps, or by shooting. There is frequently danger in the latter mode; for if it be only slightly wounded, it will attack the person who has injured it, and is not easily repelled.

Wild-Cats are found, with very little variety, in almost every climate.—They existed in America before its discovery by the Europeans. One of them was brought to Columbus, which was of the ordinary size, of a brownish-grey colour, with a long tail.—They are common in many places of Asia and Africa.—Sparrman gives a description of one which he shot at the Cape, which was in every respect similar to those of this country. It was of

a grey colour; and measured, from the nose to the tail, nearly twenty-two inches: The tail was thirteen inches long: Its height was about a foot and a half. Its inteftines were full of moles and rats.

Some Wild-Cats have been taken in this kingdom of a most enormous size. We recollect one having been killed in the county of Cumberland, which measured, from its nose to the end of its tail, upwards of five feet.

The province of Chorazan, in Persia, is particularly famous for a most beautiful Cat, about the fize of the tame one, of a fine grey colour, without any mixture, and as foft and shining as filk. It is darker on the back, foftening by degrees towards the breaft and belly, where it is almost white. The tail is long, and covered with hair, five or fix inches in length. The animal frequently turns it upon its back, like a fquirrel; the point of it refembling a plume of feathers.

The Cat of Angora differs greatly from the Wild-Cat in having much longer hair, especially about the neck, where it forms a fine ruff, and gives it a lion-like appearance. Some of these are of a filvery whiteness, and filky texture; others are of a dun colour, mixed with yellow.





THE DOMESTIC CAT

differs from the Wild-Cat, in being somewhat less; and, instead of being uniformly the same, is distinguished by a great variety of shades and colouring.

To describe an animal so well known, might seem a superfluous task: We shall only, therefore, select such of its peculiarities as are least obvious, and may have escaped the notice of inattentive observers.

It is generally remarked, that Cats can fee in the dark; but, though this is not absolutely the case, yet it is certain that they can see with much less light than most other animals, owing to the peculiar structure of their eyes, the pupils of which are capable of being contracted or dilated in proportion to the degree of light by which they are assected. The pupil of the Cat, during the day, is perpetually contracted; and it is with dissiculty that it can see by a strong light: But in the twilight, the pupil resumes its natural roundness, the animal enjoys perfect

vision, and takes advantage of this superiority to discover and surprize its prey.

The cry of the Cat is loud, piercing, and clamorous; and whether expressive of anger or love, is equally violent and hideous.—Its call may be heard at a great distance; and is so well known to the whole fraternity, that on some occasions several hundred Cats have been brought together from different parts. Invited by the piercing cries of distress from a suffering sellow-creature, they affemble in crowds; and, with loud squalls and yells, express their horrid sympathies. They frequently tear the miserable object to pieces; and, with the most blind and surious rage, fall upon each other, killing and wounding indiscriminately, till there is scarcely one left These terrible conslicts happen only in the night; and, though rare, instances of very surious engagements are well authenticated.

The Cat is particularly averfe to water, cold, and bad fmells.—It is fond of certain perfumes; but is more particularly attracted by the fmell of valerian, marum, and cat-mint. It rubs itself against them; and, if not prevented from coming at them in a garden where they are planted, would infallibly destroy them.

The Cat brings forth twice, and sometimes thrice, a year. The period of her gestation is sifty-sive or sifty-six days; and she generally produces sive or six at one litter. She conceals her kittens from the male, lest he should devour them, as he is sometimes inclined; and, if apprehensive of being disturbed, will take them up in her mouth, and remove them one by one to a more secure retreat: Even the semale herself, contrary to the established law of Nature, which binds the parent to its off-

fpring by an almost indissoluble tie, is sometimes known to cat her own young the moment after she has produced them.

Though extremely useful in destroying the vermin that infest our houses, the Cat seems little attached to the persons of those that afford it protection. It seems to be under no subjection, and acts only for itself. All its views are confined to the place where it has been brought up; if carried elswhere, it seems lost and bewildered: Neither careffes nor attention can reconcile it to its new fituation; and it frequently takes the first opportunity of escaping to its former haunts.—Frequent instances are in our recollection of Cats having returned to the place from whence they had been carried, though at many miles distance, and even across rivers, when they could not possibly have any knowledge of the road or situation that would apparently lead them to it.-This extraordinary faculty is, however, possessed in a much greater degree by Dogs; yet it is in both animals equally wonderful and unaccountable.


In the time of Hoel the Good, king of Wales, who died in the year 948, laws were made as well to preferve, as to fix the different prices of animals; among which the Cat was included, as being at that period of great importance, on account of its fcarcity and utility. The price of a kitten before it could fee was fixed at one penny; till proof could be given of its having caught a mouse, two-pence; after which it was rated at four-pence, which was a great sum in those days, when the value of specie was extremely high: It was likewise required, that it should be perfect in its senses of hearing and seeing, should be a good mouser, have its claws whole, and, if a female, be a careful nurse: If it failed

211

in any of these good qualities, the seller was to forseit to the buyer the third part of its value.—If any one should steal or kill the Cat that guarded the prince's granary, he was either to forseit a milch ewe, her sleece, and lamb, or as much wheat as, when poured on the Cat suspended by its tail (its head touching the floor), would form a heap high enough to cover the tip of the former.—

From hence we may conclude, that Cats were not originally natives of these islands; and, from the great care taken to improve and preserve the breed of this prolific creature, we may suppose, were but little known at that period.—Whatever credit we may allow to the circumstances of the well-known story of Whittington and his Cat, it is another proof of the great value set upon this animal in former times.





T H E L Y N X

differs greatly from every animal of the Cat kind we have hitherto described. Its ears are long and erect, tusted at the end with long black hairs, by which this species of animals is peculiarly distinguished: The hair on the body is long and soft, of a red-ash colour, marked with dusky spots, which differ according to the age of the creature; sometimes they are scarcely visible: Its legs and feet are very thick and strong; its tail short, and black at the extremity; its eyes are of a pale-yellow colour; and its aspect softer and less serocious than that of the Panther or the Ounce. The skin of the male is more spotted than that of the female.

The fur is valuable for its foftness and warmth, and is imported in great quantities from America and the North of Europe:—The farther North they are taken, the whiter they are, and the spots more distinct.—The most elegant of those is called the *Irbys*; and is taken near lake Balkash, in Usbec Tartary. It is much larger than the common kind. Its skin sells in that country for one

pound sterling.—The colour of its hair changes with the climate and the season. The winter furs are richer and more beautiful than those taken in summer.

The Lynx is faid to be very long-lived, is a very destructive animal, lives by hunting, and pursues its prey to the tops of the highest trees. It feeds on Weasels, Ermines, Squirrels, &c. which are unable to escape it. It watches the approach of the Fallow-deer, Hare, and other animals; and darts upon them from the branches of trees, where it lies concealed; feizes them by the throat, and drinks their blood; after which, it abandons them, and goes in quest of fresh game.—Its fight is remarkably quick; and it fees its prey at a great distance. -It often eats no more of a Sheep or a Goat than the brain, the liver, and the intestines. It will sometimes dig under the doors to gain admission into the sheepfold. —When attacked by a Dog, it lies down on its back, strikes desperately with its claws, and frequently obliges its affailant to retreat.

Although the Lynx has nothing in common with the Wolf, it has been diftinguished by the name of Lupus-Cervarius, or the Stag-Wolf. Its manner of howling is similar to that of the Wolf; and when heard at a distance, is not easily distinguished from the cry of that animal. The epithet cervarius has been added, because its skin is variegated with spots like that of a young Stag.

A variety is found in the inner parts of the province of New-York, which is called the Bay Lynn, and is about twice the fize of a large Cat. Its hair is fhort and fmooth; its general colour is a bright-bay, obscurely marked with dusky spots; on its face there are black

stripes, pointing downward towards the nose; on each side of the upper lip it has three rows of small black spots, with long whiskers issuing from them; each cheek is marked with long black stripes, of a circular form, proceeding from the corners of the eyes; the under part of the body, and insides of the legs, are white; the inside of each fore leg is marked on the upper part with, two black bars; its tail, which is short, is marked with bars of a dusky colour, and at the end with one of a deep-black; the tip and under side are white.

The Lynxes of our days must be very different animals from those which have been described by poets as drawing the chariot of Bachus; for, besides the impracticability of training these animals to the yoke, we find, that the Lynx is not an inhabitant of India, nor of any of the warmer countries of Asia conquered by that hero.—It prefers cold to even temperate climates; and is common in the forests of the northern parts of Europe, Asia, and America.

The ancients feem to have given the name of Lynx to an animal which existed only in imagination, and may be ranked with their other ideal mousters and prodigies,—the Sphynx, the Pegasus, and the Unicorn.—Its sight was said to penetrate the most opaque bodies, and its urine to be converted into a precious stone.





refembles the Lynx in fize, figure, and afpect, as well as in having its ears tipt with a pencil of black hairs.—It differs from the last-mentioned animal, in not being spotted; its hair is rougher, and of a pale reddish-brown; its tail is longer, and of an uniform colour; its face is more lengthened, its look more sierce, and its nature and disposition more savage.

This animal is found only in warm climates; and is common in Persia, India, Barbary, and in all the countries inhabited by the Lion, the Panther, and the Ounce.

---It is called in Persia the Syah-Gush; and in the Turkish language, the Karrah-Kulak. Both these names signify the Cat with black Ears.—It is said to follow the Lion, and to seed on the remains which that animal leaves of his prey; for which reason it is called among the Arabs the Lion's Guide.

The Caracal is about the fize of a Fox; but much

stronger and more ferocious. It has been known to attack a Hound, and instantly tear it to pieces.

This animal is extremely difficult to tame; but when taken young, and reared with great caution, it may be trained to the chase.—It is used in taking the smaller fort of animals, in which it is very successful; but it is active only in the pursuit of those that are too seeble for resistance, or too timid to exert their powers. Whenever it meets with one that is superior to it in strength, it loses its courage, and gives up the chase.—It is likewise employed in catching birds; such as cranes, pelicans, peacocks, &c.; which it surprizes with singular address.—When it has seized its prey, it holds it fast in its mouth, and lies upon it for some time quite motion-less.

There are fome varieties in this animal.---The face of the *Nubian Caracal* is rounder; the ears black on the outfide, interspersed with filver-coloured hairs; on the breast, belly, and insides of the thighs, there are small bright-yellow spots; and it has the Mule cross on the withers, like most of the Barbary Caracals.

In Lybia, there are Caracals with white ears, tufted at the end with thin black hairs: They have white tails, the extremities of which are furrounded with four black rings; and on the hind part of each leg, there are four black fpots. They are fmall, not exceeding the fize of a domestic Cat.

We have now gone through all the principal varieties which constitute this numerous race; in all of which, as has been already observed, from the Lion to the common Cat, we may perceive a striking similitude in disposition,

form, and manners. This agreement is likewise observable in their internal conformation, which is still more exact, -in the shortness of their intestines, the sharpness and number of their teeth, and in the structure of their feet and claws. They are all equally carnivorous; and tear, rather than chew their meat. They eat flowly; and growl whilft they feed, as if afraid of lofing their prey. They are all cowardly, and feldom make an attack but where conquest is certain.

Animals of this race may be confidered as the most formidable enemies of mankind. There are others more powerful; but their dispositions are milder; and they feldom offend till they find themselves injured: Others are more numerous; but they are weaker, and find their fafety not in oppofing, but in flying from man. Thefe are the only quadrupeds that in any degree make good their ground against him, and maintain a kind of divided fway over many fair and fertile tracts, that feem, in other respects, formed for the comfort and convenience of social life.



Animals of the WEASEL KIND.

HESE little, active, and enterprizing animals are particularly distinguished from other carnivorous kinds, by the length and slenderness of their bodies, which are admirably adapted to their manner of living, and methods of taking their prey. They are so small and slexible, as to wind like worms into very small crevices and openings, whither they easily follow the little animals that serve them for food.

All the animals of this kind are furnished with small glands, placed near the anus, from which an uctuous matter continually exudes: The effluvia of it is extremely offensive in the Polecat, Ferret, Weasel, &c.; but in the Civet Cat, Martin, and Pine Weasel, it is an agreeable perfume.—They are all equally marked for rapine and cruelty: They substitute only by thest, and find their chief protection in their minuteness. They are all, from the shortness of their legs, slow in pursuit; and make up that desiciency by patience, assiduity, and cunning.

As their prey is precarious, they can live a long time without food. When they fall in with plenty, they immediately kill every thing within their reach, before they begin to fatisfy their appetite; and always fuck the blood of every animal they kill, before they eat its flesh.

These are the principal peculiarities common to this kind; all the species of which have so striking a resemblance to each other, that having seen one, we may form a very just idea of the rest.—The most obvious difference consists in their size. We shall therefore begin with the smallest of this numerous class, and proceed gradually upwards to the largest.



THE WEASEL.

The length of this animal does not exceed feven inches, from the nofe to the tail; which is only two inches and a half long, and ends in a point: Its height is not above two inches and a half; fo that it is nearly five times as long as it is high.

The most prevailing colour of the Weasel is a pale reddish-brown on the back, sides, and legs; the throat and belly are white; beneath the corners of the mouth, on each jaw, is a spot of brown. It has whiskers, like a Cat: Its ears are large, and have a fold at the lower part, that gives them the appearance of being double; its eyes are small, round, and black; its teeth are thirty-two in number, and extremely sharp.

The Weafel is very common, and well known in most parts of this country; is very destructive to young birds, poultry, rabbits, &c.; and is a keen devourer of eggs, which it sucks with great avidity. It will follow a hare, which is terrified into a state of absolute imbecility at the sight of this little animal, and gives itself up to it without resistance, making at the same time the most piteous outcries.

The bite of the Weafel is generally fatal. It feizes its prey near the head, and fixes its fharp teeth into a vital part. A hare, rabbit, or any other fmall animal, bit in this manner, is never known to recover; but lingers for fome time, and dies. The wound is fo fmall, that the place where the teeth enter can fcarcely be perceived.

It is remarkably active; and will run up the fides of a wall with fuch facility, that no place is fecure from it.

The Weafel is very useful to the farmer, and much encouraged by him. During winter, it frequents his bains, out-houses, and granaries, which it effectually clears of rats and mice. It is, indeed, a more deadly enemy to them than even the Cat itself; for, being more active and slender, it pursues them into their holes, and kills them after a short resistance. It creeps also into pigeon holes, and destroys the young ones; catches sparrows, and all kinds of small birds; and when it has brought forth its young, it hunts with still greater boldness and avidity.—In summer, it ventures at a distance from its usual haunts; is frequently found by the side of waters, near corn-mills; and is almost sure to follow wherever a swarm of rats has taken possession of any place.

The evening is the time when it begins its depredations. Towards the close of the day, it may frequently be feen stealing from its hole, and creeping about the farmer's yard in search of its prey. If it enter the place where poultry are kept, it seldom attacks the cocks or the old hens, but always aims at the young ones. It does not eat its prey on the spot where it has killed it; but, where it is not too large, carries it away to its retreat. It also breaks and sucks all the eggs it can meet with; and, not unfrequently, kills the hen that attempts to defend them.

The Weafel is a wild and untractable little animal. When kept in a cage, it feems in a continual state of agitation, is terrified at the fight of every person that approaches to look at it, and hides itself in the wool or hay which is given to it for that purpose.

It conveys all its food to its hiding-place, and will not touch it till it begin to putrefy.—It passes the greatest part of the day in sleeping, and usually employs the night in exercise and eating.

The female brings forth in the spring, and generally produces four or five at one litter. She prepares a bed for them of straw, leaves, and moss. The young are brought forth blind; but very soon acquire Arength enough to follow their dam, and assist in her excursions. They will attack ferpents, water-rats, moles, sield-mice, &c.: They over-run the meadows; and frequently kill the partridges, and suck their eggs.

The motion of the Weafel confifts in unequal and precipitant leaps; and in climbing a tree, it makes a confiderable spring of some feet from the ground. It jumps in the same manner upon its prey; and being extremely limber, evades the attempts of much stronger animals to seize it

We are told, that an eagle having feized a Weafel, mounted into the air with it, and was foon after observed to be in great distress. Its little enemy had extricated itself fo far, as to be able to bite it severely in the throat; which presently brought the eagle to the ground, and gave the Weafel an opportunity of escaping.

Notwithstanding the wildness of its nature, there are not wanting instances to prove, that it is capable of being thoroughly tamed. M. Busson, who afterted the impossibility of bringing the Wcasel into any degree of subjec-

tion, is afterwards corrected by a lady; who affures him, that she had tried the experiment upon a young Weasel taken in her garden; which soon learned to recognize and lick the hand from which it received its food, and became as samiliar, caressing, and frolicsome, as a dog or a squirrel. The same author mentions another experiment, made by a gentleman; who trained a young Weasel so completely, that it followed him wherever he went.—The method of taming them is to stroke them gently over the back; and to threaten, and even to beat them, when they bite.

These facts may serve to shew the possibility of rendering this animal domestic; and hold out a useful hint to us, that its services might be very great in clearing ships, granaries, and other places, from the vermin with which they are frequently infested: For it is very well known, that one of these animals will kill more rats and mice than any Cat, being better able to pursue them into their holes and lurking places.

The odour of the Weafel is very strong, especially in the summer time, or when it is irritated or pursued; it is then intolerable, and may be smelt at some distance.

The following circumstance, related by Buffon, will shew, that this animal has a natural attachment to every thing that is corrupt.—A Weasel was taken in his neighbourhood, with three young ones, out of the carcase of a Wolf, that had been hung on a tree by the hind seet. The Wolf was almost entirely putrested; and the Weasel had made a nest of leaves and herbage for her young in the thorax of the putrid carcase.



THE STOAT

The difference in shape between this animal and the Weasel is so small, that they have frequently been described under the same denomination; the small Stoat being sometimes mistaken for that animal.

Its length is about ten inches; the tail five inches and a half, very hairy, and tipt with black at the end; the edges of the ears, and the ends of the toes, are of a yellowish-white: In other respects, it perfectly resembles the Weasel in colour as well as in form.

In the most northern parts of Europe, it regularly changes its colour in winter, and becomes perfectly white; except the end of the tail, which remains invariably black. It is then called the *Ermine*; and is much fought after for its valuable fur, which makes a considerable article of commerce in Norway, Lapland, Russia, and other cold countries; where it is found in prodigious numbers.---It is also very common in Kamtschatka and Siberia, and is taken in traps baited with flesh. The

skins are sold in the country for from two to three pounds sterling per hundred.—In Norway, they are either shot with blunt arrows, or taken in traps made of two slat stones, one being propped up with a stick, to which is fastened a baited string; and as soon as the animal begins to nibble, the stones fall down, and crush it to death.—The Stoat is likewise found white in the winter time in Great-Britain, and is then erroneously called a White Weasel. Its sur, however, among us, is of little value, having neither the thickness, the closeness, nor the whiteness, of those that come from Siberia,

One of them, which we had in our possession, had entirely assumed its winter robe; but with a considerable mixture of yellow, especially on the top of the head and back.

They begin to change from brown to white in November, and resume their summer vesture in March.

The natural history of this animal is much the same with that of the Weasel; its food being young birds, rabbits, mice, &c.; its agility the same; and its scent equally setid.





THE FERRET

is only known to us in a kind of domestic state.---It is originally a native of Africa; from whence, according to Strabo, it was brought into Spain; and, from its known enmity to the Rabbit, was made use of to reduce the numbers of them with which that kingdom abounded. It has fince been employed for the same purpose in various parts of Europe; but as it is not able to bear the feverity of a cold climate, it cannot fublist without great care and shelter. It is usually kept in a box, with wool; of which it makes itself a warm bed. It sleeps a great part of the day; and the moment it awakes, feems cager for its food, which is commonly bread and milk.

It breeds twice a year. The female goes fix weeks with young. Some of them devour their offspring as foon as they are brought forth; when they immediately come in scason again, and have three litters, which generally confift of five or fix, but sometimes seven or eight, and even nine.

It is apt to degenerate in this country, and lose in

fome degree its ferocity. Warreners are therefore obliged to procure an intercourse between the semale and the Foumart. The produce is a breed of a much darker colour than the Ferret, partaking more of that of the Foumart.

Its length is about fourteen inches; that of the tail five: Its nose is sharper than that of the Weasel or the Fournart; its ears are round; and its eyes red and shery: The colour of the whole body is a very pale yellow.

The Ferret is naturally fuch an enemy to the Rabbit, that if a dead Rabbit be laid before a young Ferret, it instantly seizes upon it, although it has never seen one before: If a living Rabbit be presented to it, the Ferret is still more eager, seizes it by the neck, winds itself round it, and continues to fuck its blood till it be fatiated .--- When employed in the business of the warren, it must be muzzled, that it may not kill the Rabbits in their holes; but only oblige them to come out, that the warrener may catch them in his nets. If the Ferret be suffered to go in without a muzzle, or should disengage itself from it whilst in the hole, there is great danger of losing it: For, after satisfying itself with blood, it falls asleep; and it is then almost impossible to come at it.-The most usual methods of recovering the Ferret are, by digging it out, or fmoking the hole. If these do not fucceed, it continues during the fummer among the Rabbit holes, and lives upon the prey it finds there; but being unable to endure the cold of the winter, is fure to perish.

It is fometimes employed with great fuccess in killing Rats, and is frequently kept in granaries and mills for that purpose. It is extremely vigilant in the pursuit of them, and will not suffer one to live where it is.—A

young Ferret, after it has feized a Rat, will fusser itself to be dragged by it a considerable way before it has killed it, which it never fails to do in a short time.

If the Ferret could be kept warm enough at fea, it might be extremely ferviceable in destroying the Rats, which frequently commit such great depredations on board of ships, and have sometimes been the occasion of their total loss.

The Ferret, though easily tamed, is soon irritated.—Its odour is fetid; its nature voracious; it is tame without attachment; and such is its appetite for blood, that it has been known to attack and kill children in the cradle.—When angry, it is apt to bite; and the wound is difficult to cure.

The Madagascar Weasel, or Vansire of M. Buffon, may be referred to this species; to which its size and form are strikingly similar.—It is about sourteen inches in length: The hair is of a dark-brown colour, mixed with black: It differs from the Ferret in the number of its grinding-teeth, which amount to twelve; whereas, in the Ferret, there are but eight: The tail is longer than that of the Ferret, and better furnished with hair.

The fame author mentions another animal of this species under the name of the Nems, which is a native of Arabia.—It resembles the Ferret in every thing but the colour, being of a dark-brown, mixed with white; the belly is of a bright-yellow colour, without any mixture; the prevailing colour on the head and round the eyes is a clear yellow; on the nose, cheeks, and other parts of the face where the hair is short, a tincture of brown more or less prevails, and terminates gradually above the eye;

the legs are covered with fliort hair, of a deep-yellow colour; on each foot there are four toes, and a small one behind; the claws are small and black; the tail, which is more than double the length of that of the Ferret, is very thick at its origin, terminates in a point, and is covered with long hair, similar to that on the body.



THE FOUMART,

fo ealled from its offensive fmell, as well as to diffinguish it from the Martin, to which it bears a strong refemblance. It is likewise called the *Polecat*, or *Fitchet*; and is the *Putois* of M. Buffon, and the *Putorius* of Ray.

It's length is about feventeen inches, exclusive of the tail, which is fix inches; its eyes are fmall, very brilliant, and when the animal is irritated or afraid, shine in the dark with fingular lustre; its ears are short, broad, and tipt with white on their edges; it is white about the mouth; the rest of the body is for the most part of a deep-chocolate colour; the sides are covered with hairs

of two colours; the ends being dark like the rest of the body, and the middle of a full tawny colour.

The shape of the Fournart, like all others of this genus, is long and slender, the nose sharp-pointed, and the legs short; the toes are long, and the claws sharp. It is in every respect admirably formed for that peculiar mode of life assigned to it by the all-wise Author of Nature.

It is very active and nimble, runs very fast, and will creep up the sides of walls with great agility. In running, its belly seems to touch the ground; in preparing to jump, it arches its back, and makes its spring with great force.

It is very destructive to poultry, pigeons and young game of all kinds. It makes great havock among rabbits; and its thirst for blood is fo great, that it kills many more than it can eat. One or two of them will almost destroy a whole warren.

It is never feen abroad in the day time, unless forced from its hole; and is feldom hunted but in the winter, being at that feason easily found by tracing its footsteps in the snow.—It generally resides in woods or thick brakes; where it burrows under ground, forming a shallow retreat about two yards in length, commonly ending among the roots of trees.

In the winter feason, it frequents houses, barns, &c. feeding on poultry, eggs, and sometimes milk.—But it has another mode of procuring subsistence, which has hitherto escaped the observation of the naturalist; and which, though singular, we can vouch for the truth of. During a severe storm, one of these animals was traced in the snow from the side of a rivulet to its hole, at some distance from it: As it was observed to have made fre-

quent trips, and as other marks were to be feen in the fnow which could not eafily be accounted for, it was thought a matter worthy of greater attention: Its hole was accordingly examined, the Foumart taken, and eleven fine eels were discovered to be the fruits of its nocturnal excursions. The marks in the snow were found to have been made by the motion of the eels in the creature's mouth.

From the above curious circumstance, we have given a representation of this animal (which was drawn from the life) in possession of this singular booty.---It may be matter of curious investigation for some future naturalist, to enquire by what arts this wily animal finds a booty fo apparently difficult to attain.

In attending to the instinctive faculties of animals, there is room for deep and diligent enquiry; and, though our progress is liable to many interruptions, it is a delightful task to follow the workings of Nature through all her intricate and curious windings: Every step we gain is a fufficient reward for our trouble, and leads us to admire the wisdom and goodness of that Dispensation which furnishes every creature with sufficient and ample powers to provide for all its wants, necessities, and comforts.

The female Foumart brings forth in the fummer, generally five or fix at a time. She fuckles them but a short time, and accustoms them early to live upon blood and eggs.

Though the fmell of this animal is rank and difagreeable, even to a proverb; yet the skin is drest with the hair on, and used as other furs, without retaining its offensive odour.

The Foumart is very fierce and bold. When attacked

231

by a dog, it will defend itself with great spirit, attack in its turn, and fasten upon the nose of its enemy with so keen a bite, as frequently to oblige him to desist.



THE PINE-WEASEL, OR YELLOW-BREASTED MARTIN,

inhabits the North of Europe, Afia, and America: It is likewife found in Great-Britain, but is not numerous there.—It lives chiefly in large forests; especially where the pine-tree abounds, of the tops of which it is very fond.

North-America abounds with these animals. Prodigious numbers of their skins are annually imported from thence: Above thirty thousand skins have been brought over from Canada in one year, and from Hudson's Bay nearly sifteen thousand in the same time.

The principal difference between the Pine-Weafel and

rhe Martin is in the colour. The breast of the former is yellow; the colour of the body much darker; and the fur, in general, greatly superior in fineness, beauty, and value.

THE MARTIN

is much more common in this country than the Pine-Weafel.—It lives wholly in woods, and breeds in the hollows of trees. It produces from four to fix young ones at a time.

This species is the most beautiful of all the Weasel kind. Its head is small, and elegantly formed; its eyes are lively; and its motions quick and graceful.

When taken young, it is easily tamed, and becomes extremely playful and good-humoured. Its attachment, however, is not to be depended upon. It readily takes advantage of the first opportunity to regain its liberty, and retire to the woods, its natural haunts.

The food of the Martin is much the fame with other animals of its kind. It makes incessant war with rats, mice, and other vermin: Poultry, game, and small birds, are its constant prey: It feeds also on grain, and is extremely fond of honey.

M. Bussion tells us of one of them that he had tamed, which, he remarks, drank frequently. It sometimes slept two days successively, and at other times would continue awake as long. In preparing itself for sleep, it solded itself up in a round form, and covered its head with its tail. When awake, its motions were so violent, so constant, and so troublesome, that it was necessary to keep it chained. From the slexibility of its body, it casily eluded its fetters; and, after returning once or twice, at last absented itself entirely.

The Martin is about eighteen inches long; the tail ten, and full of hair, especially towards the end, which is thick and bushy; the cars are broad, rounded, and open; the body is covered with a thick fur, of a dark-brown colour; the head brown, mixed with red; the throat and breast are white; the belly is of the same eolour with the back, but a little paler; the feet are broad, and covered on the under side with a thick fur; the claws white, large, and sharp, well adapted for climbing trees, which in this country are its constant residence.

The skin and excrements have an agreeable musky scent, and are entirely free from that rankness which is so disgusting in other animals of this kind. Its sur is valuable, and in high estimation.



THE SABLE,

fo highly esteemed for its skin, is a native of the snowy regions of the North, being found ehiesly in Siberia, Kamtschatka, and some of the islands which lie between that country and Japan. A few are also found in Lapland.

The darkest furs are the most valuable. A single skin, though not above four inches broad, is sometimes valued

as high as fifteen pounds. The Sable differs from all other furs in this, that the hair turns with equal eafe to either fide.

The Sable refembles the Martin in form, and is about the fame fize.—It lives in holes in the earth, by the banks of rivers, and under the roots of trees. It makes its nest of moss, small twigs, and grass.

The female brings forth in the fpring, and produces from three to five at one time.---Sometimes, like the Martin, it forms its nest in the hollow of a tree.

It is very lively and active, and leaps with great agility from tree to tree, in pursuit of small birds, woodcocks, squirrels, &c. It likewise lives upon rats, sishes, pine tops, and wild fruits.

It is affirmed by naturalists, that the Sable is not averse to the water; and, from the fineness and closeness of its fur, there is great reason to suppose that it is much accustomed to that element; from which it also derives a part of its subsistence: And as a farther proof that this animal is in some degree amphibious, we are told by travellers*, that it is very numerous in small islands, where the hunters go in quest of them. It is mentioned by Aristotle as a water animal, and is described by him under the name of Satherius.

The hunting of the Sables is chiefly carried on by criminals confined to the defert regions of Siberia, or by foldiers fent thither for that purpose, who generally remain there several years. Both are obliged to furnish a certain quantity of surs. They shoot with a single ball, to injure the skin as little as possible. They frequently take them in traps, or kill them with blunt arrows.—As

an encouragement to the hunters, they are allowed to fhare among themselves whatever skins they take above the allotted number; and this, in a few years, amounts to a confiderable premium. -- The hunters form themfelves into small troops, each of which is directed by a leader of their own chusing.

The feafon of hunting is from November to February; for at that time the Sables are in the highest perfection: Those caught at any other time of the year are full of short hairs, and are fold at inferior prices. The best skins are such as have only long hair, which is always black, and of a glossy brightness. Old furs do not retain their gloss .--- Both the Russians and Chinese have a method of dying their furs; but the dyed Sables are easily discovered, having neither the smoothness nor the brightness of the natural hair.

The bellies of Sables, which are fold in pairs, are about two fingers in breadth, and are tied together in bundles of forty pieces, which are fold at from one to two pounds sterling. The tails are fold by the hundred, from four to eight pounds.

There are instances of Sables being found of a snowy whiteness; but they are rare, and bought only as curiofities.

The hunters of these animals are frequently obliged to endure the utmost extremity of cold and hunger in the pursuit of their booty. They penetrate deep into immense woods, where they have no other method of finding their way back but by marking the trees as they advance: If this should by any means fail them, they are inevitably loft. They fometimes trace the Sables on the new-fallen fnow to their holes, place their nets at the entrance, and wait frequently two or three days before

the animal comes out.----It has happened, by the failure of their provisions, that these poor wretches have been reduced to the necessity of tying thin boards tight to their stomachs to prevent the cravings of appetite.---Such are the hardships our fellow-creatures undergo to supply the wants of the vain and luxuriant!

An animal, similar to the Sable, is mentioned by Mr Pennant under the name of the Fisher.---It is found in North-America; and, by the number of skins imported, must be very numerous there, nearly six hundred of them having been brought in one season from New-York and Pennsylvania.—The hair on the body is mostly black; the sides brown; the ears are broad and round, dusky on their outsides, and edged with white; the sace and sides of the neck pale-brown, mixed with black; the feet are very broad, and covered with hair, even on their soles; the tail is full and bushy; the length, from nose to tail, is twenty-eight inches; the tail seventeen.





THE ICHNEUMON.

This animal, in Egypt, is domestic, like the Cat; and is retained by the natives for the same useful purposes of clearing their houses of rats and mice.—With all the strength and agility of the Cat, it has a more general appetite for earnage. It attacks, without dread, the most deadly serpents; and preys on every noxious reptile of the torrid zone, which it seizes and kills with great avidity.—It is said, that when it is wounded by a serpent, and begins to seel the effect of the poison, it immediately has recourse to a certain root, which the Indians call after its name, and affert that it is an antidote for the bite of any venomous reptile.

The Iehneumon is the most formidable enemy of the Crocodile: It destroys its eggs, which it digs out of the sand, where they are laid to hatch by the heat of the sun; and kills great numbers of young Crocodiles soon after their production, before they are able to reach the water. It was for this reason that the ancient Egyptians worshipped this animal, and ranked the Iehneumon among those deities that were most propitious to them.

In its domestie state, it is perfectly tame and gentle. M. d'Obsonville speaks of one which he reared from a

young one. It became tamer than a Cat, was obedient to the call of its master, and followed him wherever he went. One day he brought a fmall water-ferpent alive, being defirous to know how far its instinct would carry it against a being with whom it was hitherto entirely unacquainted. Its first emotion seemed to be astonishment mixed with anger: Its hair became erect: In an instant, it flipped behind the reptile; and with remarkable fwiftnefs and agility, leaped upon its head, feized it, and crushed it with its teeth. This first essay seemed to have awakened in it its natural appetite for blood, which till then had given way to the gentleness of its education: It no longer fuffered the poultry, among which it was brought up, to pass unregarded; but took the first opportunity, when it was alone, to strangle them: It eat a part of their flesh, and drank only the blood of others.

These animals are numerous in all the southern regions of Asia, from Egypt to the island of Java: They are also found in Africa, in the country about the Cape of Good Hope.—They frequent the banks of rivers, are fond of sish, are said to take the water like an Otter, and will continue in it a considerable time without rising to take breath.

The Ichneumon varies in fize. The domestic kind is generally larger than those that are wild, and its colours more variegated. It is in general about the fize of a common Cat; somewhat longer in the body, and shorter in the legs. Its sur contains tints of white, brown, fawn-colour, and a dirty silver-grey, which altogether form a mixture very agreeable to the eye. Its form is like that of a Polecat. Its eyes are small, but instanced, and sparkle with a singular vivacity; its nose is long and slender; its ears small, rounded, and almost naked; its

tail is very thick at the base, and tapers to a point; underneath the tail is an orifice, from which a most set set humour is secreted; its claws are long.---It darts upon its prey like an arrow, and seizes it with inevitable certainty.

It has a small soft voice, somewhat like a murmur; and, unless struck or irritated, never exerts it. When it sleeps, it folds itself up like a ball, and is not easily awaked. It frequently sits up like a Squirrel, and feeds itself with its fore feet; catches any thing that is thrown to it; and will often feign itself dead till its prey come within its reach.



THE FOSSANE

is rather smaller than the Martin. Its body is slender, and covered with hair of an ash colour, mixed with tawny; the sides of the face are black; at the hind part of the head there are four black lines, extending from thence towards the shoulders; the tail is long, and annulated with black; its eye is full, round, and black, which gives it a wild and mischievous aspect.

It inhabits the island of Madagascar, Guinea, Cochinchina, and the Philippine Isles. It feeds on slesh and

fruits, but prefers the latter, and is peculiarly fond of bananas. It is very fierce, and not easily tamed.

In Guinca, it is called *Berbe*; and, by Europeans, the *Wine-bibber*, being very greedy of palm-wine.—When young, its flesh is reckoned very good to eat.



THE SKUNK,

which is called the Chinche by the natives of Brazil, is about the fize of a common Cat. Its nofe is long and slender, and extends a considerable way beyond the lower jaw; its ears are large, short, and rounded; a white stripe extends from the nose over the forehead and along the back, where it is intersected with a small line of black, commencing at the tail, and extending upwards along the middle of the back; its belly and legs are black; its hair is long, especially on the tail, which is thick and bushy.

It inhabits Peru, Brazil, and other parts of South-America; and is likewife found in North-America, as far as Canada.

<

It is remarkable for a most intolcrable, suffocating, fetid vapour; which it emits from behind, when attacked, pursued, or frightened. The stench of this essure is insupportable, and is the creature's best means of desence.

There are three or four varieties, mentioned by M. Bussion under the name of the Stinking Polecats; all of which possess this wonderful faculty of annoying their enemies from the same quarter.

Some turn their tail to their pursuers, and emit a most horrible stench, which keeps both dogs and men at a considerable distance. Others eject their urine to the distance of several feet; and it is of so virulent a quality, as almost to occasion blindness, if any of it should happen to fall into the eyes. Clothes infected with it, retain the smell for many days: No washing can make them sweet; but they must be even buried in fresh soil before they can be thoroughly cleansed. Dogs that are not properly bred, turn back as soon as they perceive the smell: Those that have been accustomed to it, will kill the animal; but are obliged to relieve themselves by thrusting their noses into the ground.

The Stifling, or Squash, which is the second variety, is nearly of the same size with the Skunk. Its hair is long, and of a deep-brown colour. It lives in holes and clefts of rocks, where the semale brings forth her young. It is a native of Mexico; and feeds on beetles, worms, and small birds. It destroys poultry, of which it only eats the brains.—When afraid or irritated, it voids the same offensive kind of odour, which no creature di, twenture to approach. Professor Kalm was i, and re of being

fuffocated by one that was pursued into a house where he slept; and it assected the cattle so much, that they bellowed through pain. Another, which was killed by a maid-scrvant in a cellar, so affected her with its stench, that she lay ill for several days: All the provisions that were in the place were so tainted by the smell, as to be utterly unfit for use.

Another variety is ealled the Conepate; and is, perhaps, no more than the female of the last-mentioned animal. It is fomewhat smaller, and differs chiefly from the Squash in being marked with five parallel white lines, which run along its back and sides from head to tail.

It is a native of North-America.—When attacked, it briftles up its hair, throws itself into a round form, and emits an odour which no creature can support.

The last of this pestiferous family which we shall mention is the Zorilla.

This animal is a native of New-Spain, where it is ealled the Mariputa. It is found on the banks of the river Oronoque; and, although extremely beautiful, it is at the fame time the most offensive of all creatures. Its body is beautifully marked with white stripes upon a black ground, running from the head to the middle of the back; from whence they are crossed with other white bands, which eover the lower part of the back and slanks: Its tail is long and bushy, black as far as the middle, and white to its extremity. It is an active and mischievous little animal. Its stench is said to extend to a considerable distance; and is so powerful, as to overcome even its active of America, which is one of its greatest enemies.

animals,

Notwithstanding this offensive quality in these animals, they are frequently tamed, and will follow their master. They do not emit their odour, unless when beaten or irritated. They are frequently killed by the native Indians, who immediately cut away the noxious glands; thereby preventing the sless, which is good eating, from being infected. Its taste is said nearly to resemble the slavour of a young pig. The savage Indians make purses of their skins.



THE GENET

is as much distinguished for the agreeable perfume which it yields, as those we have just described are for the rankest and most disagreeable odour in nature.

The body of the Genet is longer than that of the Martin; its head is long and slender, with a sharp muzzle; its ears are a little pointed; its hair soft, smooth, and shining; of a tawny-red colour, spotted with black; along the ridge of the back there is a kind of mane of long hair, which forms a black line from head to tail; the spots on the sides are round and distinct, those on the back almost close; its tail is long, and marked with

feven or eight rings of black. From an orifice beneath its tail, it yields a kind of perfume, which smells faintly of musk.

It is found in Turkey, Syria, and Spain.---We are told by Belon, that he faw Genets in the houses at Constantinople, as tame as Cats; and that they were useful to the inhabitants in destroying rats, mice, and other vermin.

It is a most beautiful, cleanly, and industrious animal, and very active in pursuing its prey. Its nature is mild and gentle, its colours beautifully variegated, and its fur valuable. Upon the whole, it seems to be one of those animals that, with proper care and attention, might become a useful addition to our stock of domestic quadrupeds



THE CIVET

is larger than the Genet, and yields a perfume in much greater quantities, and of a stronger quality.

Though originally a native of the warm climates of Africa or Afia, it can live in temperate, and even in cold countries; but it must be fed with nourishing diet, and carefully defended against the severities of the weather.

Numbers of them are kept in Holland, for the purpofe

of collecting this valuable perfume. The civet procured at Amsterdam is more esteemed than that which comes from the Levant or India, being less adulterated.—To collect this perfume, the Civet is put into a cage, so narrow, that it cannot turn itself: The cage is opened at one end, and the animal drawn backward by the tail, and securely held by its hind legs: A small spoon is then introduced into the pouch which contains the perfume, with which it is carefully scraped, and the matter put into a vessel properly secured. This operation is performed two or three times a week.

The quantity of odorous humour depends much on the quality of the nourishment, and the appetite of the animal, which always produces more in proportion to the goodness of its food. Boiled slesh, eggs, rice, small animals, birds, and particularly sish, are the kinds of food the Civet mostly delights in; and these ought to be varied, so as to excite its appetite, and preserve its health. It requires very little water; and, though it drinks seldom, it discharges its urine frequently. It is somewhat remarkable, that in this operation the male is not to be distinguished from the semale.—From this circumstance, it has been supposed, that this was the Hyena of the ancients; and it is certain, that most of the fables related concerning that monster are in a certain way applicable to the Civet.

The ancients were well acquainted with the pomatum of the Civet, and ascribed to it certain powers of exciting love; for which purpose it still constitutes one of the luxuries of the East,

What has been fabulously related concerning the uncertainty of fex in the Hyena, applies much more strong-

ly to the Civet; for in the male nothing appears externally but three apertures, so perfectly similar to those of the semale, that it is impossible to distinguish the sex otherwise than by dissection.

The perfume of this animal is so strong, that it infects every part of its body: The hair and the skin are so thoroughly penetrated with it, that they retain it long after being taken from the body. If a person be shut up in the same apartment, it is almost insupportable; and, when heated with rage, it becomes still more pungent.

The Civet is naturally favage, and fomewhat ferocious; yet it is easily tamed, so as to be handled without danger.

The teeth are strong and sharp; but its claws are weak. It is very active and nimble, leaps like a Cat, and runs with great swiftness. It lives by hunting; surprizes small animals and birds; and, like the Weasel, will sometimes steal into the yard, and earry off poultry.—Its eyes shine in the dark; and it is probable, that it can see well enough to pursue its prey during the night, as it is known to be most active at that time.

The Civet is very prolific in its native climate; but, though it lives and produces its perfume in temperate regions, it is never known to breed there.—Its voice is stronger than that of the Cat, and has some resemblance to the cry of an enraged Dog.





THE ZIBET

is fo fimilar to the Civet, as to be eonfidered by fome authors as only a variety of that animal; and it must be allowed, that they have many effectial relations, both in their external and internal structure; but they differ from each other by such distinguishing characteristies, as entitle them to be regarded as two distinct species. The ears of the Zibet are larger and more erect; and its muzzle is thinner and flatter: Its body is longer than that of the Civet; and its tail, which is longer, is marked with annular spots, like that of the Genet: It has no mane nor long hair on the neck and spine; and its hair is shorter and softer.

The perfume of the Zibet is peculiarly violent and piercing, beyond that of either the Civet or the Genet.— This odorous liquor is found in a fiffure near the organs of generation. It is a thick humour, of the confiftence of pomatum; and, though very strong, it is agreeable even as it issues from the body of the animal.—This matter of the Zibet must not be confounded with musk, which is a sanguinous humour, derived from a species of the Roe-buck, or Goat without Horns*; and has

^{*} See page 103.

nothing in common with the Zibet, but its strong perfume.



THE SURICATE, OR FOUR-TOED WEASEL,

is rather less than the Rabbit; and pretty much resembles the Ichneumon, both in size and in the colour of its hair, only it is rougher, and its tail is not quite so long. Its upper jaw is much longer than the lower, and very pliant and moveable. It has only four toes on each foot.

One of them, in the possession of M. de Seve, was obferved fometimes to walk on its hind legs, and frequently to sit upright, with its fore feet hanging down on its breast.

The Suricate is carnivorous, and preys on small animals. It is fond of fish, and still more so of eggs. Like the Squirrel, it makes use of its fore paws to convey its victuals to its mouth. In drinking, it laps like a dog; but will not drink water, except when it is warm.

That kept by M. de Seve, was extremely playful and familiar, knew its own name, and would return at a call. What was remarkable, it feemed to have an aversion to particular persons, whom it would always bite on their approaching it: Some people were so disagreeable to it, that, even when restrained, it would make use of several

artifices to come near enough to bite them; and when it could not lay hold of their legs, would fly at their shoes or petticoats. When discontented, it made a noise like the barking of a whelp; and when pleased or caressed, would utter a sound like the shaking of a rattle.




THE RATEL,

described by Mr Pennant under the name of the Fizzler, is a native of the Cape of Good Hope.——It lives chiefly upon honey, and is endowed with a wonderful faculty of discovering the secret retreats where the bees deposit their stores. About fun-set, the Ratel is particularly attentive in watching the motions of these industrious infects; and, having observed their route, it follows with great care the direction in which they fly. It is frequently affifted in discovering its delicious booty by a bird called the Honey-Guide, (cuculus indicator) which is extremely fond both of honey and the eggs of bees; and, in the pursuit of its food, excites the attention of the Ratel by a loud grating cry of cherr, cherr; at the fame time flying flowly on towards the place where the fwarm of bees have taken up their abode. The Ratel follows the found with great attention; and having

plundered the nest, leaves sufficient behind it as a reward for the services of its faithful guide. The Ratel is well adapted to this purpose, as the toughness and thickness of its skin effectually defends it from the stings of the bees. On this account, it is not easily killed; for its skin is so loosely attached to its body, that, when seized by a hound, it gives way, and the animal has an opportunity of turning round, and biting its assailant, which it frequently does so severely, as to oblige him to desist.

The Ratel, according to Mr Penant, is two feet long from the nose to the tail, which is eight inches; its legs are short; on each foot it has four toes, armed with long claws; those on the fore feet are above an inch long, and very sharp; its tongue is rough; it has no ear-laps; the orifice of the ear is wide, and surrounded by a callous rim; a broad stripe, of an ash colour, extends along the back from the forehead to the tail, which is separated from the black hair on the sides and belly by a light-grey list running from behind each ear to the tail.——It burrows in holes under ground, is said to be very setid, and is called the Stinking Badger by M. de Caille.





THE COATI, OR BRAZILIAN WEASEL,

has fome refemblance to the Bear, in the length of its hind legs, in the form of its feet, in the bushiness of its hair, and in the structure of its paws. It is small. Its tail is long, and variegated with different colours; its upper jaw is much longer than the lower, and very pliant; its ears are rounded; its hair is fmooth, foft, and glossy, of a bright-bay colour; and its breast is whitish.

Linnæus describes one of them, which he kept a confiderable time, and in vain attempted to bring into fubjection. It was very obstinate and capricious. It killed the poultry, tore off their heads, and fucked their blood. It defended itself with great force whenever any person attempted to lay hold of it contrary to its inclination; and it stuck fast to the legs of those with whom it was familiar, when it wanted to ranfack their pockets, and carry off any thing that it found in them. It had an extreme aversion to hog's bristles; and the smallest brush made it defist.-Its mode of living was very fingular: It flept from midnight till noon, kept awake the rest of the day, and uniformly walked about from fix in the evening till midnight, without the least regard to the weather.

This is probably the time affigned by Nature to this species of animals for procuring their food, which consists chiefly of young birds, eggs, and small animals.

It inhabits Brazil and Guiana, runs up trees very nimbly, eats like a Dog, and holds its food between its fore legs like a Bear.

The Coati stands with ease on its hind seet.—It is said to gnaw its own tail, which it generally carries erect, and sweeps it about from side to side.



THE RACOON

is very common in the warm regions of America. It is found also in the mountains of Jamaica; from whence great numbers of them frequently descend into the plantations, and make great havock among the sugar-canes, of which they are particularly fond. The planters consider these animals as their greatest enemies, as they frequently do infinite mischief in one night's excursion: They have contrived various methods of destroying them; yet still they propagate in such numbers, that neither traps nor fire-arms can repel them.

The Racoon is fomewhat lefs than the Badger: Its

head refembles that of a Fox; but its ears are round, and much shorter; and its upper jaw very pointed, and longer than the lower: Its eyes, which are large, are furrounded with two broad patches of black; its body is thick and short, covered with long hair, black at the points, and grey underneath; its tail is long and bushy, and marked with alternate rings of black and white; its feet and toes are black.

The Racoon is very active and nimble. Its claws, which are extremely fharp, enable it to climb trees with great facility. It moves forward chiefly by bounding; and, though it proceeds in an oblique direction, runs very fwiftly.

When tamed, it is good-natured and sportive; but is almost constantly in motion, and as unlucky and inquisitive as a Monkey, examining every thing with its paws, which it makes use of as hands to lay hold of any thing that is given it, and to carry its meat to its mouth. It fits up to eat, is extremely fond of fweet things and strong liquors, with which it will get excessively drunk. It has all the cunning of the Fox, is very destructive to poultry; but will eat all forts of fruits, grain, and roots. It has a peculiar method of dipping every thing in water it intends to eat, and will feldom tafte bread till it be well foaked. It opens oysters with astonishing dexterity, separates the shells, and leaves not a vestige of the fish. It does this without looking at the oyster; but places it under its hind paws, and with its fore feet searches for the weakest part, where it fixes its claws, forces it open, and fnatches out the fish. It likewise devours all kinds of insects; delights in hunting spiders; and when at liberty in a garden, will cat grasshoppers, fnails, worms, &c. It is very cleanly, and always retires to obey the

calls of Nature. It is familiar, and even careffing; leaps upon those it is fond of, plays sportively, and moves about with great agility.

This animal is hunted for its skin, which is next in value to that of the Beaver for making hats.



THE BADGER.

Although Nature has furnished this animal with formidable weapons of offence, and has besides given it strength sufficient to use them with great effect, it is, notwithstanding, very harmless and inossensive, and, unless attacked, employs them only for its support.

The Badger retires to the most fecret recesses; where it digs its hole, and forms its habitation under-ground.— Its food consists chiesly of roots, fruits, grass, insects, and frogs. It is charged with destroying lambs and rabbits; but there seems to be no other reason to consider it as a beast of prey, than the analogy between its teeth and those of carnivorous animals.

Few creatures defend themselves better, or bite with greater keenness, than the Badger. On that account it

is frequently baited with Dogs trained for that purpofe. This inhuman diversion is chiefly confined to the idle and the vicious, who take a cruel pleafure in feeing this harmless animal surrounded by its enemies, and defending itself from their attacks, which it does with astonishing agility and fuccefs. Its motions are fo quick, that a Dog is frequently desperately wounded in the first moment of affault, and obliged to fly. The thickness of the Badger's skin, and the length and coarfeness of its hair, are an excellent defence against the bites of the Dogs: Its skin is so loose, as to resist the impressions of their teeth, and give the animal an opportunity of turning itfelf round, and wounding its adversaries in their tenderest parts. In this manner this singular creature is able to refift repeated attacks both of men and dogs, from all quarters; till, being overpowered with numbers, and enfeebled by many desperate wounds, it is at last obliged to fubmit.

The Badger is an indolent animal, and fleeps much. It confines itself to its hole during the whole day, and feeds only in the night. It is so cleanly, as never to defile its habitation with its ordure. It breeds only once in a year, and brings forth four or five at a time.

It is not known to exist in warm countries. It is an original native of the temperate climates of Europe; and is found, without any variety, in Spain, France, Italy, Germany, Britain, Poland, and Sweden.

The usual length of the Badger is somewhat above two feet, exclusive of the tail, which is about fix inches long; its eyes are small, and are placed in a black stripe, which begins behind the ears, and runs tapering towards the nose; the throat and legs are black; the back, sides, and tail, are of a dirty-grey, mixed with black; the legs and


feet are very fhort, strong, and thick; each foot confists of five toes; those on the fore feet are armed with strong claws, well adapted for digging its subterranean habitations.

In walking, the Badger treads on its whole heel, like the Bear; which brings its belly very near the ground.

Immediately below the tail, between that and the anus, there is a narrow transverse orifice, from whence a white substance, of a very fetid smell, constantly exudes.

The skin, when dressed with the hair on, is used for pistol furniture.—Its sless is eaten: The hind quarters are sometimes made into hams, which, when cured, are not inferior in goodness to the best bacon.—The hairs are made into brushes, which are used by painters to soften and harmonize their shades.





THE SAND-BEAR.

We have given the figure of this animal, drawn from one kept in the Tower; of which we have not been able to obtain any further description, than its being somewhat less than the Badger, almost without hair, extremely sensible of cold, and burrows in the ground. From these circumstances, as well as from the striking similarity of its figure to that of the Badger, we are inclined to think it is a variety of that animal, mentioned by naturalists under the name of the Sow-Badger.

Its colour is a yellowish-white: Its eyes are small; and its head thicker than that of the common Badger: Its legs are short; and on each foot there are sour toes, armed with sharp white claws.

M. Brisson describes a white Badger, from New-York, so similar to this, that we suspect it to be the same species.



THE WOLVERENE, OR GLUTTON.

This voracious animal is found in all the countries bordering on the Northern Ocean, both in Europe and Asia: It is likewise common in Canada, the country about Hudson's Bay, and other parts of North-America; where it is known by the name of the Carcajou.

It has been variously described by naturalists.--We have felected the account given by M. Buffon, which was taken from a living one in his possession. Its length, from the nose to the insertion of the tail, was two feet two inches; the tail eight inches long; the length of the fore legs was eleven inches, and the hind ones twelve; it had five toes on each foot, armed with long sharp claws; the middle claw of the fore foot was one inch and a half long; the muzzle, as far as the eye-brows, was black; its eyes were fmall and black, and its ears short; its breast and under jaw were spotted with white; the back, legs, belly, and tail, were black .- During its confinement, it did not discover fymptoms of great ferocity. It eat voraciously; and, after a full meal, covered itself in its cage with straw. It cat no bread; but would devour more than four pounds of slesh every day, which it swallowed greedily, almost without chewing.

In a state of liberty, it is said to lead a life of continual rapine. It lurks in the branches of trees, in order to surprize Deer and other animals that pass under them. It waits with great patience the arrival of its prey, and darts from its hiding place with unerring certainty. In this manner it indiscriminately surprizes the Horse, the Elk, the Stag, or the Rein-deer; and fixes itself between their shoulders with its teeth and claws.

The wild Rein-deer, which are numerous both in Lapland and North-America, frequently fall victims to the Glutton. When feized by this blood-thirsty animal, it is in vain that the wounded Deer endeavours to disengage itself from its enemy by rustling among the branches of the trees: No force can oblige it to quit its hold: It maintains its position, and continues to suck the blood of the slying animal till it falls down exhausted with pain and fatigue. It then devours the carcase with insatiable voracity, and gorges itself with the slesh till it is almost in danger of bursting.

In Kamtschatka, the Glutton makes use of a singular stratagem for killing the Fallow-deer. It climbs up a tree, taking with it a quantity of that species of moss of which the Deer is very fond. When one of them approaches the tree, the Glutton throws down the moss; and if the Deer stop to eat it, the Glutton darts upon its back, and fixing itself firmly between its horns, tears out its eyes, and by that means secures its prey. It then divides the sless of the Deer into a number of portions, which it conceals in the earth to serve for suture provisions.

The motions of the Glutton are flow. There are few quadrupeds that cannot escape from it, except the Bea-

ver, which it frequently pursues and overtakes.——In America, it is called the *Beaver-eater*.—It fometimes lies in wait, and furprizes those animals coming out of their burrow; or breaks into their habitation, and kills great numbers of them.

The Glutton often defeats the labours of the huntfmen, by stealing away the Sables and other animals that have been caught in their traps; and it is sometimes taken in the snares laid for them.


When attacked, it makes a strong resistance. It will tear the stock from the gun with its teeth, or break the trap in pieces in which it is caught.—Notwithstanding its fierceness, it is capable of being tamed, and of learning several entertaining tricks.

It is hunted only for its skin, which is very valuable, of a most beautiful glossy black, which slines with a peculiar lustre, and reslects the light like damask silk.

The skins are fold in Siberia at five or six shillings each, in Jakutsk at twelve, and still dearer in Kamtschatka. There the women dress their hair with its white paws, which they esteem a great ornament.

The furs of this animal, from the North of Europe and Asia, are infinitely finer, blacker, and more glossy, than those of the American kind.





THE BROWN BEAR.

THERE are two principal varieties of the Bear,—
the brown and the black. The former is found in almost every climate; the black Bear chiefly in the forests of the northern regions of Europe and America.

The brown Bear is sometimes carnivorous; but its ge-

neral food is roots, fruits, and vegetables.

It is a favage and folitary animal, lives in defert and unfrequented places, and chuses its den in the most gloomy and retired parts of the forest, or in the most dangerous and inaccessible precipices of unfrequented mountains.—It retires alone to its den about the end of autumn, (at which time it is exceedingly fat) and lives for several weeks in a state of total inactivity and abstinence from sood.—During this time, the semale brings forth her young, and suckles them. She chuses her retreat for that purpose in the most retired places, apart from the male, lest he should devour them. She makes a warm bed for her young, and attends them with unre-

mitting care during four months, and in all that time fearcely allows herfelf any nourifliment. She brings forth two, and fometimes three, young at a time.—The cubs are round and shapeless, with pointed muzzles; but they are not licked into form by the female, as Pliny and other ancient naturalists supposed. At first they do not exceed eight inches in length: They are blind during the first four weeks, are of a pale-yellow colour, and have scarcely any resemblance of the creature when arrived at maturity.—The time of gestation in these animals is about six months; and they bring forth in the beginning of January.

In the spring, the old Bears, attended by their young, come out from their retreats, lean, and almost samished by their long confinement. They then ransack every quarter in search of food. They frequently climb trees, and devour the fruit in great quantities; particularly the date-plumb tree, of which they are exceedingly fond. They ascend these trees with surprizing agility, keep themselves firm on the branches with one paw, and with the other collect the fruit.

The Bear is remarkably fond of honey, which it will encounter great difficulties to obtain, and feeks for with

great cunning and avidity.

It enjoys, in a superior degree, the senses of hearing, smelling, and touching.—Its ears are short and rounded; and its eyes small, but lively and penetrating, and defended by a nictating membrane: From the peculiar formation of the internal parts of its nose, its sense of smelling is exceedingly exquisite: The legs and thighs are strong and muscular: It has sive toes on each foot, and uses its fore foot as a hand, although the toes are

not separated as in most animals that do so; the largest singer is on the outside.

The voice of the Bear is a deep and furly kind of growl, which it frequently exerts without the least cause.

—-It is very easily irritated; and at that time its resentment is furious, and often capriciously exerted.

When tamed, it appears mild and obedient to its mafter; but it is not to be trusted without the utmost caution.—It may be taught to walk upright, to dance, to lay hold of a pole with its paws, and perform various tricks to entertain the multitude, who are highly pleased to see the ankward measures of this rugged creature, which it seems to suit to the sound of an instrument, or to the voice of its leader. But to give the Bear this kind of education, it must be taken when young, and accustomed early to restraint and discipline: An old Bear will suffer neither, without discovering the most furious refentment; neither the voice nor the menaces of his keeper have any effect upon him; he equally growls at the hand that is held out to feed, as at that which is raised to correct him.

The excessive cruelties practised upon this poor animal in teaching it to walk erect, and regulate its motions to the sound of the slagelet, are such as make sensibility shudder. Its eyes are put out; and an iron ring being put through the cartilage of the nose to lead it by, it is kept from food, and beaten, till it yield obedience to the will of its savage tutors. Some of them are taught to perform by setting their feet upon hot iron plates, and then playing to them whilst in this uneasy situation.—It is truly shocking to every feeling mind to reslect, that such cruelties should be exercised upon any part of the

brute creation by our fellow-men. That they should be rewarded by numbers of unthinking people, who crowd around them to see the animal's rude attempts to imitate human actions, is not to be wondered at: But it is much to be wished, that the timely interference of the magistrate would prevent every exhibition of this kind, that, in England at least, we might not be reproached with tolerating practices so disgraceful to humanity.

One of these animals, presented to the prince of Wales a few years ago, was kept in the Tower. By the carelessness of the servant, the door of his den was left open; and the keeper's wife happening to go across the court at the same time, the animal slew out, seized the woman, threw her down, and fastened upon her neck, which he bit; and, without offering any further violence, lay upon her, fucking the blood out of the wound. Refistance was in vain, as it only ferved to irritate the brute; and the must inevitably have perished, had not her husband luckily discovered her fituation. By a sudden blow, he obliged the Bear to quit his hold, and retire to his den, which he did with great reluctance, and not without making a fecond attempt to come at the woman, who was almost dead through fear and loss of blood. It is fomewhat remarkable, that whenever it happened to fee her afterwards, it growled, and made most violent struggles to get out to her.—The prince, upon hearing of the circumstance, ordered the Bear to be killed.

The Bears of America are finall and black, live entirely upon vegetable food, and are particularly fond of maize, potatoes, honcy, and milk. Though prefied with extreme hunger, they will not cat animal food.—They lodge in the hollow trunks of large trees, which they

afcend and defcend with great eafe and agility.—The hunters take them by fetting fire to their habitations. The old one comes out first, and is generally slain before she reaches the ground; the cubs follow her, and are taken alive.

The flesh of the young Bear is reckoned a great delicacy; and the paws of an old one are esteemed as a most exquisite morsel. The fat is white, and very sweet; and the oil is said to be of great use in softening swellings proceeding from sprains.

Great numbers are killed annually in America for the fake of their skins, which form a considerable article of commerce.

Bears were formerly common in Greece. The Romans brought them from Lybia to be exhibited in their public spectacles.—They are likewise found in China, Japan, and as far as the island of Java.

The mountains of Great Tartary produce great numbers of Bears perfectly white, which do not differ in form from those just mentioned.—Some, from the confines of Russia, are of a mixed colour, with black and white hairs.

The Bear was once an inhabitant of this island, and was included in the ancient laws and regulations respecting beasts of chase.—Long after their extirpation, they were imported for the cruel purpose of baiting them, which at that time was a favourite amusement of our ancestors. We find it, in queen Elizabeth's days, among the various entertainments prepared for her majesty on her visit at Kenilworth.



We have here given a faithful representation, drawn from the life, of an animal which has hitherto escaped the observations of naturalists.—Its features and leading characters seem to be so strong, as to leave no room for doubt with respect to its rank in the animal creation: And, from the striking correspondence of parts observable between it and the common Bear, we are induced to dispose of them in the same class. We are the more confirmed in this opinion, from an attentive examination of its disposition and manners; notwithstanding, it seems to differ in some of those characteristics which have been pointed out by naturalists as the guides to a regular and systematic arrangement.

Its body is covered with a long, rough, and shaggy coat of hair, which gives it, when lying down, the appearance of a rude and shapeless mass; on the top of its back, the hair, which is twelve inches long, rises up like a hunch, separates in the middle, and falls down in dif-

ferent directions; its head is large, very broad at the forehead, and is the only part on which the hair is short; its fnout is long, and ends in a thin, broad cartilage. overhanging the nostrils about an inch and a half; its lips are thin and very long, and feem to be furnished with muscles, by which the animal can protrude them in a most singular manner, which it never fails to do when its attention is directed to any particular object, or when food is held out to it; its eyes are fmall, black, and heavy, and its aspect louring; its ears and tail are short, and hid in the hair; its legs and thighs are remarkably thick and strong; it treads on its heel like a Bear, and its toes are not divided; it has five long crooked white claws on each foot, which it uses with great dexterity, either separately or together, like fingers, to break its food into fmaller portions, or to convey it to its mouth. lour is a deep, shining black; excepting the snout, and a fpot above each eye, which are of a yellowish-white colour; there is likewife a crefcent of white underneath the throat. It has no cutting teeth; but two very strong canine teeth, and fix grinders, in each jaw.

It appears to be a gentle, good-natured animal; but when irritated or disturbed, utters a short abrupt roar, like a Bear, ending in a whining tone, expressive of impatience.—It feeds on bread, fruit, and nuts; is fond of honey; and will eat marrow, or the fat of meat, either raw or dreffed; but refuses roots of all kinds, and the lean or muscular parts of flesh.

This rare animal is faid to have been brought from the interior parts of Bengal; and that it burrows in the ground.



THE POLAR OR GREAT WHITE BEAR

differs greatly from the common Bear in the length of its head and neck, and grows to above twice the fize. Some of them are thirteen feet long.—Its limbs are of great fize and ftrength; its hair long, harsh and disagreeable to the touch, and of a yellowish-white colour; its ears are short and rounded; and its teeth large.

It inhabits only the coldest parts of the globe; and has been found above latitude 80, as far as navigators have penetrated northwards. These inhospitable regions seem adapted to its sullen nature.

[&]quot;There—the Mapeless Bear,

[&]quot;With dangling ice all horrid, flalks forlorn: "Slow-pac'd, and fourer as the florms increase,

[&]quot; He makes his bed beneath th' inclement drift;
" And, with stern patience, scorning weak complaint,

[&]quot; Hardens his heart against affailing want."

It has been feldom feen farther fouth than Newfoundland; but abounds chiefly on the shores of Hudson's Bay, Greenland, and Spitzbergen, on one side, and those of Nova-Zembla on the other. It has been sometimes found in the intermediate countries of Norway and Iceland; but such as have appeared in those parts have always been driven thither upon floating sheets of ice; so that those countries are only acquainted with them by accident.

During summer, they take up their residence on large islands of ice, and frequently pass from one to another.—They swim well, and can go to the distance of six or seven leagues: They likewise dive, but do not continue long under water.—When the pieces of ice are detached by strong winds or currents, the Bears allow themselves to be carried along with them, and as they cannot regain the land, or abandon the ice on which they are embarked, they often perish in the open sea. Those which arrive with the ice on the coasts of Iceland or Norway, are almost famished with hunger from the length of their voyage, and are extremely voracious. As soon as the natives discover one of them, they arm themselves, and presently dispatch him.

The ferocity of the Bear is as remarkable as its attachment to its young. A few years fince, the crew of a boat belonging to a ship in the whale-sishery, shot at a Bear at a short distance, and wounded it. The animal immediately set up the most dreadful yells, and ran along the ice towards the boat. Before it reached it, a second shot was fired, and hit it. This served but to increase its fury to presently swam to the boat; and in attempting to get or board, reached its fore soot upon the gunnel; but one of the crew having a hatchet, cut it off. The

animal still, however, continued to swim after them till they arrived at the ship; and several shots were fired at it, which also took effect: But on reaching the ship, it immediately ascended the deck; and the crew having sled into the shrowds, it was pursuing them thither, when a that from one of them laid it dead upon the deck.

Its flesh is white, and is faid to taste like mutton. The fat is melted for train-oil; and that of the feet is used in medicine.

The White Bear brings forth two young at a time. Their fondness for their offspring is so great, that they will die rather than defert them: Wounds ferve only to make the attachment more violent: They embrace their cubs to the last, and bemoan them with the most piteous cries.

They feed on fish, feals, and the carcases of whales. Allured by the scent of feal's flesh, they often break into the huts of the Greenlanders .- They fometimes attack the Morfe, with which they have terrible conflicts: But the large teeth of that animal give it a decided superiority over the Bear, which is generally worsted.





THE STRIPED HYENA.

LTHOUGH naturalists, both ancient and modern, have described the Hyena under different denominations, and have ascribed to it properties which it is now known not to posses; yet its characters are so singular, that it is impossible to mistake them, and so peculiar, as to distinguish it from every other class of animals. In many respects it resembles those of the Dog kind, has some similitude to the Wolf in sorm and dispofition, and is about the same size.

The Hyena has only four toes on each foot; its head is broad and flat, and its muzzle shorter than that of the Wolf; its fore legs are longer than the hind ones; its ears are long, pointed, and bare; and its eyes are remarkably wild, sullen, and ferocious.

There are two varieties,—the one striped, and the other spotted.—The hair of the former is of an ash colour, marked with long black stripes, disposed in waves,

from the back downwards; there are others across the legs; the hair, in general, is coarfe and rough; its tail is fhort and bufliy, with pretty long hair, fometimes plain, and fometimes barred with black; immediately underneath the tail, and above the anus, there is an orifice like that of the Badger, which opens into a kind of pouch, and contains a fubstance of the confistence of civet, but of a rank, difagrceable odour. This opening may probably have given rife to the error of the ancients, who afferted, that the Hyena was every alternate year male and female. Its manner of holding its head is fomewhat like a Dog pursuing a scent, with its nose near the ground. This position of the head makes the shoulders appear more elevated. A briftly mane runs along the top of the back from head to tail, which gives it an appearance fomething like a Hog; from whence, probably, it may have derived its name; the word buaina being a Greek word derived from bus, which fignifies a Sow.—Such are the most striking distinctions of the Hyena, which has been pictured by ignorance and timidity under every form that can strike terror into the imagination. Wonderful powers were ascribed to it by the ancients, who believed that it changed its fcx; that it imitated the human voice, and by that means attracted unwary travellers, and destroyed them; that it had the power of charming the shepherds, and as it were rivetting them to the place where they flood. Many other things, equally abfurd, have been told of this animal: But these are fufficient to shew, that objects of terror and superstition are nearly allied; and when once they have taken possession of the human mind, the most improbable stories are casily received and credited.

It refides in the caverns of mountains, in the clefts of


rocks, or in holes and dens, which it digs in the earth.—Its difpolition is extremely ferocious; and, though taken young, it never can be tamed.—It lives by depredations, like the Wolf; but is stronger, and more daring and rapacious. It follows the slocks, ravages the sheepfold, and destroys every thing within its reach with the most insatiable voracity.—Its eyes shine in the dark; and it is afferted, with some appearance of probability, that it can see nearly as well by night as by day.—When destitute of other provisions, it ransacks the graves, and devours putrid human bodies that have been long buried.

The voice of the Hyena is very peculiar: Its beginning feems to be fomewhat like the moaning of a human voice, and the ending like one making a violent effort to vomit.

It inhabits Asiatic Turkey, Syria, Persia, and Barbary. --- The superstitious Arabs, when they kill one of them, carefully bury the head, lest it should be applied to magical purposes.

The courage of the Hyena is equal to its rapacity. It will defend itself with great obstinacy against much larger quadrupeds: It is not asraid of the Lion nor the Panther, will sometimes attack the Ounce, and seldom fails to conquer.





THE SPOTTED HYENA

is called, at the Cape of Good Hope, the Tiger-Wolf: and is very common in that part of the world.—Sparrman describes it as a cruel, mischievous, and formidable animal.—-Its horrid yells are to be heard every night, whilst it prowls about for its prey, and lurks near farmyards, where cattle are kept. These are well defended by Dogs, of which the Hyena, though larger and stronger, is much afraid; and will not venture an attack, unless pressed by the most urgent necessity: Neither will it dare to feize upon any of the larger animals, fuch as Oxen, Cows, Horses, &c. whilst they make the least appearance of defending themselves, or even if they do not betray any fymptoms of fear. It sometimes endeavours to disperse the cattle by its hideous roaring; after which it felects and purfues one of them, which it foon difable by a deadly bite, and then devours.

These animals were formerly so bold, as to molest the Hottentots in their huts, and sometimes carry off thei children; but, since the introduction of sire-arms, thos

275

and other wild beasts keep at a greater distance from the habitations of mankind.—It is a fact, however, that numbers of them attend almost every night about the shambles at the Cape, where they meet with bones, skin, and other offals, which are lest there by the inhabitants, who suffer these animals to come unmolested, and carry off their resuse; and it is somewhat remarkable, that they have seldom been known to do any mischief there, though sed in the very heart of the town.

The howlings of the Hyena are dreadful beyond all conception, and fpread a general alarm: They are almost incessant, and seem to be the natural consequence of its craving appetite. Perhaps it may not be going too far to say, that Nature has kindly impressed this involuntary disposition to yelling upon this animal, that every living creature might be upon its guard, and secure itself from the attacks of so cruel an enemy.

The general colour is a reddish-brown, marked with distinct round black spots, the hind legs with transverse black bars; its head is large and flat; above each eye, as well as on the lips, it has long whiskers; a short black mane runs along the top of the back; its ears are short, and a little pointed; its face and the upper part of its head are black.



тне F О Х.

HIS lively and crafty animal is common to every part of Great-Britain; and is fo well known, as not to require a particular description.

M. Buffon has taken great pains to prove, that the Dog and the Fox will not breed together. For this purpose, he kept two males and a female for a considerable time, and tried to make the males copulate with bitches, which they uniformly refused; and from thence he concludes, that no mixture can take place between the two fpecies. But it should be remembered, that the Foxes were in a state of confinement; and of course, many circumstances might concur to disgust them, and render the experiment abortive. In confirmation of this, we need only observe, that the same Foxes, which, when at liberty, darted on the poultry with their usual eagerness, never attempted to touch a fingle fowl after they were chained: And we are told further, "that a living hen was generally fixed near them for a whole night; and, though food was kept from them for many hours, yet, in fpite of hunger and opportunity, they never forgot that they were chained, and disturbed not the hen." Now if any one should be so hardy as to affert from this, that Foxes have a natural aversion to poultry, one may easily conceive how little credit would be given to the conclufion, and how much laughter it would excite. We just mention this, to shew, that experiments of this kind, where Nature is thwarted in her process, or restrained in any of her operations, are not always to be depended upon.-That the Fox and the Dog will breed together, is a fact, too well known in feveral parts of the North of England, to admit of the fmallest doubt .- It is a common

practice in many places to tie up a bitch that is in feason, where she may be visited by a Fox, and be impregnated by him. The fruits of the connection are sufficiently obvious: Most, if not all the puppies, have a strong resemblance to the Fox: The sharp nose, prick ears, long body, and short legs of the Fox, evidently point out their origin.—These dogs are highly esteemed by farmers and graziers, as the most useful kind for driving cattle. They bite keenly; are extremely active and playful; and are very expert at destroying weasels, rats, and other vermin.

The Fox fleeps much during the day; but the night is its fcason of activity, and the time when it roams about in fearch of prey.—It will cat flesh of any kind; but prefers that of hares, rabbits, poultry, and all kinds of birds. Those that reside near the sea coasts will, for want of other food, eat crabs, shrimps, muscles, and other shell-fish.

In France and Italy, the Fox does great damage among the vineyards, by feeding on the grapes, of which it is extremely fond.——It boldly attacks the wild bees, and frequently robs them of their store; but not with impunity: The whole swarm slies out, and fastens upon the invader; but he retires only for a few minutes, and rids himself of the bees by rolling upon the ground; by which means he crushes such as stick to him, and then returns to his charge, and devours both wax and honey.

The cunning of the Fox in furprifing and fecuring its prey is equally remarkable. When it has acquired more than it can devour, its first care is to secure what it has killed, which is generally all within its reach. It digs holes in different places, where it conceals its booty by

carefully covering it with earth to prevent a discovery. If a flock of poultry have unfortunately fallen victims to its stratagems, it will bring them, one by one, to these hiding-places; where it leaves them till hunger demands fresh supplies.

The chase of the Fox is a very favourite diversion in this kingdom, and is no-where purfued with fuch ardour and intrepidity. Both our Dogs and Horses are confessedly superior to those of any other country.-The instant the Fox finds he is purfued, he flies towards his hole; and finding it stopped, which is always carefully done before the chase begins, he has recourse to his speed and his cunning for fafety. He does not double and meafure his ground back like the Hare, but continues his courfe straight forward before the Hounds with great strength and perseverance. Both Dogs and Horses, particularly the latter, have frequently fallen victims to the ardour of the purfuit, which has fometimes continued for upwards of fifty miles without the smallest intermission, and almost at full speed* .- As the scent of the Fox is very strong, the Dogs follow with great alacrity and eagerness, and have been known to keep up a constant chase for eight or ten hours together; and it is hard to fay, whether the spirited eagerness of the Hounds, the ardour of the Horses, or the enthusiasm of the hunters, is most to

^{*} Mr CHARLES TURNER'S Hounds hunted at Ayreyholm, near Hurworth, in the county of Durham, and found the noted old Fox CESAR, which made an extraordinary chase. After a round of four miles, he led to Smeaton, through Hornby and Appleton; then back again to Hornby, Worset-moor, Piersburgh, Limpton, Craythorn, Middleton. Hilton, Seamer, Newby, Marton, Ormsby; then upon Hambleton, through Kirkleatham-park, Upleatham. Skelton, and Kilton. Mr Turner tired three Horses; and only three Hounds were in pursuit, when he thought proper to call them off, it being near five in the evening. The chase was upwards of fifty miles.

be admired. The Fox is the only one of the party which has the plea of necessity on his side; and it operates so strongly, that he often escapes the utmost efforts of his pursuers, and returns to his hole in safety. The smell of his urine is so offensive to the Dogs, that it sometimes proves the means of his escape from them. When all his shifts have sailed him, and he is at last overtaken, he then defends himself with great obstinacy, and sights in silence till he is torn in pieces by the Dogs.

There are three varieties of Foxes in this island, which differ from each other more in form than in colour.




THE GREYHOUND FOX

is the largest, and is chiesly found in the mountainous parts of England and Scotland: He is likewise the boldest, and will attack a well-grown Sheep.—His ears are long and erect, and his aspect wild.

THE MASTIFF FOX

is rather less; but his limbs are more strongly formed.



THE CUR FOX

is the leaft, but the most common; and approaches nearest to the habitations of mankind. It lurks about the out-houses of the farmer, and carries off all the poultry within its reach.—It is remarkably playful and familiar when tamed; but, like all wild animals half-reclaimed, will, on the least offence, bite those it is most familiar with.

The eye of the Fox is of a lively hazel colour, very fignificant and expressive; and discovers very sensibly the different emotions of love, fear, or anger, by which it may be affected.—It seems greatly to admire its bushy tail, and frequently amuses itself by endeavouring to catch it as it runs round. In cold weather, when it lies down, it folds it about its head.

The Fox fleeps found; and, like the Dog, lies in a round form. When he is only repoing himself, he stretches out his hind legs, and lies on his belly. In this position he spies the birds as they alight on the hedges or places near him, and is ready to spring upon such as are within his reach. He rarely lies exposed, but chuses the cover of some thick brake, where he is pretty secure from being surprised.—Crows, magpies, and other birds, which consider the Fox as a common enemy, will often give notice of his retreat by the most clamorous notes, and frequently sollow him a considerable way from tree to tree, repeating their outcries.

Foxes produce but once a year, from three to fix young ones at a time. When the female is pregnant, the retires, and feldom goes out of her hole, where the prepares a bed for her young. She comes in feafon in the winter; and young Foxes are found in the month of April. If the perceives that her habitation is discovered, the carries them off, one by one, to a more fecure retreat. The young are brought forth blind, like puppies. They grow eighteen months or two years, and live thirteen or fourteen years.

The Fox is frequently taken in traps; but great caution must be used to deceive this wily animal. The trap must be placed in the midst of a field, where there is neither hedge nor path near it, and so nicely covered with mould, that not the least vestige can be seen where it lies: About the trap, and at a small distance from it, in disserent places, a sew pieces of cheese, or other strongly-scented food, must be carelessly scattered: Then with a sheep's paunch, or some other animal substance, a trail is made, about a mile in length, to the different places where the bait is laid, and from thence to the trap: The

shoes of the person who carries the trail must be likewise well rubbed with the paunch, that the Fox may not discover his scent. He then approaches with more considence; and if the design be well conducted, seldom fails of being caught.

There are many varieties of this animal, apparently produced by the influence of climate. Those of this country are mostly of a tawny-red, mixed with ash colour; the fore part of the legs is black, and the tail tipt with white.—In colder countries, Foxes are of various colours.

THE BLACK FOX

is most valuable for its fur, which is esteemed in Russia superior to that of the finest sable. A single skin will fell for four hundred rubles.

THE CROSS FOX

inhabits the coldest parts of Europe, Asia, and North-America.——Its fur is very valuable, being thicker and softer than the common fort.—Great numbers of skins are imported from Canada.


It derives its name from a black mark which passes over its back across the shoulders, and another along the back to the tail.

THE CORSAC FOX

is common in the deferts beyond the Yaick river, and feems to be the same animal described by M. Busson under the name of the *Isatis*.——In summer it is of a pale-

The tip of the tail is black.—It is fmaller than the common Fox; and its hair is foft and downy.

It lives in holes in the earth, and is caught by the Kirgis-Khaissacs with falcons and greyhounds. Forty or fifty thousand are taken annually, and fold to the Russians at the rate of forty copeics (about twenty-pence) each.—The natives, in their traffic, use their skins instead of money. Great numbers are fent into Turkey.




THE ARCTIC FOX

It is endowed with all the cunning of the common Fox; preys on young geefe, ducks, and other water fowl, before they are able to fly; likewise, on hares, wild birds,

and eggs: And in Greenland, for want of other food, it feeds on berries and shell-sish. In Lapland and the North of Asia, its principal food is the Leming, or Lapland Marmot; immense shoals of which sometimes cover the face of the country. The Foxes follow them, in their migrations, from one place to another; and as the return of the Marmot is very uncertain, and frequently after great intervals of time, they are sometimes absent three or sour years in pursuit of this their favourite prey.

The hair of the Arctic Fox is of an ash colour, but changes to white in the winter, when it is long, soft, and somewhat woolly: Its tail is shorter than that of the common Fox, and more bushy; and its toes are covered with fur on the under part, like those of the Hare: It is smaller and more slender than the European Fox: Its nose is sharp and black; and its ears short, and almost hid in the fur.----It is sometimes taken in traps: But its skin is of little value.





THE WOLF.

LL naturalists agree in placing the Wolf and the Dog in the same class; and, from the slightest inspection of its external form only, it would seem that the Wolf was in every respect a Dog in its state of natural freedom. The shape of its head is different; and its eyes, being fixed in a more oblique position, give it a look of more favage fierceness: Its ears are sharp and erect; its tail long, bufliy, and bending inwards between its hind legs; its body is stronger than that of almost any species of Dogs, its jaws and teeth larger, and its hair coarfer and thicker. The internal structure of these animals is perfectly fimilar. The Wolf couples in the fame manner as the Dog; and its immediate separation is prevented from the same cause: The time of gestation is also nearly the same; and from a variety of successful experiments related by the celebrated Dr Hunter, there is no longer any room to doubt, that the Wolf and the Dog will copulate together, and produce an intermediate species, capable of subsequent propagation.

The appetite of the Wolf, for every kind of animal food, is excessively voracious; and, although Nature has furnished it with every requisite for pursuing and conquering its prey, it is frequently reduced to the last extremity, and sometimes perishes, for want of food. So great is the general detestation of this destructive creature, that all the wild animals endeavour to avoid it, and most commonly escape by their superior swiftness.

When pressed with hunger from repeated disappointments, the Wolf becomes courageous from necessity. It then braves every danger, and even attacks those animals that are under the protection of man. Sometimes whole droves of them join in the cruel work of general devastation, roam through the villages, and attack the sheepfolds: They dig the earth under the doors, enter with dreadful ferocity, and put every living creature to death before they depart. The Horse is the only tame animal that can defend itself against them: All the weaker animals become their prey: Even man himself, upon these occasions, frequently falls a victim to their rapacity; and it is faid, that when once they have tafted human blood, they always give it the preference.-From hence, many superstitious stories have been told of the Wolf. The old Saxons believed, that it was possessed by some evil fpirit, and called it the Were-Wulf; and the French peafants, from the fame reason, call it the Loup-garou.

The language of the poet is beautifully descriptive of this creature's infatiable fury:—

[&]quot; By wintry famine rous'd, from all the tra&

[&]quot; Of horrid mountains, which the shining Alps,

[&]quot; And wavy Appenine, and Pyrenees,

[&]quot; Branch out, stupendous, into distant lands,

[&]quot; Cruel as death! and hungry as the grave! "Burning for blood! bony, and ghaunt, and grim!

- " Affembling Wolves, in raging troops, descend;
- " And, pouring o'er the country, bear along,
- " Keen as the north wind fweeps the gloffy fnow:
- " All is their prize."

The Wolf has great strength, especially in the muscles of his neck and jaws: He can carry a Sheep in his mouth, and easily run off with it in that manner. His bite is cruel and deadly, and keener as it meets with less resistance; but when opposed, he is cautious and circumspect, and seldom sights but from necessity. He is harder and more robust, but not so sensible as the dog. He almost incessantly prowls about for prey, and of all animals is the most difficult to conquer in the chase. His sense of smelling is peculiarly strong: He scents the track of animals, and follows it with great perseverance: The odour of carrion strikes him at the distance of near a league.

Wolves are capable of bearing want of food for a long time. To allay their hunger, they will fometimes fill their stomachs with mud.—They have been known to follow armies, and assemble in troops upon the field of battle; tear up such bodies as have been carelessly interred, and devour them with insatiable avidity.

In all ages the Wolf has been confidered as the most savage enemy of mankind, and rewards given for its head. Various methods have been taken to rid the world of this rapacious invader: Pit-falls, traps, and poison, have all been employed against him; and, happily for these islands, the whole race has long been extirpated here. King Edgar attempted to essect it in England by remitting the punishment of certain crimes on producing a number of Wolves' tongues; and in Wales, the tax of gold and silver was commuted for an annual tribute of Wolves' heads,—Some centuries after that,

they increased to such a degree, as to become an object of royal attention; and great rewards were given for destroying them. Camden informs us, that certain persons held their lands on condition of hunting and destroying the Wolves that infested the country; whence they were called the Wolve-hunt. In the reign of Athelstan, Wolves abounded fo much in Yorkshire, that a retreat was built at Flixton to defend passengers from their attacks. --- As the ravages of these animals were greatest during winter; particularly in January, when the cold was severest, our Saxon ancestors distinguished that month by the title of Wolf-moneth. They also called an outlaw Wolfshed, as being out of the protection of the law, and as liable to be killed as that destructive beast .-They infested Ireland many centuries after their extinction in England; the last presentment for killing Wolves being made in the county of Cork about the year 1710.


These animals abound in the immense forests of Germany, where the following methods are taken to destroy them :- In fome very fequestered part of the forest, they hang up a large piece of carrion to the branch of a tree, having previously made a train of some miles long, leaving fmall pieces of putrid flesh here and there to allure the Wolves to the spot: They then wait till it is dark, and approach the place with great circumspection; where they fometimes find two or three Wolves affembled, leaping up, and straining themselves to catch the bait, which is placed just within their reach; and while the animals are bufily employed in this way, the hunters, being provided with fire-arms, feldom fail to dispatch them .- In a convenient place, at the foot of a declivity, they make a fmall inclosure of strong pales, so high, that the Wolf having once entered, cannot return again. An opening

is left at the top of the bank; and a Sheep that has been long dead, is the bait; to which he is allured by long trains, made from different places where he is known to haunt. As foon as he arrives at the fpot, he examines every part of the inclosure; and finding no other way to come at the booty, he precipitates himself to the bottom; and having made a plentiful meal, endeavours in vain to reascend. His disappointment at not being able to get back is productive of the most dreadful howlings, which alarm his enemies; and they either take him alive, or difpatch him with bludgeons. It is remarkable, that when this animal finds there is no possibility of escaping, his courage entirely forfakes him; and he is for some time so stupisfied with fear, that he may be killed without offering to relist, or taken alive without much danger .-Wolves are fometimes taken in strong nets, into which they are driven by the hunters, who furround a large tract of land, and with drums, horns, and other instruments, accompanied with loud cries from a large company affembled upon the occasion, drive the animals towards the entrance of the nets; where they are entangled, and killed with clubs and hatchets. Great care must be taken to secure them at first: If they recover from their consternation, they easily escape by tearing the net to pieces.

Wolves are found, with some variety, in almost every country of the world. Those of Senegal are larger and shercer than those of Europe.—In North-America, they are small, of a dark colour, and may be easily tamed. Before the introduction of Dogs, the savages made use of them in hunting the wild animals of the country; and they are still employed for the same purpose in the more

remote parts of that vast continent. They are faid to hunt in packs, and run down the Deer by their fcent. The appearance of these animals near the habitations of the Indians, fometimes indicates that the Bison or the Deer is at no great distance; and when any of these are taken, the Wolves are rewarded with the offal. Catesby affirms, that the Wolves of that country have mixed with the Dogs carried thither by the Europeans, and produced an intermediate race. - In the northern regions, there are Wolves entirely white, and others of a deep-black .- In Mexico, there is a variety of the Wolf, with a very large head, strong jaws, and great teeth: On the upper lip it has strong briftles, not unlike the foster spines of the Porcupine, of a grey and white colour; its ears are large and erect; its body is ash-coloured, spotted with black; on its fides there are black stripes from the back downward; its neck is fat and thick, covered with a loofe fkin, marked with a long tawny stroke; on the breast is another of the same kind; the tail is long, and tinged in the middle with tawny; the legs and feet are striped with black. It inhabits the hot parts of Mexico or New-Spain, is equally voracious with the European Wolf, attacks cattle, and fometimes men. There are no Wolves farther fouth on the new continent.





THE NEW SOUTH-WALES WOLF,

has been called a Dog; but its wild and favage nature feems strongly to point out its affinity to the Wolf; to which, in other respects, it bears a great resemblance. It neither barks nor growls; but when vexed, erects the hairs of its whole body like bristles, and appears extremely furious.—It is fond of rabbits and poultry, which it eagerly devours raw; but will not touch dressed meat.

One of them, fent to this country from Botany-Bay, was extremely nimble; and fo fierce, as to feize on every animal it faw. If not restrained, it would have run down Deer and Sheep: An Ass had also nearly fallen a victim to its fury.

Its height is rather lefs than two feet; the length two feet and a half: It is formed much like a Wolf; its ears thort and erect, and its tail long and bushy: The general colour is a pale-brown, lighter on the belly; the feet and inside of the legs are white.



T H E J A C K A L.

E beg leave to make our acknowledgments to Mr Pennant for the drawing of this animal, which he assures us was drawn from the life; and we doubt not, therefore, its being a faithful representation.

The species of the Jackal is diffused, with some variety, through almost every part of Asia; and is found in Barbary, and other parts of Africa, as far as the Cape of Good Hope.

Although it is one of the most numerous of all the wild animals in the East, there is scarcely any less known in Europe, or more confusedly described by natural historians.

They vary in fize. Those of the warmest climates are said to be the largest. They are of a reddish-brown colour.—The smaller Jackal is about the fize of a Fox; and its colour is a bright-yellow.

That the Jackal is nearly allied to the Dog, has been clearly proved, from a circumstance related by Mr Hunter, of a female Jackal taken on board an East-Indiaman at Bombay whilst a cub, and being impregnated by a

Dog during the voyage, brought forth fix puppies; one of which afterwards produced young ones, from an intercourse with a Dog.——From these and other recent sacts, it appears, that the Fox, the Wolf, the Jackal, and the Dog, may be considered as different speices of the same genus; and that the Jackal makes nearer approaches to the Dog than either the Fox or the Wolf.

Jackals go in packs of forty or fifty, and hunt like hounds in full cry from evening till morning. They destroy the poultry, and attack the flocks: They roam through the villages and gardens, and carry off every thing they can eat: They enter stables, yards, and outhouses; and devour skins, and every thing that is made of leather; fueh as harnessing, boots, shoes, &e. Nothing can escape their rapacity. They will ransack the repositories of the dead, and greedily devour the most putrid bodies; for which reason, in those countries where they abound, the inhabitants are obliged to make the graves of a great depth, and feeure them with spines, to prevent the Jackals from raking up the earth with their feet. They are faid to attend caravans, and follow armies, in hopes of being furnished with a banquet by disease or battle.—They may be considered as the vulture among quadrupeds; and, like that destructive bird, devour every thing indiferiminately that has once had animal life .- They hide themselves in holes and dens by day, and feldom appear abroad till the evening; when they fill the air with the most horrid howlings, and begin the chase. The Lion, the Panther, and other beasts of prey that do not pursue by the seent, take advantage of the general consternation, and follow in silence behind till the Jackals have hunted down their prey: They then

devour the fruits of their labours, and leave them only the remains of the spoil; from whence the Jackal has been vulgarly called the *Lion's Provider*, as if those two animals acted in concert, and had formed a plan for their mutual support.

The Jackal frequently pursues the Cazelle; and is so bold, as to follow it even into the midst of a town or village, whither that timid animal frequently slies for protection, and by that means sometimes escapes.

Sparrman's description of those he saw at the Cape differs materially from the accounts we have been able to collect from other authors. He fays they are about three feet in length, and their tails little more than a foot long: The predominant colour is a reddish-yellow; the legs are of a pale gold colour; under the belly, and on the infide of the legs, the colour inclines to white; the nose and ears are of a bright red; the head, neck, and back, are grey; the tail is partly grey, and partly of an umber colour, and black at the tip. He fays it refembles the European Fox in form, manners, and disposition; and is not known to affemble in packs for the purpose of hunting; neither is its voracity equal to that afcribed to it by other naturalists.—It is probable it may have been confounded with the Wild Dog, which is common at the Cape, and hunts its prey in packs. It is very fierce and mischievous, and very destructive to the flocks of Sheep and Goats in those parts.—There are two kinds of these Dogs,-the one large, and of a reddish colour; the other less, and browner. They are very bold, and wander about night and day in fearch of prey. They make a noise somewhat like the cry of our common Hounds, and hunt with great fagacity, acting perfectly in concert with each other, till the game falls a prey to

the pack. They are faid to be always extremely lean, and very ugly.

M. Busson mentions an animal of the Jackal kind by the name of the Adive; of which he gives a drawing, somewhat resembling a small Fox. It is less than the common Jackal; and is sometimes tamed, and kept in a domestic state.



T H E D O G.

been so eminently useful to the domestic interests of men in all ages, that to give the history of the Dog would be little less than to trace mankind back to their original state of simplicity and freedom, to mark the progress of civilization through the various changes of the world, and to follow attentively the gradual advancement of that order which placed man at the head of the animal world, and gave him a manifest superiority over every part of the brute creation.

If we consider for a moment the state of man without the aid of this useful domestic; -with what arts shall he oppose the numerous hosts of foes that furround him on all fides, feeking every opportunity to encroach upon his possessions, to destroy his labours, or endanger his perfonal fafety? or how shall he bring into subjection such as are necessary for his well-being? His utmost vigilance will not be fufficient to fecure him from the rapacity of the one, nor his greatest exertions enable him to overcome the fpeed of the other. To maintain his independence, to infure his fafety, and to provide for his fupport, it was necessary that some one among the animals should be brought over to his affistance, whose zeal and fidelity might be depended on: And where, amidst all the various orders of animated being, could one be found fo entirely adapted to this purpole? where could one be found fo bold, fo tractable, and fo obedient, as the Dog? -- To confirm the truth of these observations, we need only turn our attention to the present condition of those nations not yet emerged from a state of barbarism, where the uses of the Dog are but little known or attended to,

and we will find that they lead a precarious and wretched life of perpetual warfare with the still more favage inhabitants of the forest, with which they are obliged to dispute the possession of their uncultivated fields, and, not unfrequently, to divide with them the fruits of their labours.—From hence we may conclude, that the attention of mankind, in the earliest ages, would be engaged in training and rendering this animal subservient to the important purposes of domestic utility; and the result of this art has been, the conquest and peaceable possession of the earth.

Of all animals, the Dog feems most susceptible of change, and most easily modified by difference of climate, food, and education; not only the figure of his body, but his faculties, habits, and dispositions, vary in a furprifing manner: Nothing appears constant in them but their internal conformation, which is alike in all; in every other respect, they are very dissimilar: They vary in fize, in figure, in the length of the note and shape of the head, in the length and direction of the ears and tail, in the colour, quality, and quantity of the hair, &c. To enumerate the different kinds, or mark the difcriminations by which each is diftinguished, would be a task as fruitless as it would be impossible; to account for this wonderful variety, or investigate the character of the primitive stock from which they have sprung, would be equally vain. Of this only we are certain, that, in every age, Dogs have been found possessed of qualities most admirably adapted for the various purpofes to which they have been from time to time applied.—We have feen, in the history of the Cow and the Sheep, that those animals which have been long under the management of man, never preserve the stamp of nature in its original purity.

In wild animals, which still enjoy their original freedom from restraint, and have the independent choice of food and climate, this impression is still faithfully preserved; but those which man has fubdued, transported from climate to climate, changed their food, habits, and manner of living, must necessarily have suffered the greatest alterations in their form; and as the Dog, of all other domestic animals, is most accustomed to this influence, is endowed with dispositions the most docile and obedient, is susceptible of every impression, and submissive to every restraint, we need not wonder that he should be subject to the greatest variety.-To an attentive observer of the canine race, it is truly wonderful and curious to observe the rapid changes and fingular combinations of forms, arifing from promifcuous intercourfe, which every-where present themselves: They appear in endless succession, and feem more like the effect of whimfical caprice, than the regular and uniform production of Nature: So that in whatever light we confider the various mixtures which at prefent abound, and render every idea of a systematic arrangement dubious and problematical, we may fairly prefume, that the fervices of the Dog would be first required in maintaining and preferving the fuperiority of man over those animals which were destined for his support.





THE SHEPHERD'S DOG.

This useful animal, ever faithful to his charge, reigns at the head of the flock; where it is better heard, and more attended to, than even the voice of the shepherd. Safety, order, and discipline, are the fruits of his vigilance and activity.


In those large tracts of land which, in many parts of our island, are folely appropriated to the feeding of Sheep and other cattle, this fagacious animal is of the utmost importance. Immense flocks may be seen continually ranging over those extensive wilds, as far as the eye can reach, feemingly without controul: Their only guide is the shepherd, attended by his Dog, the constant companion of his toils: It receives his commands, and is always prompt to execute them; it is the watchful guatdian of the flock, prevents them from straggling, keeps them together, and conducts them from one part of their pasture to another; it will not suffer any strangers to mix with them, but carefully keeps off every intruder. In driving a number of Sheep to any distant part, a welltrained Dog never fails to confine them to the road, watches every avenue that leads from it; where he takes-

his stand, threatening every delinquent: He pursues the stragglers, if any should escape; and sorces them into order, without doing them the least injury. If the herdsman be at any time absent from the slock, he depends upon his Dog to keep them together; and as soon as he gives the well-known signal, this saithful creature conducts them to his master, though at a considerable distance.

There is a very remarkable fingularity in the feet of the Shepherd's Dog, which we have likewife observed in those of the Cur and the Spaniel. All of them have one, and some two, toes more than most Dogs, though they feem not to be of much use. They appear to be destitute of muscles, and hang dangling at the hind part of the leg more like an unnatural excrescence than a necessary part of the animal. But the adage, that Nature has made nothing in vain, ought to correct our decision on their utility, which probably may exist unknown to us.

This breed of Dogs, at prefent, appears to be preferved, in the greatest purity, in the northern parts of Scotland; where its aid is highly necessary in managing the numerous herds of Sheep bred in those extensive wilds.





THE CUR-DOG

is a trusty and useful servant to the farmer and grazier; and, although it is not taken notice of by naturalists as a distinct race, yet it is now so generally used, especially in the North of England, and such great attention is paid in breeding it, that we cannot help considering it as a permanent kind.

They are chiefly employed in driving cattle, in which they are extremely useful. They are larger, stronger, and siercer than the Shepherd's Dog; and their hair is smoother and shorter. They are mostly of a black and white colour. Their ears are half-pricked: And many of them are whelped with short tails, which seem as if they had been cut: These are called Self-tailed Dogs. They bite very keenly; and as they always make their attack at the heels, the cattle have no defence against them: In this they are more than a match for a Bull, which they quickly compel to run.—Their sagacity is uncommonly great: They know their master's sields, and are singularly attentive to the cattle that are in them:

A good Dog watches, goes his rounds; and, if any strange cattle should happen to appear amongst the herd, although unbidden, he quickly slies at them, and with keen bites obliges them to depart.

Similar to the Cur, is that which is commonly used in driving cattle to the slaughter: And as these Dogs have frequently to go long journies, great strength, as well as swiftness, is required for that purpose. They are therefore generally of a mixed kind; and unite in them the several qualities of the Shepherd's Dog, the Cur, the Mastiss, and the Greyhound.—Thus, by a judicious mixture of different kinds, the services of the Dog are rendered still more various and extensive, and the great purposes of domestic utility more fully answered.





THE GREENLAND DOG.

The favage afpect and disposition of this Dog seem to bear some affinity to the rigours of the climate it inhabits.

The Pomeranian (or Wolf Dog of M. Buffon) the Siberian, Lapland, and Iceland Dogs, are somewhat similar to it in the sharpness of their muzzles, in their long shaggy hair, and bushy curling tails. The principal difference is in their size.—Though much larger, they have all some resemblance to the Shepherd's Dog.

Most of the Greenland Dogs are white; but some are spotted, and some black. They may rather be said to how than bark.—The Greenlanders sometimes eat their stefs: They make garments of their skins, and use them in drawing sledges; to which they yoke them, sour, sive, and sometimes six together *.

^{*} Five of these Dogs, that had escaped with their trappings, were found in Greenland, and brought to this country a sew years ago by one of our thips in the fishery.

The Dogs of Kamtschatka are commonly black or white. They are strong, nimble, and active; and are very useful in drawing sledges, the only method of travelling in that dreary country during the winter. They travel with great expedition. Captain King relates, that, during his stay there, a courier with dispatches, drawn by them, performed a journey of 270 miles in less than four days.

The fledges are usually drawn by five Dogs, four of them yoked two and two abreast: The foremost acts as leader to the rest. The reins being fastened to a collar round the leading Dog's neck, are of little use in directing the pack; the driver depending chiefly upon their obedience to his voice, with which he animates them to proceed.—Great care and attention are confequently used in training up those for leaders, which are more valuable according to their steadiness and docility; the sum of forty roubles, or ten pounds, being no unufual price for one of them .- The rider has a crooked stick, answering the purpose both of whip and reins; with which, by striking on the snow, he regulates the speed of the Dogs, or stops them at his pleasure. When they are inattentive to their duty, he often chastifes them by throwing it at them. He discovers great dexterity in regaining his stick, which is the greatest difficulty attending his situation; for if he should happen to lose it, the Dogs immediately discover the circumstance, and seldom fail to set off at full speed, and continue to run till their strength is exhausted, or till the carriage is overturned, and dashed to pieces, or hurried down a precipice.

* * In December, 1784, a Dog was left by a fmuggling vessel near Boomer, on the coast of Northumberland. Finding himself deserted, he began to worry sheep; and did so much damage, that he became the terror of the country within a circuit of above twenty miles. We are affured, that when he caught a Sheep, he bit a hole in its right fide, and after eating the tallow about the kidneys, left it: Several of them, thus lacerated, were found alive by the shepherds; and being taken proper care of, some of them recovered, and afterwards had lambs. From his delicacy in this respect, the destruction he made may in some measure be conceived; as it may be supposed, that the fat of one Sheep in a day would hardly satisfy his hunger.-The farmers were fo much alarmed by his depredations, that various means were used for his destruction. They frequently purfued him with Hounds, Greyhounds, &c.; but when the Dogs came up with him, he laid down on his back, as if supplicating for mercy; and in that position they never hurt him: He therefore laid quietly, taking his rest till the hunters approached, when he made off, without being followed by the Hounds, till they were again excited to the pursuit, which always terminated unfuccessfully. And it is worthy of notice, that he was one day purfued from Howick to upwards of thirty miles distance; but returned thither, and killed Sheep the same evening.-His constant residence, during the day, was upon a rock, on the Heugh-hill, near Howick, where he had a view of four roads that approached it; and in March, 1785, after many fruitless attempts, he was at last shot there.





THE BULL-DOG

is the fiercest of all the Dog kind, and is probably the most courageous creature in the world. It is low in stature, but very strong and muscular. Its nose is short; and the under jaw projects beyond the upper, which gives it a fierce and unpleasing aspect.—Its courage in attacking the Bull is well known: Its sury in seizing, and its invincible obstinacy in maintaining, its hold, are truly astonishing. It always aims at the front; and generally fastens upon the lip, the tongue, the eye, or some part of the face; where it hangs, in spite of every effort of the Bull to disengage himself.

The uncommon ardour of these Dogs in sighting will be best illustrated by the following sact, related by an eye-witness; which at the same time corroborates, in some degree, that wonderful account of the Dogs of Epirus given by Elian, and quoted by Dr Goldsmith in his history of the Dog:—Some years ago, at a bull-baiting in the North of England, when that barbarous custom was very common, a young man, consident of the courage of his Dog, laid some trisling wagers, that he would, at separate times, cut off all the four sect of

his Dog; and that, after every amputation, it would attack the Bull. The cruel experiment was tried; and the Dog continued to feize the Bull as eagerly as if he had been perfectly whole.

Of late years, this inhuman custom of baiting the Bull has been almost entirely laid aside in the North of England; and, consequently, there are now sew of this kind

of Dogs to be seen.

As the Bull-Dog always makes his attack without barking, it is very dangerous to approach him alone, without the greatest precaution.



THE MASTIFF

is much larger and stronger than the Bull-Dog; its ears are more pendulous; its lips are large and loose; its aspect is sullen and grave, and its bark loud and terrific.—
He seems every way formed for the important trust of guarding and securing the valuable property committed

to his carc. Houses, gardens, yards, &c. arc safe from depredations whilst in his custody. Confined during the day, as soon as the gates are locked he is left to range at full liberty: He then goes round the premisses, examines every part of them, and by loud barkings gives notice that he is ready to defend his charge.

Dr Caius, in his ingenious treatife on British Dogs, tells us, that three of these animals were reckoned a match for a Bear, and four for a Lion.


We have a curious account, recorded in Stow's Annals, of an engagement between three Mastiffs and a Lion, in the presence of James the First. "One of the Dogs being put into the den, was foon disabled by the Lion; which took it by the head and neck, and dragged it about: Another Dog was then let loofe, and ferved in the fame manner: But the third being put in, immediately feized the Lion by the lip, and held him for a confiderable time; till, being feverely torn by his claws, the Dog was obliged to quit his hold; and the Lion, greatly exhausted in the conslict, refused to renew the engagement; but taking a fudden leap over the Dogs, fled into the interior part of his den. Two of the Dogs foon died of their wounds: The last survived, and was taken great care of by the king's fon; who faid, "he that had fought with the king of beafts, should never after fight with any inferior creature."

The Mastiss of great-Britain were noted in the time of the Roman emperors; who appointed an officer, whose sole business it was to breed, and send from hence, such as would prove equal to the combats of the amphitheatre.

The following anecdote will shew, that the Mastiff, conscious of its superior strength, knows how to chastise

the impertinence of an inferior:—A large Dog of this kind, belonging to the late M. Ridley, efq; of Heatton, near Newcastle, being frequently molested by a Mongrel, and teazed by its continual barking, at last took it up in his mouth by the back, and with great composure dropped it over the quay into the river, without doing any farther injury to an enemy so much his inferior.


The Mastiff, in its pure and unmixed state, is now seldom to be met with. The generality of Dogs distinguished by that name, seem to be compounded of the Bull-Dog, Danish Mastiff, and the Ban Dog.



THE BAN-DOG

is a variety of this fierce tribe, not often to be feen at prefent. It is lighter, smaller, more active and vigilant, than the Mastiff, but not so powerful; its nose is smaller; and it possesses, in some degree, the scent of the Hound; its hair is rougher, and generally of a yellowish.

grey, streaked with shades of a black or brown colour. It does not invariably, like the preceding kinds, attack its adversary in front; but frequently seizes cattle by the slank. It attacks with eagerness; and its bite is keen and dangerous.



THE DALMATIAN, OR COACH DOG,

has been erroneously ealled the Danish Dog; and, by M. Busson, the Harier of Bengal; but for what reason, it is dissipated to ascertain, as its ineapacity of seenting is sufficient to destroy all affinity to any Dog employed in the pursuit of the Hare.

It is very common in this country at present; and is frequently kept in gentcel houses, as an elegant attendant on a carriage.—We do not, however, admire the cruel practice of depriving the poor animal of its ears, in order to encrease its beauty: A practice so general, that we do not remember ever to have seen one of these Dogs unmutilated in that way.




THE GREYHOUND,

M. Buffon supposes to be the Irish Greyhound, rendered thinner and more delicate by the difference of climate and culture: But whatever truth there may be in the fanciful arrrangements of that ingenious author, there is an evident similarity of form in all of those just mentioned; particularly in the depth of the cheft, in the length of the legs, and in the fmallness of the muzzle.

The Greyhound is the fleetest of all Dogs, and can outrun every animal of the chase; but as it wants the faculty of fcenting, it only follows by the eye .- It was formerly held in fuch estimation, as to be considered the peculiar companion of gentlemen; and, by the forest laws of King Canute, it was enacted, that no person under that degree should presume to keep a Greyhound.

The small Italian Greyhound is not above half the fize, but perfectly similar in form. Its shape is exquisitely beautiful and delicate.—It is not common in this country, the climate being too rigorous for the extreme delicacy of its constitution.



THE LURCHER

is less and shorter than the Greyhound, and its limbs stronger: Its body is covered with a rough coat of hair, most commonly of a pale-yellow colour; its aspect is sullen; and its habits, from whence it derives its name, are dark and cunning.

As this Dog possesses the advantage of a sine scent, it is often employed in killing Hares and Rabbits in the night-time. When taken to the warren, it steals out with the utmost precaution, watches and scents the Rabbits while they are feeding, and darts upon them without barking or making the least noise. One of them will singly make incredible havock in a short time; and is so trained, as to bring its booty to its master, who waits in some convenient place to receive it *.—They are so destructive, and have been so often employed in illicit prac-


^{*} We have feen a Dog and Bitch of this kind in the possession of a man, who had formerly used them for the purpose above described. He declared, that he could at that time procure in an evening as many Rabbits with them as he could carry home.

tices, that they are now, with great propriety, profcribed; and the breed is almost extinct.

Another Dog of this family, formerly in use, but now only known to us by its name, is

THE TUMBLER;

which was fo called from its cunning manner of taking Rabbits and other game. It did not run directly at them; but, in a careless and inattentive manner, tumbled itself about till it came within reach of its prey, which it always seized by a sudden spring.



THE TERRIER

has a most acute smell, is generally an attendant on every pack of Hounds, and is very expert in forcing Foxes or other game out of their coverts. It is the determined enemy of all the vermin kind; such as Weasels, Foumarts, Badgers, Rats, Mice, &c. It is sierce, keen, and hardy; and, in its encounters with the Badger, some-

times meets with very fevere treatment, which it fustains with great courage and fortitude: A well-trained veteran Dog frequently proves more than a match for that hard-bitten animal.


There are two kinds of Terriers,—the one rough, short-legged, long-backed, very strong, and most commonly of a black or yellowish colour, mixed with white; the other is smooth, sleek, and beautifully formed, having a shorter body, and more sprightly appearance: It is generally of a reddish-brown colour, or black, with tanned legs; and is similar to the rough Terrier in disposition and faculties, but inferior in size, strength, and hardiness.



THE BEAGLE.

Of those Dogs that are kept for the business of the chase in this country, the Beagle is the smallest, and is only used in hunting the Harc. Although far inferior in point of speed to that animal, it follows by the exquisite-

ness of its scent, and traces her sootsteps, through all her various windings, with great exactness and perseverance. Its tones are soft and musical, and add greatly to the pleasures of the chase.



THE HARIER,

which chiefly differs from the Beagle in being somewhat larger, is very nimble and vigorous. It pursues the Hare with the most impetuous eagerness, and gives her no time to breathe or double. The most eager sportsmen generally find it sufficient exercise to keep in with their speed.—They exert their voices with great chearfulness, and make delightful harmony.

A mixt breed, between this and the large Terrier, forms a strong, active, and hardy Hound, used in hunting the Otter.—It is rough, wire-haired, thick-quartered, long-eared, and thin-shouldered.

There is reason to suppose, that the Beagle and the Haricr must have been introduced into Great-Britain after the Romans became masters of the island; as, before that period, the Britons were occupied in clearing their extensive forests of the various wild beasts, such as Wild-Boars, Bears, Wolves, &c. with which they abounded; and, for that purpose, larger and stronger Dogs than the Harier or the Beagle would be required.



THE FOX-HOUND.

No country in Europe can boast of Fox-Hounds equal in swiftness, strength, or agility, to those of Britain; where the utmost attention is paid to their breeding, education, and maintenance. The climate also seems congenial to their nature; for it has been said, that when Hounds of the English breed have been sent into France or other countries, they quickly degenerate, and in some

degree lose those qualities for which they were originally fo admirable.

In England, the attachment to the chase is in some measure considered as a trait in the national character; confequently, it is not to be wondered at, that our Dogs and Horses should excel all others in that noble diversion, This propenfity appears to be encreasing in the nation; and no price feems now thought too great for Hounds of known excellence *.

The Fox-Hounds generally preferred are tall, lightmade, but strong, and possessed of great courage, speed, and activity.

The habits and faculties of these Dogs are so generally known, as to render any description unnecessary.

Dogs of the fame kind are also trained to the hunting of the Stag and other Deer.

The following anecdote affords a proof of their wonderful spirit in supporting a continuity of exertion:

" Many years fince, a very large Stag was turned out of Whinfield Park, in the county of Westmorland; and pursued by the Hounds, till, by fatigue or accident, the whole pack was thrown out, except two staunch and favourite Dogs, which continued the chase the greatest part of the day. The Stag returned to the park from whence he set out; and, as his last effort, leapt the wall, and expired as foon as he had accomplished it. One of the Hounds purfued to the wall; but being unable to get over it, laid down, and almost immediately expired: The other was also found at a small distance.

" The length of the chase is uncertain: But as they were feen at Red-kirks, near Annan, in Scotland, distant, by the post-road, about forty-fix miles, it is conjectured, that the circuitous and uneven course they might be supposed to take,

would not be less than one hundred and twenty miles!


"To commemorate this fact, the horns of the Stag, which were the largest ever seen in that part of the country, were

^{*} In 1788, Mr Noel's pack was fold to Sir Wm Lowther, bart, for 1000 guineas.

placed on a tree of a most enormous size, in the park, (afterwards called the Hart-horn tree) accompanied with this inscription:—

" Hercules kill'd Hart o'Greece;
And Hart o'Greece kill'd Hercules."

"The horns have been fince removed; and are now at Julian's Bower, in the fame county."



THE OLD ENGLISH HOUND

is described by Whitaker, in his History of Manchester, as the original breed of this island, used by the ancient Britons in the chase of the larger kinds of game, with which their country abounded.

This valuable Hound is distinguished by its great size and strength. Its body is long, its chest deep, its ears long and sweeping, and the tone of its voice peculiarly deep and mellow.—From the particular formation of its

organs, or from the extraordinary moisture that always adheres to its nofe and lips, or perhaps from some other unknown cause, it is endued with the most exquisite fense of smelling, and can often distinguish the scent an hour after the lighter Beagles have given it up. Their flowness also disposes them to receive the directions of the huntiman: But as they are able to hunt a cold fcent, they are too apt to make it fo, by their want of speed, and tedious exactness.

These Dogs were once common in every part of this island, and were formerly much larger than at present.

The breed, which has been gradually declining, and its fize studiously diminished by a mixture of other kinds in order to increase its speed, is now almost extinct.

It feems to have been accurately described by Shakefpeare, in the following lines:-

- 66 My Hounds are bred out of the Spartan kind,
- " So flew'd, fo fanded; and their heads are hung " With ears that fweep away the morning dew;
- " Crook-knee'd and dewlap'd, like Thessalian bulls;
- " Slow in pursuit; but match'd in mouth like bells.
- " Each under each."-

Besides these, there is a variety called the Kibble-Hound, produced by a mixture of the Beagle and the Old English Hound.

THE BLOOD-HOUND

was in great request with our ancestors; and as it was remarkable for the fineness of its scent, it was frequently employed in recovering game that had escaped wounded from the hunter. It could follow, with great certainty,

the footsteps of a man to a considerable distance: And in barbarous and uncivilized times, when the thief or murderer had sted, this useful creature would trace him through the thickest and most secret coverts; nor would it cease its pursuit till it had taken the selon. For this reason, there was a law in Scotland, that whoever denied entrance to one of these Dogs, in pursuit of stolen goods, should be deemed an accessary.

Blood-Hounds were formerly used in certain districts lying between England and Scotland, which were much infested by robbers and murderers; and a tax was laid upon the inhabitants for keeping and maintaining a certain number of them. But, as the arm of Justice is now extended over every part of the country, and there are no secret recesses where villainy may lay concealed, these services are no longer necessary.

In Scotland, it was distinguished by the name of the Sleuth-Hound.

Some few of these Dogs are still kept in the southern parts of the kingdom, and are used in pursuit of Deer that have been previously wounded by a shot to draw blood, the scent of which enables them to pursue with most unerring steadiness,—They are sometimes employed in discovering deer-stealers, whom they infallibly trace by the blood that is seen the wounds of their victims.

—They are also said to be kept in convents, situated in the lonely and mountainous countries of Switzerland, both as a guard to the sacred mansion, as well as to find out the bodies of men that have been unfortunately lost in crossing those wild and dreary tracts.


The Blood-Hound is taller than the Old English Hound, most beautifully formed, and superior to every other kind in activity, speed, and sagacity.—They seldom

bark, except in the chase; and are commonly of a reddish or brown colour.

Somervile thus beautifully describes their mode of purfuing the nightly spoiler:—

- " Soon the fagacious brute, his curling tail
- " Flourish'd in air, low bending, plies around
- " His buly nose, the steaming vapour snuffs
- " Inquisitive, nor leaves one turf untry'd,
- " Till, conscious of the recent stains, his heart
- " Beats quick; his fnuffling nose, his active tail,
- " Attest his joy: Then with deep-op'ning mouth,
- "That makes the welkin tremble, he proclaims
- "Th' audacious felon: Foot by foot he marks
- " His winding way, while all the lift'ning crowd
- " Applaud his reas'nings: O'er the wat'ry ford,
- " Dry fandy heaths, and stony barren hills;
- " O'er beaten paths, with men and beasts distain'd,
- " Unerring he pursues, till at the cot
- " Arriv'd, and feizing by his guilty throat
- "The caitiff vile, redeems the captive prey:
- "So exquisitely delicate his fense!"





THE SPANISH POINTER

is of foreign origin, as its name feems to imply; but it is now naturalized in this country, which has long been famous for Dogs of this kind; the greatest attention being paid to preserve the breed in its utmost purity.

This Dog is remarkable for the aptness and facility with which it receives instruction. It may be said to be almost felf-taught; whilst the English Pointer requires the greatest care and attention in breaking and training to the sport. The Spanish Pointer, however, is not so durable and hardy, nor so able to undergo the satigues of an extensive range. It is chiefly employed in finding partridges, pheasants, &c. either for the gun or the net.

It is faid, that an English nobleman (Robert Dudley, duke of Northumberland) was the first that broke a Sctting-Dog to the net.

The Setting-Dogs, now used by sportsmen, are generally of a mixt breed, between the English and Spanish Pointer.



THE ENGLISH SETTER

is a hardy, active, handsome Dog.—Its scent is exquisite; and it ranges with great speed and wonderful perseverance. Its fagacity in discovering the various kinds of game, and its caution in approaching them, are truly astonishing. But as the uses of this valuable Dog are so well known, we will conclude with the following beautiful quotation from Somervile:—

- " When autumn fmiles, all-beauteous in decay,
- " And paints each chequer'd grove with various hues,
- " My Setter ranges in the new-shorn fields, " His nose in air creek; from ridge to ridge
- " Panting he bounds, his quarter'd ground divides
- " In equal intervals, nor careless leaves
- " One inch untry'd: At length the tainted gales
- " His nostrils wide inhale; quick joy clates
- " His beating heart, which, aw'd by discipline
- " Severe, he dares not own, but cautious creeps,
- " Low-cow'ring, step by step; at last attains
- "His proper distance; there he stops at once, "And points with his instructive nose upon
- "The trembling prey."



Newfoundland DOG.

The drawing of this Dog was taken from a very fine one at Eslington, in the county of Northumberland, the feat of Sir H. G. Liddell, bart .- Its dimensions were as follow: - From its nose to the end of its tail, it measured fix feet two inches; the length of its tail, one foot ten inches; from one fore foot right over its shoulders to the other, five feet feven inches; girt behind the shoulder, three feet two inches; round its head over its ears, two feet; round the upper part of its fore leg, nine inches and a half. It was web-footed, could swim extremely fast, dive with great ease, and bring up any thing from the bottom of the water. It was naturally fond of fish; and ate raw trouts, or other small fish, out of the nets.

This breed of Dogs was originally brought from the country of which they bear the name, where their great strength and docility render them extremely useful to the

fettlers on those coasts, who use them in bringing down wood from the interior parts of the country to the sea-side: Three or four of them yoked to a sledge, will draw two or three hundred weight of wood piled upon it, for several miles, with great case: They are not attended with a driver, nor any person to guide them; but after having delivered their loading, they return immediately to the woods, where they are accustomed to be fed with dried fish, &c.

The extraordinary fagacity of these Dogs, and their attachment to their masters, render them highly valuable in particular situations.

During a fevere storm, in the winter of 1789, a ship, belonging to Newcastle, was lost near Yarmouth; and a Newsoundland Dog alone escaped to shore, bringing in his mouth the captain's pocket-book. He landed amidst a number of people, several of whom in vain endeavoured to take it from him. The sagacious animal, as if sensible of the importance of the charge, which in all probability was delivered to him by his perishing master, at length leapt sawningly against the breast of a man, who had attracted his notice among the crowd, and delivered the book to him. The Dog immediately returned to the place where he had landed, and watched with great attention for every thing that came from the wrecked vessel, seizing them, and endeavouring to bring them to land.

The following is another instance of their great docility, and strength of observation:—A gentleman walking by the side of the river Tyne, and observing, on the opposite side, a child fall into the water, gave notice to his Dog, which immediately jumped in, swam over, and,

catching hold of the child with its mouth, brought it safe to land.



THE LARGE ROUGH WATER-DOG

is web-footed, fwims with great ease, and is used in hunting ducks and other aquatic birds.—From its aptness to setch and carry, it is frequently kept on board of ships, for the purpose of recovering any thing that has fallen overboard; and is likewise useful in taking up birds that are shot, and drop into the sea.

There is a variety much smaller.—They are both remarkable for their long and shaggy coat, which frequently incommodes them by growing over their eyes.






THE LARGE WATER-SPANIEL.

The drawing of this beautiful animal was made from one of the finest of its kind, in the possession of J. E. Blackett, esq; of Newcastle upon Tyne.

This kind of Dog is valuable for its great docility and attachment to its mafter. It receives inftructions with readiness, and obeys with uncommon alacrity.—Its form is elegant, its hair beautifully curled or crisped, its ears long, and its aspect mild and sagacious.—It is fond of the water, and swims well. It is chiefly used in discovering the haunts of wild-ducks and other water fowl; and also in finding birds that have been shot or disabled.—It is probably the Finder, described by Caius.





THE SMALL WATER-SPANIEL

is fimilar to the other in form, habits, and disposition; and its capacity for receiving instruction is equally good. With looks of extreme attention and sensibility, it observes the motion of its master, and catches the well-known signal with amazing promptitude.

The various tricks which these Dogs are sometimes taught to perform, seem more like the effect of reasoning powers, than of undiscerning instinct.





THE SPRINGER, OR COCKER,

is lively, active, and pleafant; an unwearied purfuer of its game; and very expert in raising woodcocks and snipes from their haunts in woods and marshes, through which it ranges with amazing perseverance.

Of the fame kind is that beautiful little Dog, which, in this country, is well known under the appellation of King Charles's Dog; the favourite and conftant companion of that monarch, who was generally attended by feveral of them.—It is still preserved as an idle but innocent companion.—Its long ears, curled hair, and webfeet, evidently point out its alliance with the more useful and active kind last mentioned.

Similar to this, but smaller, is the *Pyrame-Dog.*—It is generally black, with reddish legs; and above each eye is a spot of the same colour.

Still farther removed, we have the Shock-Dog: A diminutive creature, almost hid in the great quantity of its hair, which covers it from head to foot.

Another variety is the Lion-Dog; fo called from the shaggy hair which covers the head and all the fore part of the body; whilst the hinder part is quite smooth, saving a tust of hair at the end of the tail.—This species is become extremely rare.



THE COMFORTER

is a most elegant little animal, and is generally kept by the ladies as an attendant of the toilette, or the drawingroom.—It is very snappish, ill-natured, and noisy; and does not readily admit the familiarity of strangers.





THE TURNSPIT

is generally long-bodied, has short crooked legs, its tail curled upon its back, and is frequently spotted with black upon a blue-grey ground. It is peculiar in the colour of its eyes; the same Dog often having the iris of one eye black, and the other white.

It is a bold, vigilant, and spirited little Dog. At prefent, however, its services seem but little attended to; a more certain method of doing the business of the spit having superfeded the labours of this industrious animal.

THE PUG-DOG,

in outward appearance, is every way formed like the Bull-Dog; but much smaller, and its tail curled upon its back.—It was formerly very common in many parts of England; however, at present, it is rarely to be met with.—Although it has no longer its admirers here, Mrs Piozzi informs us, that she saw great numbers at Padua, in Italy; and that it still maintains its place in the savour of the fair-ones of that country.

From these, and a mixture of others, proceeds a numberless variety of Messets, Lap-Dogs, Dancers, Waps, Mongrels, and compounds without end.

That all thefe, however divided, compose one general family, is apparent, from the facility with which they intermix, produce, and reproduce. In all of them the fame attachment to mankind, the fame pliant and humble disposition, submitting with patience to the various indignities to which they are exposed by their dependant fituation, is eminently observable. Even those that, by accident or neglect, have been abandoned and become wild, when taken home, are easily reclaimed by kindness and attention: They quickly become familiar, and continue faithfully attached to their masters .- Multitudes of these are to be found in South-America, which have fprung from those taken thither by the Europeans. They breed in holes in the ground, are formed fomewhat like a Greyhound, have erect ears, are very vigilant, and excellent in the chafe.

To mention some of the more common instances of this creature's sagacity, by way of elucidating its general character, may not be amiss; and amongst these, its care in directing the steps of the blind man is not the least worthy of notice. There are sew who have not seen an unfortunate object of this description, led by his Dog, through the various passages of a populous town, to the accustomed place where he sits to supplicate the contributions of passengers. It may sometimes be seen to stop at particular houses, to receive the morsel from the hand of charity, or pick from the ground the money thrown out to relieve its miserable owner. When the day is passed, it conducts him home again; and gratefully receives, as the reward of its services, the scanty pittance which poverty and wretchedness can bestow.

Dogs will fometimes imitate the actions of their mafters, will open a door that is fastened with a latch, or

pull a bell, where they are desirous of gaining admittance.—Faber mentions one, belonging to a nobleman of the Medici family, which always attended at its master's table, took from him his plates, and brought him others; and if he wanted wine, would carry it to him, in a glass placed upon a silver plate, which it held in its mouth, without spilling the smallest drop. The same Dog would also hold the stirrups in its teeth, whilst its master was mounting his horse.

That Dogs are capable of mutual attachment, is evident, from the well-known story of the Dog at St Alban's; which, being left by its master at an inn there till he returned from London, and being ill-treated by a large Dog belonging to the house, stole privately off. It soon returned with a friend, that was much larger and stronger than itself; and both fell upon the aggressor, and punished him severely for his cruelty to a stranger.

There are feveral peculiarities common to all animals of the Dog kind, briefly mentioned by Linnæus, with which we shall conclude its history; the principal of which are as follow: - The Dog is carnivorous; its stomach digests bones; it eats grafs for a vomit; voids its urine fideways, and commonly where other Dogs have done fo before; fmells at a stranger; fcarcely ever Iweats, but lolls out its tongue when hot; remembers injuries done to it; is fubject to the hydrophobia; its fense of hearing very quick; when asleep, is supposed to dream; goes with young fixty-three days, and brings forth from four to eight at one time. It barks at strange Dogs, snaps at a stone thrown at it, howls at certain mufical notes; when about to lie down, frequently goes round the place; fawns at the approach of its master, and will not patiently fuffer any one to strike him; runs

before him on a journey, often going over the same ground; on coming to crofs-ways, ftops, looks back, and waits to observe which of them he takes; fits up and begs; and, when it has committed a theft, flinks away, with its tail between its legs; is an enemy to beggars and ill-looking people, and attacks them without the least provocation; is also said to be sick at the approach of bad weather .- We cannot, however, agree with the learned naturalist, when he asserts, that the male puppies resemble the Dog, and the female the Bitch; or that it is a character common to the whole species, that the tail always bends to the left fide. To these we may add, as equally void of foundation, a remark of M. Buffon, that a female Hound, covered with a Dog of her own kind, has been known to produce a mixed race, confifting of Hounds and Terriers .- We barely mention these, to shew, that too much caution cannot be used in forming general characters or systematic arrangements; and we leave it to the experience of the most inattentive observer to detect fuch palpable absurdities.





THE HARE.

HIS harmless and inoffensive animal, destitute of every means of desence, and surrounded on all sides by its enemies, would soon be utterly extirpated, if Nature, ever kind and provident, had not endowed it with faculties, by which it is frequently enabled to evade their pursuit.

Fearful of every danger, and attentive to every alarm, the Hare is continually upon the watch; and being provided with very long ears, moveable at pleasure, and easily directed to every quarter, is warned of the most distant approaches of danger. Its eyes are large and prominent, adapted to receive the rays of light on every side, and give notice of more immediate alarms. To these may be added its great swiftness, by which it soon leaves most of its pursuers far behind.—The hind are much longer than the fore legs, and are furnished with strong muscles, which give the Hare a singular advantage in running up a hill; and, as if sensible of its powers in this respect, it is always observed to sty towards rising ground when sirst started.

Thus formed for escape, the Hare might be supposed to enjoy a state of tolerable security; but as every rapacious creature is its enemy, it is seldom permitted to live out its natural term. Dogs and Foxes pursue it by instanct; Wild-Cats, and Weasels of all kinds, catch and devour it; birds of prey are still more dangerous enemies; whilst man, far more powerful than all, makes use of every artifice to obtain an animal which constitutes one of the numerous delicacies of his table.—If we were to enumerate the various stratagems which ingenuity has suggested to circumvent this persecuted creature, we would willingly omit the notable atchievements and gallant exploits of the chase, which, to a cool and dispassionate observer, seem to demand a nobler game.

" Poor is the triumph o'er the timid Hare."

Another remarkable means of fafety to the Hare is its colour, which being similar to the ground where it sits, secures it from the sight of its enemies; and, as a further instance of the care of Providence in the preservation of its creatures, these, as well as some other animals, in more northern regions, are observed to change their colour, and become perfectly white during winter, which renders them less conspicuous in the snow. Some rare instances occur, of white Hares being met with in Great-Britain.

The Hare is very prolific, and breeds three or four times in the year. The female goes with young thirty days, and generally brings forth three or four at a litter. The rutting feafon begins in February.

During the day, Hares sleep or repose in their seats, and seldom remove from them: The night is the season when they go about in search of food; and they are sure

to return to their forms or feats by the same paths which they took in leaving them.

- " 'Tis instinct that directs the jealous Hare
- " To chuse her soft abode. With step revers'd,
- " She forms the doubling maze; then, ere the morn
- " Peeps through the clouds, leaps to her close recess."

The following instances of the sagacity of the Hare in endeavouring to escape from its enemies are worthy of notice:—Fouilloux says, he has seen a Hare start from its form at the sound of the hunter's horn, run towards a pool of water at a considerable distance, plunge itself in, and swim to some rushes in the middle, where it lay down, and concealed itself from the pursuit of the Dogs. He mentions another, which, after running two hours before the Dogs, pushed a Hare from its scat, and took possession of it. Others he has seen run into a sheepfold, and lie down among the Sheep; and some have effected their escape by mounting an old wall, and clapping themselves down in the midst of the ivy which covered it.

The fur of the Hare is of great use in making hats; for which purpose many thousands of their skins are annually imported from Russia.

The Hare was reckoned a great delicacy among the Romans; but was forbidden to the Jews, and held facred among the ancient Britons, who religiously abstained from eating it.—We are told, that Boadicea, immediately before her last conslict with the Romans, let loose a Hare she had concealed in her bosom; which, taking what was deemed a fortunate course, was looked upon as a good omen.—It is to this day deemed unclean by the Mahometans.

The Hare is found in most parts of the world, with

very little variety.-—Those of North-America arc rather less-than the European. They frequent marshes and meadows, and when pursued take refuge in hollow trees.

THE ALPINE HARE

is grey in fummer, with a flight mixture of black and tawny. Its hair is foft; its ears shorter, and its legs more flender, than the common Hare's. In winter, the whole body changes to a snowy whiteness, except the tips and edges of the ears, which remain black.

This animal lives on the highest hills in Scotland, Norway, Lapland, Russia, and Siberia; never descends from the mountains, nor mixes with the common Hare, although they abound in the same parts.—It does not run fast; and, when pursued, often takes shelter in clefts of rocks. It is easily tamed, is very frolicsome, and fond of honey and other sweets. It changes its colour in September, and resumes its grey coat in April.—Troops of sive or six hundred are sometimes seen, which migrate towards the South in spring, and return in autumn.

A variety is found in those mountains of Tartary which extend as far as the lake Baikal. It inhabits the middle regions of the hills, among thick woods, and in moist places abounding with grass and herbage. It lives in the crevices of rocks, and sometimes burrows in the earth lodged between the clefts.—Its voice is a sharp whistle, not unlike the chirping of a sparrow.

In the autumn, great numbers of them affemble together, and collect vast quantities of the finest herbs, which, when dried, they form into pointed ricks of various sizes; some of them sour or sixe seet in height, and

of proportionable bulk. These they place under the shelter of an overhanging rock, or pile round the trunks of trees.—By this means, these industrious little animals lay up a stock of winter food, and wisely provide against the rigours of those stormy regions; otherwise, being prevented by the depth of the snow from quitting their retreats in quest of food, they must all inevitably perish.



THE RABBIT.

TOTWITHSTANDING the great fimilarity between the Hare and the Rabbit, Nature has placed an insuperable bar between them, in not allowing them to intermix, to which they mutually discover the most extreme aversion. Besides this, there is a wide difference in their habits and propensities: The Rabbit lives in holes in the earth, where it brings forth its young, and retires from the approach of danger; whilst the Hare prefers the open field, and trusts to its speed for safety.

The fecundity of the Rabbit is truly aftonishing. It breeds seed times in the year, and generally produces eight young at a time; from which it is calculated, that one pair may increase, in the course of sour years, to the amazing number of 1,274,840: So that, if frequent reductions were not made in various ways, there is reason to apprehend they would soon exceed the means of their support, and over-run the sace of the country. But as their increase is great, so is the number of their encmies; for, besides those that are taken for the use of man, great numbers are devoured by Foxes, Weasels, Foumarts, and other beasts of prey.—In Spain, they formerly increased to such a degree, as to become so obnoxious, that the inhabitants were obliged to procure Ferrets from Africa to destroy them.

The Rabbit is capable of procreating at the age of five or fix months.—The female goes with young about thirty days. Previous to her bringing forth, she makes a bed with down, that she pulls off her own coat. She never leaves her young but when pressed with hunger, and returns as soon as that is allayed, which she effects with surprising quickness. During the time she tends and suckles her young, she carefully conceals them from the male, lest he should devour them; and frequently covers up the mouth of the hole, that her retreat may not be discovered.


It lives to the age of eight or nine years, and prefers warm and temperate climates.—Pliny and Aristotle mention it as being anciently known only in Greece and Spain: It is now, however, common in various parts of Europe; but in Sweden and other cold countries, it can only be reared in houses.

It abounds in Great-Britain, where its skin forms a

343

very confiderable article in the manufacture of hats.--Lincolnshire, Norfolk, and Cambridgeshire, are most noted for the production of them.

The flesh of the Rabbit, as well as the Hare, was forbidden to the Jews and Mahometans.



THE DOMESTIC RABBIT

is of various colours,—white, brown, black, and variegated.—It is fomewhat larger than the wild Rabbit; but its flesh is not so good, being softer and more insipid.— Its food is generally cabbage leaves, colewort, blades of corn, sour-dock, and other succulent plants; but sweet short hay, with a little clean oats, make the best diet.

The RABBIT of ANGORA, like the Goat and Sheep of that country, is covered with long hair, which falls down its fide in wavy curls, and is of a filky fineness.


Mr Pennant describes a remarkable variety under the name of the *Hooded Rabbit*, which has a double skin over its back, into which it can withdraw its head: It likewise conceals its fore legs in a part which falls down under its throat. There are small holes in this loose skin

on the back, which admit light to the eyes.—The colour of the body is cinereous; that of the head and ears is brown.

A manuscript account of this animal, with a drawing by Mr G. Edwards, is preserved in the British Museum.

The Rabbit is not a native of America.—There are great numbers of them in many of the West-India islands, which have originated from a stock carried thither from Europe.





THE GUINEA-PIG, OR RESTLESS CAVY.

HIS little animal, though a native of Brazil, lives and propagates in temperate, and even in cold climates, when protected from the inclemency of the feafons .--- Great numbers are kept in a domestic state; but for what purpose can hardly be determined. They have neither beauty nor utility to recommend them: Their skins are of little value; and their flesh, though eatable, is far from being good. Their habits and disposition are equally unpleasant and disgusting: Void of attachment even to their own offspring, they fuffer them to be devoured the moment they are brought forth, without making the smallest attempt to defend them. The males frequently destroy their own young; and are so stupid, as to allow themselves to be killed by Cats, without resistance. They pass their whole lives in sleeping, eating, and in the propagation of their species. They are by nature gentle and tame: They do no mischief, but seem to be equally incapable of good.—Rats are faid to avoid the places where they refide.

The Guinea-Pig is confiderably less than the Rabbit; its upper lip is only half divided; it has two cutting-teeth in each jaw; large and broad ears; its hair is of different colours,---white, varied with orange and black,

in irregular patches; has no tail; is a restless animal; seeds on bread, grain, and vegetables; and makes a noise like the grunting of a pig.

It is capable of breeding at the age of two months, and produces from four to twelve at one time.

The species would be innumerable, if many of them were not taken off by various means: Some are killed by Cats; others by the males; and more, both young and old, perish by the severity of the elimate, and want of proper care.



THE SPOTTED CAVY

is about the fize of a Hare; but its body is much thicker, plumper, and fatter. The colour of the hair on the back is dark-brown, or liver-coloured; it is lighter on the fides, which are beautifully marked with lines of white spots, running in parallel directions from its throat to its rump; those on the upper part of the body are perfectly distinct; the belly is white. Its head is large; its ears short and naked; its eyes full, and placed high in its head, near the ears; in the lower part of each jaw, immediately under the eye, it has a remarkably deep slit or

furrow, which feems like the termination of the jaw, and has the appearance of an opening of the mouth; its upper jaw projects beyond the under; it has two strong yellow cutting-teeth in each jaw; its mouth is small, and its upper lip is divided; it has long whiskers on its lips, and on each side of its head, under the cars; its legs are short; it has four toes on the fore feet, and three on the hind; it has no tail.

The Spotted Cavy is a native of South-America, and lives on the banks of rivers in warm and moist places. It digs holes in the ground, fecretes itself during the day, and goes out at night in quest of food.

Its motions are heavy and ungraceful. It runs feldom, and with extreme aukwardness; sits frequently upon its posteriors; and, in that situation, smooths and dresses it-felf with its paws, drawing them over its body with the utmost nicety.

It is a cleanly animal, and will not bear the smallest degree of dirtiness in its apartment.

In a domestic stae, it is gentle and tractable, fond of attention, and licks the hand of any one that caresses it. When irritated, it is apt to bite. Its anger is expressed by chattering its teeth, and is always preceded by a kind of grunting.—It feeds on grain, roots, fruits, and almost every kind of vegetable.

When purfued, it takes to the water, and escapes by diving. If attacked by Dogs, it makes a vigorous defence.

Its flesh is estemed a great delicacy by the natives of Brazil.

We have been minute in our description of this curious little animal, which was drawn from the life; and think there is great reason to conclude, that the species

might be easily naturalized in this country, and added to our flock of useful animals. It is not much afraid of cold; and being accustomed to burrow, it would by that means defend itself against the rigours of our winter.

There are feveral varieties of them; fome of which weigh from fourteen to twenty, and even thirty pounds.



THE CAPIBARA

is a native of South-America, and lives on the banks of great rivers, fuch as the Oronoque, Amazons, and Rio de la Plata; fwims and dives remarkably well, and is very dexterous in catching fish, upon which it chiefly subfists: It likewise eats grain, fruits, and sugar-canes; feeds mostly in the night, and commits great ravages in the gardens .- They generally keep in large herds, and make a noise not much unlike the braying of an Ass.


Its flesh is fat and tender; but, like that of the Otter, has an oily and fifty tafte.

It is about the fize of a fmall Hog; and, by fome naturalists, has been classed with that animal.

Its fore hoofs are divided into four, the hind ones into three; its head is large and thick, and on the nose there are long whifkers; its ears are fmall and rounded, and its eyes large and black; there are two large cutting-teeth, and eight grinders, in each jaw; and each of these grinders forms on its surface what appears to be three teeth, flat at their ends; the legs are short; the toes long, and connected at the bottom with a small web; the end of each toe is guarded by a small hoof; it has no tail; the hair on the body is short, rough, and of a brown colour.

It is a gentle animal, easily tamed, and will follow those who feed it and treat it kindly.

As it runs badly, on account of the peculiar construction of its feet, its safety consists not in slight; Nature has provided it with other means of preservation: When in danger, it plunges into the water, and dives to a great distance.



THE AGOUTI, OR LONG-NOSED CAVY,


is about the fize of a Hare; its nose is long, upper lip divided, skin sleek and shining, of a brown colour mixed with red, tail short, legs slender and almost naked; has four toes on the fore feet, and three on the hind; grunts like a pig; sits on its hind legs, and feeds itself with its paws; and when satiated with food, it conceals the re-

mainder.—It eats fruits, roots, nuts, and almost every kind of vegetable; is hunted with Dogs; runs fast, and its motions are like those of a Hare.—Its sless, which resembles that of a Rabbit, is eaten by the inhabitants of South-America.

Great numbers of them are found in Guiana and Brazil.—They live in woods, hedges, and hollow trees.

The female brings forth at all times of the year; and produces three, four, and fometimes five, at a time.

If taken when young, the Agouti is easily tamed, and will go out and return of its own accord.——It delights in cutting or gnawing every thing with its teeth.——When irritated, the hair of its back rifes, it strikes the ground with its hind feet, and at the same time makes a noise like the grunting of a pig.



THE AKOUCHI

feems to be a variety of the Agouti; and, though fomewhat lefs, is nearly of the fame form; but its tail is longer. It inhabits the fame countries, is of an olive colour; its flesh is white, delicate, and has the slavour of a young Rabbit; is much esteemed by the natives, who hunt it with Dogs, and reckon it among the finest game of South-America.

THE ROCK CAVY

is likewise found in Brazil, is about twelve inches in length, the colour of the upper part of its body resembles that of the Hare, its belly is white, the upper lip divided, the ears short and rounded like those of a Rat, and has no tail. It moves like the Hare, its fore legs being shorter than the hind. It has four toes on the fore feet, and only three on the hind.—Its sless is like that of the Rabbit; and its manner of living is also very similar.





THE SQUIRREL.

THIS beautiful little animal is equally admirable for the neatness and elegance of its formation, as for its liveliness and activity .- Its disposition is gentle and harmlefs .-- Though naturally wild, it is foon familiarised to confinement and restraint; and though excesfively timid, it is eafily taught to receive with freedom the most familiar earesses from the hand that feeds it.

It usually lives in woods, and makes its nest of moss or dry leaves in the hollows of trees .--- It feldom descends upon the ground, but leaps from tree to tree with great agility.

Its food confifts of fruits, almonds, nuts, acorns, &c; of which it accumulates great stores for winter provifion, and fecures them earefully near its nest. In the fummer, it feeds on buds and young shoots, and is particularly fond of the cones of the fir and pine trees.

The spring is the season of love with Squirrels. At that time the males purfue the females, and exhibit wonderful proofs of agility; whilst the latter, as if to make

dible damage to the plantations. Great flocks of them descend from the mountains, and lay waste the fields of maize, by eating the young ears.—A reward of three-pence per head was given for every one that was killed; and such numbers were destroyed in one year, that Penn-sylvania alone paid in rewards the sum of 8000l. of its currency.

It makes its nest in hollow trees, with moss, straw, wool, &c.—It lays up stores of provisions in holes made in the ground, for its winter sustenance. These hoards are often destroyed by Swine; and are sometimes so long covered with snow, that the Squirrel perishes for want of food.

They are not easily shot, but evade the gun with great quickness the moment they see it levelled.—They are easily tamed; and their sless is esteemed very delicate.

The fur is very valuable, and is imported under the name of petit-gris.

THE BLACK SQUIRREL

is about the same size and form with the last; but its tail is not so long. It is generally black, with white on the nose, ears, and end of the tail.

Its disposition and habits are so similar to the Grey Squirrel, that it might be taken for a variety of that kind; but it is said to associate in separate troops, and is equally numerous.

It is found in the northern parts of Asia, North-America, and Mexico.

In the latter country, there is a variety with plain round ears; the upper part of the body variegated with

black, white, and brown. It is twice the fize of the common Squirrel, lives under ground, where it brings forth its young, and lays in its stock of provisions. It feeds on maize; and is extremely lively, gentle, and docile.—It is the *Coquallion* of M. Buffon.



THE GROUND SQUIRREL

well as the North of Asia.—It burrows in the ground, and makes two entranees to its habitation; that if one should be stopped up, it may have access by the other. Its hole is formed with great skill, having several branches from the principal passage, each of which is terminated by a store-house, in which its winter food is deposited: In one is contained acorns, in another nuts, in a third maize, and in another chesnuts, which are its favourite food.

These animals seldom stir out during winter, nor so long as their provisions last: When those sail, they sometimes work their way into places where apples are laid up, or into barns where maize is stored, and make great havock. During harvest, they fill their mouths so full

THE FAT SQUIRREL

is found in France and the fouthern parts of Europe.—
Its body is covered with foft hair, of an ash colour; its belly whitish; its ears thin and naked. It is about six inches long, and thicker than the common Squirrel. It dwells chiefly in trees, leaps from bough to bough, feeds on fruits and acorns, and lodges in the hollow of trees. It remains in a torpid state during winter, and grows very fat.

It was confidered as a great delicacy among the Romans, who had places conftructed on purpose to keep and feed them in, which they called gliraria.

THE GREATER DORMOUSE, OR GARDEN SQUIRREL,

is rather less than the last-mentioned. Its eyes are furrounded with a large black spot, which reaches to the ears; its body is of a tawny colour; its throat and belly white, tinged with yellow; its tail is long, and bushy at the end.

It is common in the South of Europe, infests gardens, is particularly fond of peaches, and very destructive to all kinds of fruit.——It lodges in holes in the walls, and brings forth five or fix young at a time.

It has a strong odour, like a Rat; and, like the Fat Squirrel, remains torpid during the winter.



THE LESSER DORMOUSE

is rather larger than the Mouse, of a tawny-red colour, with a white throat, and full black eyes.——It lives in woods or thick hedges; makes its nest with grass, dried leaves, or moss, in the hollow of a tree, or the bottom of a thick bush; and brings forth three or four young at a time.

It lays up stores of nuts, acorns, and beans; and retires, at the approach of the cold weather, to its retreat; where it rolls itself up in a warm nest, made of soft moss, &c; and remains in a torpid state during the continuance of winter. The warmth of a sunny day, or a temporary change from cold to heat, will sometimes revive it; but after taking a little sood, it soon relapses into its former state.





THE FLYING SQUIRREL

is peculiarly distinguished by a membranous continuation of the skin of the sides and belly, which extends from the fore to the hind feet, and assists it greatly in making leaps from one tree to another, frequently at the distance of twenty or thirty yards. Its head is small and round, and its upper lip cloven; its eyes are full, round, and black; and its ears small and naked.

It is found in all the northern regions, both of the old and new continents. It is more numerous in America than in Europe, is less than the common Squirrel, lives in trees, and sleeps in the day, but is extremely active during the night.

In the act of leaping, the loofe skin is stretched out by the feet; whereby the surface of the body is augmented, the animal becomes lighter in proportion to its bulk, the acceleration of its fall is retarded, and it appears to fail or sly from one place to another. Where a number of them are seen at a time leaping, they appear like leaves blown off by the wind.

There are feveral kinds, differing much in fize.—In the islands of the East-Indies, there is a variety as large as a Hare, called the TAGUAN, or GREAT FLYING SQUIRREL; which perfectly resembles the other in figure and in the form of its lateral membrane. The head is smaller in proportion to the fize of the body; the colour of the skin is dark-brown, mixed with white; the under part of the body whitish; the tail is brown, and grows gradually deeper towards the end, where it is black; the claws are long, thin, and hooked, like those of a Cat, and enable it to keep hold where it happens to fall; it also catches hold with its tail, which is long and muscular.

It is a wild and timid animal.—Its bite is fo strong, that it can make its escape from a wooden cage with

great facility.

A variety is found in Virginia, called, by Mr Pennant, the HOODED SQUIRREL; the lateral membrane beginning at the chin and ears, where it forms a kind of hood, and extending, like that of the former, from the fore to the hind legs: Its body is of a reddish colour above, and of a yellowish ash beneath.—It is a rare species, not much noticed by naturalists.





THE LONG-TAILED SQUIRREL.

This species is found in Ceylon and Malabar.—In the Cingalese tongue, it is called *Dandoelana*; and, from the noise it makes, *Roekea*.

It is about three times the fize of the European Squirrel: The ears are tufted with black hairs; the end of the
nofe is pink-coloured; the cheeks, legs, and belly, are of
a dull yellow; between the ears is a yellow fpot; the
'crown of the head and the back are black; from each ear
is a bifurcated line of the fame colour, pointing down
the cheeks; the upper part of the feet is covered with
black hairs, the lower part naked and red: The tail is
nearly twice the length of the body, of a light ash colour,
and extremely bushy; the part next the body quite furrounded with hairs; on the remainder the hairs are separated, and lie flat.

We are indebted to Mr Pennant for the drawing of this curious animal, the description of which is taken from his Indian Zoology.



THE JERBOA.

tion of its legs, is found in Egypt, Barbary, and Palestine.—It is somewhat less than a Rat: Its head has a great resemblance to that of a Rabbit; its eyes are large and full; the fore legs are only one inch in length, and are used as hands to convey victuals to its mouth; the hind legs are naked, and very much resemble those of a bird, having only three toes on each, the middle one longest; its tail is much longer than its body, and terminated with a black tust, the tip of which is white; its hair is long and soft, of a reddish colour on the back; the under parts of the body are white; across the thighs there is a large black band, in the form of a crescent.

The motions of the Jerboa are fimilar to those of the Kanguroo. It goes forward very nimbly on its hind feet, taking leaps of five or fix feet from the ground.

It is a lively, harmless animal, lives entirely on vegetables, and burrows in the ground like a Rabbit.

It is the Damon Israel of the Arabs, or Lamb of Israel;

and is supposed to be the *Coney* of holy writ, our Rabbit being unknown in Palestine. It is also the *Mouse* mentioned in Isaiah *; *Achbar*, in the original, signifying a Jerboa.

There are some varieties of the Jerboa, sound in Siberia, Tartary, and various parts of Asia.——They differ chiefly in size, the largest being about the size of a Rat: Its ears are large, pointed, and tipped with white; the hair on the back is of a tawny colour, and very soft; the belly and under part of the body are white; the end of the tail is distinguished by a white feathered tust, an inch long; it has sive toes on the fore feet, three on the hind; and about an inch above the last, are two long slender toes, with nails on each.

This creature makes its nest of the finest and most delicate herbage; rolls itself up, with its head between its thighs; and sleeps during the winter, without taking any nutriment.

When pursued, it springs so nimbly, that its feet scarcely seem to touch the ground. It does not go straight forward, but turns here and there till it gains a burrow, where it quickly secretes itself.—In leaping, it carries its tail stretched out; but in standing or walking, carries it in the form of an S, the lower part touching the ground.

The Jerboa is easily tamed, is fond of warmth, and feems to be fensible of the approach of bad weather by wrapping itself up close in hay.

Among the Mogul Tartars, this animal is called the Alaghtaaga.—It is supposed to be the Two-footed Mouse, and the Egyptian Mouse of the ancients, which were said to walk on their hind legs.

^{*} Chap. lxvi. ver. 17.



THE MARMOT

AS been placed by naturalists in the same class with the Hare and the Rat; and on examining its parts, we find a partial agreement with both these animals. In its nose and lips, as well as in the general form of its head, it resembles the Hare; its ears are like those of the Rat, with which it likewise agrees in the number and form of its teeth and claws: In other respects, it is no way similar to either of those kinds; and is still farther separated from them by habitudes which seem peculiar to itself, and distinguish it from almost every other species of quadrupeds.

The Marmot inhabits the highest regions of the Alps; and is likewise found in Poland, Ukraine, and Chinese

Tartary.

It is somewhat less than a Hare: Its ears are round, and so short, that they are almost hid in the fur; its tail is short and bushy; the hair on the back is of a brown-ish-ash colour; and that on the belly reddish, soft, and bushy. Its voice resembles the murmuring of a young puppy: When irritated or frightened, it makes a whistling noise, very loud and piercing.

It feeds on infects, roots, and vegetables; but when tamed, is remarkably fond of milk and butter.-—It lives in holes, formed with great art in the fide of a moun-

tain. There are two entrances to each; and the chamber to which they lead is deep and spacious: the bottom is lined with mofs and hay, of which thefe provident animals lay in a store during summer; and, at the approach of winter, shut themselves up in their holes by stopping the entrances with earth, fo effectually, that no discovery can be made of the place of their retreat. The chamber in which they lodge is large enough to contain a family of from five to a dozen Marmots. They roll themselves up; and being well covered with hay, remain in a torpid state, insensible to the rigours of the season, and perfectly fecure from the ftorm that rages without; till the cheering influence of the fun again calls them out to renew their exhausted strength, to propagate their kind, and provide for their future retreat. The torpid state lasts from about Michaelmas till April. They go in extremely fat, but gradually waste; and at the end of their long fleep, they appear lean and extremely emaciated.

The Marmot produces once a year; and the litter ge-

nerally confifts of three or four.

When a number of them are feeding together, they place one as a centinel, which makes a whiftling noise on the least appearance of interruption; and the party immediately betake themselves to their holes, the centinel driving up the rear.

The Marmot is very playful, and easily tamed. learns to hold a stick, to dance, and to exhibit various gestures: It will obey the voice of its master. Like the Cat, it has an antipathy to Dogs, which it attacks fiercely upon the least irritation. It is very apt to gnaw linen or woollen stuffs, often sits upright, and walks with ease on its hind feet .- It eats in the manner of a Squirrel, and carries its food to its mouth with its fore paws.

Its flesh is sometimes eaten, but is always attended with a disagreeable odour.



THE MONAX

is found in various parts of North-America, and feems to be the fame with the Marmot of Canada, described by M. Buffon.

It is larger than a Rabbit, and in form and colour refembles the Musk-Rat: Its tail is short and rough; its ribs so flexible, that it can easily pass through a hole of not more than two inches diameter; its eyes are black and prominent; its back is of a deep-brown colour, lighter on the sides and belly; and its feet and legs black.

It fleeps during winter in holes under the roots of trees, and lives on fruits and other vegetables.——Its flesh is good and well tasted.

An animal of the same kind is found in the Bahama isles; but whether it retires to sleep, in a climate so mild, is not well known.



THE QUEBEC MARMOT

is rather larger than a Rabbit: Its ears are short, and its whole head round; its cheeks are of a grey colour, and its nose black; its back is variegated, each hair being grey at the bottom, black in the middle, and white at the tips; its belly and legs are of an orange colour; its toes black and naked; and its tail short, and rather bushy.— It inhabits Hudson's Bay and Canada.

One of them, exhibited in London some years ago, was perfectly tame.

Mr Pennant supposes it to be the species called the Siffleur by the French of Canada.





THE HAMSTER.

Although the qualities of this animal are fufficiently noxious to render it an object of universal detestation, in those countries where it abounds; yet, when considered with regard to those instincts which conduce to its own preservation and support, it well deserves our highest admiration.

Its habitation is curious, and constructed with great art. It consists of a variety of apartments, adapted to various purpofes, and extremely well fitted both for the comfort and convenience of the inhabitants. The first entrance is formed in an oblique direction; at the end of which the male finks a perpendicular hole, which he referves for his own use. The female makes several, for the accommodation of herfelf and family, that her young, during the short time they are allowed to stay with her, may have a free passage to the general stores. One of the holes is lined with straw, and ferves as a lodging; the others contain provisions, of which great quantities are always accumulated during the time of harvest .--They begin to lay in their stores in August.-To facilitate the transportation of their food, Nature has furnished them with two pouches in each cheek, which they fill with corn, beans, or peafe, till they feem ready to burst;

and, on their return to their holes, empty them, by preffing their two fore feet against their cheeks .- The quantity of provision found in these magazines, depends on the age or fex of the inhabitants. The old Hamsters often amass an hundred pounds weight of grain; but the young and the females are fatisfied with much lefs.

At the approach of winter, the Hamsters retire into their fubterraneous abodes, the entrance to which they shut up with great care: There they remain in perfect tranquility, and feed on their provisions till the frost becomes severe, when they fink into a torpid state, in which they continue till the return of spring. During this period, if any of the holes be opened, the Hamster is always found lying upon a bed of foft straw, with its head turned under its belly, between its two fore legs; whilst the hind ones rest upon the muzzle: Its eyes are shut, every member perfectly stiff, and sensation so totally suspended, that neither respiration nor any other fign of life can be perceived. When dissected in this situation, the heart may be feen alternately contracting and dilating very flowly, the fat appears to be coagulated, and the intestines are quite cold. During this operation, the animal feems to feel very little: It fometimes opens its mouth, as if it wanted to respire; but the lethargy is too strong to admit of its entirely awaking.

They copulate about the end of April; when the males enter the apartments of the females, but remain only a few days.—If two males happen to meet in the same hole, a furious combat enfues, which generally terminates in the death of the weaker.

The females bring forth twice or thrice every year;

each litter confisting of fix or eight.——In about three weeks, the young are driven from their holes, and left to provide for themselves.——Their increase is so rapid in some years, as to be almost sufficient to occasion a dearth; but the serocity with which they upon all occasions attack and devour each other, is so great, as to be the happy means of preventing the ill effects of their secundity.

It is not only its own species to which the sury of the Hamster is directed: He attacks and devours every animal, without distinction, that he is able to conquer; and frequently opposes himself to enemies much superior to himself in strength. Rather than sly, he allows himself to be beaten to death. If he seize a man's hand, he must be killed before he can be made to quit his hold. A Horse or a Dog are equally objects of his rage; and wherever he seizes, it is with difficulty he can be disengaged.

The Hamster is about the size of a large Water-Rat; has a short tail, almost naked: Its head and back are of a reddish-brown colour, not unlike that of a Hare; its throat is white, and it has three white spots on each

fide: Its breast and belly are black.

It is found in various parts of Germany, Poland, and Ukraine.

The Polecat is its greatest enemy. It pursues the Hamster into its hole, and destroys great numbers.

Mr Ray observes, that the hair of this animal is so closely united to the skin, that it cannot be pulled off without great dissiculty; on which account it is held in high estimation.



THE SOUSLIK

is about the fize of a large Rat. Its skin is beautifully marked with fmall white fpots upon a yellowish ground.

It is found upon the banks of the Wolga, and in the adjoining provinces as far as Austria. - It burrows in the ground like a Rabbit, and lays in store of provisions, confifting of grain, herbs, and roots: It also feeds on young Mice, is very fond of falt, and is frequently taken on board the barges laden with that commodity. -- The females bring forth from two to five at one time.

THE ZISEL, OR EARLESS MARMOT,

instead of ears, has only a small orifice on each side of its head. It is of a dark-grey colour. Its body is long and slender, and its tail short.


It is found in Bohemia, Austria, Hungary, and Siberia .- It forms its hole in the ground, with a double entrance; and fleeps during the winter in the center of its lodge.—It lays in a store of corn, nuts, &c.; and sits up like a Squirrel when it eats .--- It is eafily provoked, and bites hard.

Its fur is of little value; but its flesh is reckoned good eating.

In Poland and Russia, there is an animal of this kind, called the ZEMNI; and, by Mr Pennant, the Podolian Marmot.

Its habits are similar to those of the Souslik; but it is larger, stronger, and more mischievous.

The head is thick, the body flender, and the ears fhort and round: It has two cutting-teeth in each jaw; those of the under jaw are much longer than the upper: The eyes are small, and concealed in the fur like those of the Mole: Its tail is short, and of an ash colour.



THE TAIL-LESS MARMOT.

We are favoured by Mr Pennant with the drawing of this animal, which has hitherto been undefcribed.——In the form of its body, it feems to agree with the description given of the Zisel, and probably may be a variety of that animal.





THE LEMING, OR LAPLAND MARMOT.

This wonderful little animal is found only in the northern parts of Europe and Asia; and is sometimes seen in immense numbers, overspreading large tracts of country, in Norway, Sweden, and Lapland. But as its appearance is at very uncertain periods, and the fource from whence it is derived has not been hitherto explored by any naturalist, its existence has been seriously attributed, by fuperstitious ignorance, to the generation of the clouds, from whence, it has been supposed, it was poured down in showers of rain .-- Myriads of them march together; and, like a torrent which nothing can refist, their course is marked with ruin and desolation. Neither fire nor water prevents their progrefs. They go straight forward, in regular lines, about three feet afunder, and generally in a fouth-east direction: They fwim across lakes and rivers: No opposition impedes them. If thousands are destroyed, thousands supply their place: The void is quickly filled up; and their number does not appear diminished. They persist in their course, in spite of every obstacle; and if prevented from proceeding, they either by affiduity furmount it, or die in the at tempt .- Their march is mostly in the night. They rest during the day, and devour every root and vegetable they

meet with. They infect the very herbage; and cattle are faid to perish that feed upon the grass they have touched.

An enemy, fo numerous and destructive, would soon render the countries they pass through utterly uninhabitable, did it not fortunately happen, that the same rapacity that excites them to lay waste the productions of the earth, at last impels them to destroy each other.—Having nothing more to subsist on, they are said to separate into two armies, which engage with the most deadly hatred, and continue sighting and devouring each other till they are all entirely destroyed. Thousands of them have been found dead; and the air, insected by their putrid carcases, has sometimes been the occasion of malignant distempers.—Great numbers of them are likewise destroyed by Foxes, Lynxes, Weasels, and other beasts of prey, which follow them during their march.

The Leming runs fwiftly, although its legs are short and slender.—It is somewhat less than the Rat: Its head is pointed; and in each jaw are two very long cuttingteeth, with which it bites keenly: Its ears are short, eyes small, fore legs shorter than the hind: The colour of the head and body black and tawny, disposed in irregular patches; the belly white, tinged with yellow.

Though perfectly difgusting to every other people, its slesh is said to be eaten by the Laplanders.

Where these emigrants are collected, as was before observed, is not certainly known. Linnaus says, they are produced among the Norwegian and Lapland Alps; and Pontoppidan supposes, that Kolen's Rock, which divides Nordland from Sweden, is their native place. But wherever they come from, none return. Their course is predestined; and they pursue their sate.



THE RAT,

appearance, possesses properties which render it a more formidable enemy to mankind, and more injurious to the interests of society, than even those animals that are endued with the greatest strength and most rapacious dispositions. To the one we can oppose united powers and superior arts; with regard to the other, experience has convinced us, that no art can counteract the effects of its amazing secundity, and that force is inessectually opposed to an enemy possessed of such variety of means to elude it.

There are two kinds known in this country,—the Black Rat, which was formerly universal here, but is now very rarely seen, having been almost excirpated by the large brown kind, generally distinguished by the name of the Norway Rat.—This formidable invader is now universally distinged through the whole country; from whence every method has been tried in vain to exterminate it.—It is about nine inches long; of a light-brown colour, mixed with tawny and ass, the throat and belly are of a dirty white, inclining to grey; its feet are naked, and of a pale sless colour; the tail is as long as the body, covered with minute dusky scales, thinly interspersed with short hairs.

In fummer, it frequents the banks of rivers, ponds, and ditches; where it lives on frogs, fish, and small animals. But its rapacity is not confined entirely to these: It destroys rabbits, poultry, young pigeons, &c.: It infests the granary, the barn, and the storehouse; does infinite mischief among corn and fruit of all kinds; and, not content with satisfying its hunger, frequently carries off large quantities to its hiding-place.

It is a bold and fierce little animal; and when closely purfued, will turn and fasten on its affailant.—Its bite is keen; and the wound it inslicts is painful, and disficult to heal, owing to the form of its teeth, which are long, sharp, and of an irregular form.


The Rat is amazingly prolific, usually producing from twelve to eighteen at one time.—Their numbers would foon increase beyond all power of restraint, were it not for an insatiable appetite that impels them to destroy and devour each other. The weaker always fall a prey to the stronger; and the large male Rat, which usually lives by itself, is dreaded by those of its own species as their most formidable enemy.

It is a fingular fact, in the history of these animals, that the skins of such of them as have been devoured in their holes have frequently been found, curiously turned inside out; every part being completely inverted, even to the ends of the toes. How the operation is performed, it would be difficult to ascertain; but it appears to be effected in some peculiar mode of eating out the contents.

Besides the numbers that perish in these unnatural conflicts, they have many sherce and inveterate enemies, that take every occasion to destroy them. Several kinds of Dogs pursue them with great alacrity, and eagerly kill them, though they invariably resuse to eat their sless.

The Cat is also a very formidable enemy, but generally finds greater difficulty in the contest: The Rat makes a vigourous resistance, and fometimes effects its escape. The Weafel is the most determined enemy of the Rat kind: It hunts them with unceasing avidity; pursues them into their holes, where it foon kills them, and fucks their blood: And in particular fituations, the Ferret is a still more deadly adversary. Mankind have likewife contrived various methods of destroying these bold intruders. For that purpose, traps are often found ineffectual; fuch being their extreme fagacity, that when any are drawn into the fnare, the others by that means learn to avoid the dangerous allurement, notwithstanding the utmost caution may have been used to conceal the defign. The furest method of killing them is by poison: Nux vomica ground, and mixed with oatmeal, with a fmall proportion of oil of Rhodium and musk, have been found from experience to be very effectual.





THE WATER-RAT

is fomewhat smaller than the former; its head and nose are thicker; its eyes are small; its ears short, scarcely appearing through the hair; its teeth are large, strong, and yellow. In an old one which we examined, the lower incisors measured somewhat more than half an inch in length. The hair on its head and body is thicker and longer than that of the common Rat, and chiefly of a dark-brown colour, mixed with red; the belly is grey; the tail five inches long, covered with short black hairs, and the tip with white.

The Water-Rat generally frequents the fides of rivers, ponds, and ditches; where it burrows, and forms its neft.—It feeds on frogs, finall fish, and spawn; swims and dives remarkably fast; and can continue a long time under water.





THE MUSK-RAT OF CANADA

is about the fize of a young Rabbit: Its head is thick and short, resembling that of a Water-Rat; its hair soft and glossy; beneath the outward hair there is a thick sine down, very useful in the manufacture of hats; it is of a reddish-brown colour; its breast and belly ash, tinged with red; its tail is long and slat, covered with scales; its eyes are large; its ears short and hairy; it has two strong cutting-teeth in each jaw,—those of the under jaw are about an inch long, but the upper ones are shorter.

This animal is a native of Canada, where it is called the Ondatra.

In many respects, it very much resembles the Beaver, both in form and manners. It is fond of the water, and swims well.—At the approach of winter, several families affociate together. They build little huts, about two feet in diameter, composed of herbs and rushes cemented with clay, forming a dome-like covering: From these are several passages, in different directions, by which they go out in quest of roots and other food.—The hunters take them in the spring, by opening their holes, and letting in the light suddenly upon them.—At that time their sless is tolerably good, and is frequently eaten;

but in the fummer, it acquires a fcent of musk, so strong, as to render it perfectly unpalatable.



THE MUSCOVY MUSK-RAT

is about the fize of the common Rat: Its nose is long and slender, like that of the Shrew-Mouse; it has no external ears, and its eyes are very small; the tail is compressed sideways, and its hind seet are webbed; it is of a dusky colour; the belly of a light ash.

It is a native of Lapland and Russia, frequents the banks of rivers, and feeds on small sishes. It is often devoured by pikes and other sish, to which it communicates so strong a slavour of musk, as renders them very unpleasant to the taste.

From its tail is extracted a kind of musk, very much resembling the genuine sort.—Their skins are frequently laid amongst cloaths to preserve them from moths.——In Lapland, it is called the Desman.





THE BEAVER

is the most industrious of all animals. Its labours seem the refult of a focial compact, formed for mutual convenience, preservation, and support; and as, in all well-regulated focieties, a due subordination is necessary for the well ordering and conducting each individual effort to the advantage of the whole; fo, amongst these curious animals, we find that, in forming their habitations, all have their proper part of the work assigned to them, that, by dividing their labours, fafety, stability, and expedition, may be the general effect. To this purpose, a community of two or three hundred affemble together: An overfeer is chosen, whose orders are punctually obeyed; and, by striking the water smartly with his tail, gives the fignal where the united force of numbers is necessary to be applied, in order to strengthen or support the fabric; or, at the approach of an enemy, to apprize the fociety of their danger.— As foon as a convenient place is chosen for the erection of their building, which is generally a level piece of ground with a small rivulet running through it, they divide into companies: Some are employed in cutting down trees of great fize, which is done by gnaw-

ing them with their teeth: Thefe they lay aerofs the dam with furprifing labour and perfeverance, or form into piles, which others roll down to the water, where they make holes at the bottom for receiving the ends, and placing them upright, feeure them in that polition; whilst another party is engaged in collecting twigs, interweaving and twifting them with the piles, and thereby strengthening the work: Some collect large quantities of earth, stones, clay, and other folid materials, which they dispose of on the upper side of the piles next the stream, forming a mound ten or twelve feet thick at the bottom, tapering gradually upwards, and capable of fustaining a confiderable weight of water. The length of the dam, occasioned by this means, is sometimes not less than one hundred feet .- Having compleated the mole, their next care is to erect their apartments, which are built on piles: They are of a circular form, and generally confift of three stories, about eight feet high above the water: The first lies below the level of the dam, and is generally full of water; the other two are above it. The walls are two feet in thickness, neatly plaistered with elay on the infide, which is arched like an oven, and at the top refembles a dome .- In each house there are two openings, -one towards the water, to which the animal has always aecess, in case of surprise; the other towards the land, by which it goes out in quest of food .- The number of houses in one of these dams is from ten to twenty-five, fome of them large enough to contain a family of twenty or thirty Beavers. Each Beaver forms its bed of moss; and each family lays in its magazine of winter provision, which confifts of bark and boughs of trees: They pile up the latter with great ingenuity and regularity, and draw it out to their apartments as their wants require. They are said to be fondest of the sassafras, ash, and sweet gum. During summer, they feed on leaves, fruits, and sometimes crabs or cray-sish; but sish is not their favourme food. Their time of building is early in the summer. In winter, they never go farther than to their provision stores, and, during that season, are very fat.

They breed once a year, and bring forth two or three at a birth.

Beavers are found chiefly in the northern parts of Europe, Asia, and America; particularly the latter, from whence many thousands of their skins are annually brought into Europe. In 1763, the Hudson's Bay company fold 54,670 Beaver skins at one sale.—They vary in colour. The most valuable are black; but the general colour is a chesnut-brown, more or less dark. Some have been found entirely white, others spotted; but both these kinds are very rare.

The Beaver is remarkable for the fize and strength of its cutting-teeth, which enable it to gnaw down trees of great magnitude with ease. Its ears are short, and almost hid in the fur; its nose blunt; tail broad and slat, nearly of an oval form, and covered with scales—it serves not only as a rudder to direct its motions in the water, but as a most useful instrument for laying on the clay, pressing it into the crevices, and smoothing the outward covering; its fore feet are small, and not unlike those of a Rat; the hind feet are large and strong, with membranes between each toe; its length, from nose to tail, is about three feet; the tail is eleven inches long, and three broad.

The castor produced from these animals is found in a liquid state, in bags near the anus, about the size of an

egg. When taken off, the matter dries, and is reducible to a powder, which is oily, of a sharp bitter taste, and a strong disagreeable smell.—These bags are found indifferently in males and semales, and were formerly supposed to be the animal's testicles; which, when pursued, it was said to bite off, and by that means escape with its life.





THE MOUSE.

THIS well-known little animal is diffused in great numbers over almost every part of the world. It seems a constant attendant on man, and is only to be found near his dwelling. Its enemies are numerous and powerful, and its means of resistance weak and inconsiderable: Its minuteness feems to be its best security; and it is faved from utter extinction only by its amazing fecundity.

The Mouse brings forth several times in the year, and generally from six to ten each litter. The young are produced without hair, and in little more than sisteen days are able to subsist by themselves; so that the increase is prodigious. Aristotle tells us, that having shut up in a vessel a Mouse big with young, and provided plenty of grain for her and her offspring, in a short time he found 120 Mice, all sprung from the same stock.

The Mouse, when viewed without the disgust and apprehension which usually accompany the sight of it, is a beautiful little animal: Its skin is sleek and soft, its eyes bright and lively, all its limbs are formed with exquisite delicacy, and its motions are smart and active.

Some few of this species are of a pure white colour; but whether they be a permanent kind, or only an acci-

dental variety, cannot well be determined. Its appearance is, however, very beautiful: Its fine full eyes, of a red colour, form an agreeable contrast with the snowy whiteness of its fur.



THE LONG-TAILED FIELD-MOUSE

is rather larger than the common Mouse, and very similar to it in form: It is of a yellowish-brown colour, its belly white, and its eyes remarkably large and prominent. -It is found only in the fields, woods, and gardens; feeds on nuts, corn, and acorns; and lays up great stores for its support during winter. It burrows in the earth, and generally forms its nest near the root of a tree or thick bush. If provisions fail during a storm, they devour each other; are very prolific, and bring forth nine or ten young at a time.

Mr Pennant mentions a species, found in Hampshire, only two inches and an half long from nofe to tail, of a fine rust colour above, and white beneath. It appears in great numbers in harvest-time among the sheaves and ricks of corn. During the winter, it shelters itself under ground, where it makes a warm bed of dry grafs and leaves .- Its young are brought forth on a nest made between the straws of the standing corn, and are generally

about eight in number each time.



THE SHORT-TAILED FIELD-MOUSE

differs from the last, in having a thicker head, and shorter tail: Its ears are very short, and almost hid in the hair; its body is about three inches long, and the tail one inch; the upper part of the body is of a reddishbrown, and the belly a deep-ash colour.—Like the last, it frequents the fields and woods, but is seldom troublesome in gardens: It also lives on the same kinds of food, which it hides in holes under ground.—It makes its nest in moist meadows, and brings forth seven or eight young at a time.



THE SHREW-MOUSE

is smaller than the common Mouse, being only two inches and a half long from the nose to the tail: The nose is long and slender; the ears short; and the eyes, like those of the Mole, almost concealed in the fur. It is of a red-

dish-brown colour; the belly white.—The two upper fore teeth of this animal are singularly constructed, and deserve particular notice; having a small barb on each side, so sine, as to be scarcely visible.

The Shrew-Mouse frequents old walls and heaps of stones; feeds on infects, corn, and putrid substances; and is sometimes seen on dunghills, where it roots with its nose like a Hog.—It has so strong and disagreeable a smell, that the Cat, after she has killed, refuses to eat it.—It forms its nest of dry grass, moss, &c. on the surface of meadows or pastures; and is faid to breed four or sive young at a time.

There feems to be an annual mortality of these animals in August; numbers of them being found dead in the fields, highways, &c. about that time.



THE WATER SHREW-MOUSE

is larger than the last. The upper part of its body is black; the throat, breast, and belly, of a light ash-colour.

—It is rarely to be seen; frequents the banks of rivulets and marshy places, where it burrows.

It is very numerous in Lincolnshire, but was never obferved there till about twenty years ago.—It is called, in that country, the *Blind Mouse*.



THE DWARF MOUSE

is a native of the Cape of Good Hope, where it was difcovered, and first described, by Sparrman.—It is distinguished from every other species of the genus by four black lines along its back, from the head to the tail.

It is supposed to be the most diminutive quadruped in the world, being scarcely two inches in length. In the annexed representation it is drawn the natural size, and forms a striking contrast with those gigantic animals which inhabit that quarter of the world.





THE MOLE.*

vide for its subsistence under the surface of the earth, is wonderfully adapted, by the all-wise Author of nature, to its peculiar mode of living. It enjoys the senses of hearing and smelling in a very eminent degree: The former gives notice of every approach of danger; whilst the latter enables it to find its prey in the midst of darkness, and compensates in a great measure for an almost total want of sight. To an animal so circumstanced, a larger degree of vision would be attended with manifest inconveniences, as well as liable to continual injuries. We are told by anatomists, that, for their better security, the eyes of the Mole are surnished with muscles,

[&]quot;The ingenious Mr Burn, hatter, of Newcastle upon Tyne, has lately discovered a method wherehy the exquisitely fine fur of this noxious, and hitherto despised animal, is likely to become of the greatest importance and utility to the public: By incorporating it with other materials, it forms a stamen of peculiar strength and beauty, for the purpose of making hats, superior to any that has hitherto been made use of in that valuable branch of manusacture, and for which he has obtained a Royal Patent.

by which it has the power of withdrawing or exerting them at pleasure. Its eyes are extremely small, and perfectly hid in the fur; but it is probable, they are so formed, as to admit distinct images of the diminutive objects of its pursuit.

The form of this creature's body, and particularly the construction of its fore feet, are admirably adapted to the purpose of making its way in the earth, which it does with wonderful facility: They are quite naked, very broad, with large palms, almost like a hand: There are five toes on each, terminated with strong nails, very concave on the under side; and, in place of a thumb, a strong bone under the skin. The hind feet are very small, with five slender toes, and a small thumb on the inside.—Whenever it happens to be surprised on the surface of the ground, it disappears in an instant; and every attempt to prevent its subterraneous retreat would be vain.

The Mole is mostly found in grounds where the soil is loose and soft, and affords the greatest quantity of worms and insects, on which it feeds.

The female brings forth in the spring, and generally produces four or five at a time. The young are quite naked, and continue so till they are grown to a considerable size.—It makes its nest a little below the surface of the ground, forming a commodious apartment, where it prepares a warm bed of moss and herbage: From this there are several passages in different directions, so which it can retreat with its young ones in case of danger; into these it likewise makes excursions in quest of food.—In the act of forming its tracks or runs, it throws up large heaps of mould, which are extremely troublesome and in-

jurious in meadows, grass lands, and cultivated grounds. Its destruction is consequently an object of importance to farmers, gardeners, &c.

The skin of the Mole is extremely tough; its fur short, close-set, and softer than the finest velvet, or perhaps the fur of any other animal: It is usually black, sometimes spotted with white, and sometimes (though rarely) white. It is about six inches in length, and its tail one inch.



THE RADIATED MOLE

is less than the common Mole, being not quite four inches long: Its fur is very close, short, and fine: Its nose is very curiously beset with radiated tendrils.—It is a native of North-America, feeds on roots, and forms subterraneous passages in different directions.

There is a kind, found in Siberia, with a very fhort nofe, and no tail. It is of a beautiful green and gold colour, variable with the light.

There are some other varieties, that differ chiefly in the colour of the hair; such as the Yellow Mole of North-America, which is larger than the European. Its hair is soft, and of a silky gloss.

That which is found in Virginia refembles the common Mole. It is of a black colour, mixed with deep purple.

THE OPOSSUM

Is found in great numbers in various parts of North and South-America, and was supposed by Busson to belong entirely to the new continent: We are now, however, assured, that it exists in many of the Indian islands. Several varieties of the Opossum kind have been seen also in the newly-discovered countries in the South Seas.



THE SARAGOY. THE MURINE.

The Saragov, or Mulucca Opossum of Mr Pennant, is about the fize of a Cat: Its head is long; nofe sharp and pointed; ears large, thin, and naked; eyes small, black, and lively, having a white spot above each of them; its fur is fost, long, and of a dusky ash colour; its belly white; its tail is similar to that of a Rat, naked and scaly, except a small part near the body, which is

covered with hair; its legs are short; and its feet or hands not unlike those of a Monkey, having five toes or singers on each; the thumbs on the hind feet are destitute of nails. But the peculiar and distinguishing characteristic of the Opossum is a pouch or false belly, in which the semale deposits her young immediately after they are brought forth, and nourishes them in it till they are able to provide for themselves.

The Chevalier d'Aboville, whilft in America during the late war, in order to be fatisfied respecting the time of its gestation, manner of bringing forth, and suckling its young, procured a male and female Opossum, which he tamed, and kept in his chamber till they copulated. Ten days after, he observed a considerable alteration in the fize and form of the pouch; its aperture being wider than it was before, and its orifice thicker: From that time it gradually grew closer, leaving only a finall opening in the middle, fimilar to a navel: On the fifteenth day he introduced his finger, and found at the bottom of the bag a small round body, about the size of a pea: The twenty-fifth day he could feel a motion under his finger. After the young had been a month in the pouch, they were plainly to be feen, on opening it a little. At the end of two months, on examining the pouch, there appeared to be fix young ones; all of them attached to the mother by a canal that entered the mouth, which, if withdrawn, could not be replaced; but when fix weeks old, the young Opossum could refume it by strong suction, the mouth being then large enough to receive the pap, which is about two lines in length, and the fize of the fecond or third string of a violin.

The number of the young varies from five to ten or eleven.

The paps are not disposed in regular order, as in other animals; but feem as if they were formed in those places where the embryos attach themselves to the mother.

The Opossum is a slow, helpless animal, when on the ground; but climbs trees with great eafe and quickness; fometimes conceals itself among the branches, and furprises the birds that come within its reach. It frequently hangs suspended by its tail; and in that situation watches for its prey, which it darts upon with great agility.

By means of its tail, the Opossum slings itself from one tree to another.—It feeds on birds, reptiles, infects, roots, leaves, and the bark of trees.—It is easily tamed, is neither mischievous nor ferocious; but its figure is disagreeable, and the odour that exhales from its skin rank and difgusting.

The MURINE OFOSSUM, or MARMOSE of M. Buffon, inhabits the warmest parts of South-America .- It refembles the former, but is much lefs. Its food and manner of living are likewise very similar to it.

It brings forth from ten to fourteen young at a time; but, instead of a bag, the female has two longitudinal folds under her belly, within which the young are fecuted. When first produced, they are not larger than beans, and remain closely attached to the teat till they attain sufficient growth and strength to provide for themfelves.





THE MEXICAN OPOSSUM

differs little from the preceding either in fize or form:—It is found in the mountainous parts of New-Spain, lives in trees. Its tail is useful in twisting round the branches, and securing its hold.

The young attach themselves to their mother by their hands and tails; and, upon the least alarm, embrace her closely; whilst she carries them to the shelter of some neighbouring tree.





THE PHALANGER, OR, SURINAM OPOSSUM,

is fomewhat larger than a Rat: Its nose is thick; ears short and hairy; its fur of a reddish colour, variegated with light ash and yellow; the under part of the body yellowish-white; it is distinguished from all those of the Opossum kind we have hitherto mentioned, in having the first and second toes of the hind seet closely united; its claws are large; tail long, very broad and thick at its junction with the body, and naked at the end.

It inhabits Surinam; is supposed to be the animal called the Cane-Rat, very destructive to the sugar-canes.





THE SPOTTED OPPOSSUM OF NEW SOUTH-WALES.

The general colour of this animal is black; the body spotted with irregular roundish patches of white; the ears are large and erect; muzzle long, pointed, and furnished with long slender whiskers; both fore and hind legs thinly covered with hair of an ash colour; on the fore feet it has five claws, and on the hind four; length, from nose to tail, about twenty-five inches; tail thick and bushy, like that of a Squirrel, except a part near the body, which is small, and covered with short hairs. The female has six teats, placed circularly within the pouch.

THE VULPINE OPOSSUM OF NEW SOUTH-WALES


is long-bodied and short-legged; from the nose to the infertion of the tail, measures two feet two inches; tail sifteen inches; upper part of the body grisly, consisting of dusky, reddish, and white hairs; the under parts lighttawny; two thirds of the tail black; a blackish space round each eye; long black whiskers; five toes on the fore feet, and four on the hind, with a thumb of two joints placed at the base of the inner toe; the toes of the fore feet are long, and answer the purpose of a hand; the ears are about an inch and a half in length; in the upper jaw are fix cutting teeth, four grinders, and two canine teeth; in the lower jaw, two long cutting teeth, like those of a Squirrel, and four grinders, but no canine teeth.



THE FLYING OPOSSUM OF NEW SOUTH-WALES.

Its nose is pointed; its ears large and erect; the fur more delicate, and of a finer texture, than that of the Sea-Otter,—is of a beautiful dark colour, and very glossy, mixed with grey; the under parts white; on each hip is a tan-coloured spot; the fur is continued to the claws;

the failing membrane is the fame as that of the Grey Squirrel, but broader in proportion; on the fore legs it has five toes, with a claw on each; on the hind ones, four toes, and a long thumb, which enables the animal to use it as a hand; it is remarkable, that the three outside claws of the hind feet are not separated like the others.



THE OPOSSUM OF VAN DIEMEN'S LAND

was discovered by Captain Cook in January, 1777; who describes it as about twice the size of a large Rat.—It is covered with long soft glossy hair, of a rusty brown colour; its belly is of a dirty white.

It inhabits Van Diemen's Land, the fouthern point of

New-Holland.





THE SQUIRREL-OPOSSUM.

We are favoured with a drawing of this beautiful animal, taken from a living one in the possession of the reverend Mr Egerton, prebendary of Durham, by the ingenious Mr Carfrae.

It is a native of New South-Wales; is about eighteen inches long, exclusive of the tail, which is twelve: Its head is broad, and pointed at the muzzle, which is furnished with long whiskers; its eyes are full, exceedingly prominent, and of a fiery redness; it has five claws on the fore feet,—three on the hind, and a thumb; two cutting teeth in each jaw, the upper projecting beyond the under.—Its manners are similar to those of a Squirrel. It sits up, holds its food in its fore paws with great dexterity, and feeds itself. When irritated, it sits still more erect, or throws itself upon its back, making a loud and harsh noise.—It feeds on vegetables, small birds, &c.

The fur is long, foft, and very close; of a mixed brown or greyish colour on the back; the under parts of a yellowish-white. Its tail is prehensile, very broad at the base, tapers to the end, and is naked on the under side.—The semale is surnished with a pouch.



THE KANGUROO

is a native of New-Holland, where it was first discovered by Sir Joseph Banks.——Its head is small and taper, ears large and erect, upper lip divided, the end of the nose black, nostrils wide, lower jaw shorter than the upper, and there are whiskers on both; it likewise has strong hairs above and below the eyes; its head, neck, and shoulders, are small; the lower parts of the body increasing in thickness to the rump; its tail is long, very thick near the rump, and taper; its fore seet are ex-

tremely short, and are mostly used in digging or bringing its food to its mouth; it moves altogether on its hind legs, making successive bounds of ten or twelve feet, with such rapidity, as to outstrip the sleetest Greyhound; it springs from rock to rock, and leaps over bushes seven or eight feet high, with great ease; it has sive toes on its fore feet,—three on the hind, the middle one very long; the inner claw is divided down the middle into two parts.

The Kanguroo rests on its hind legs, which are hard, black, and naked on the under side. Its fur is short and soft, of a reddish ash colour, lighter on the lower parts.

It is the only quadruped our colonists have yet met with in New South-Wales that supplies them with animal food.—There are two kinds. The largest that had been shot weighed about 140 lb.; and measured, from the point of the nose to the end of the tail, six feet one inch; the tail, two feet one inch; head, eight inches; fore legs, one foot; hind legs, two feet eight inches; circumference of the fore part of the body, near the legs, one foot one inch; and of the hind part, three feet. The smaller kind seldom exceed 60 lb.

This animal is furnished with a pouch, similar to that of the Opossum, in which its young are nursed and sheltered.





THE KANGUROO-RAT, OF NEW SOUTH-WALES,

is about the fize of a Rabbit, and in shape resembles the Kanguroo, both in respect to the shortness of the fore legs, and the peculiar construction and use of the hind ones; the form of the head is like that of a Rat, and its body nearly of the same colour; in the upper jaw it has two long cutting teeth, with three short ones on each side of them; in the lower jaw, two long cutting teeth, and three grinders on each side.

The female, like most of the animals of that country, has a pouch, like the Opossum.

It feeds on vegetables, burrows in the ground, and is very tame and inossensive.



THE KANGUROO-RAT OF NEW SOUTH-WALES

is about the fize of a Rabbit, and in shape resembles the Kanguroo, both in respect to the shortness of the fore legs, and the peculiar construction and use of the hind ones; the form of the head is like that of a Rat, and its body nearly of the same colour; in the upper jaw it has two long cutting teeth, with three short ones on each side of them; in the lower jaw two long cutting teeth, and three grinders on each side.

The female, like most of the animals of that country, has a pouch, like the Opossum.——It feeds on vegetables, burrows in the ground, and is very tame and inoffensive.



THE JERBOA.

tion of its legs, is found in Egypt, Barbary, and Palestine.—It is somewhat less than a Rat: Its head has a great resemblance to that of a Rabbit; its eyes are large and full; the fore legs are only one inch in length, and are used as hands to convey victuals to its mouth; the hind legs are naked, and very much resemble those of a bird, having only three toes on each, the middle one longest; its tail is much longer than its body, and terminated with a black tust, the tip of which is white; its hair is long and soft, of a reddish colour on the back; the under parts of the body are white; across the thighs there is a large black band, in the form of a crescent.

The motions of the Jerboa are fimilar to those of the Kanguroo: It goes forward very nimbly on its hind feet, taking leaps of five or fix feet from the ground.—It is a lively, harmless animal, lives entirely on vegetables, and hurrows in the ground like a Rabbit.—It is the Daman

Ifrael of the Arabs, or Lamb of Ifrael; and is supposed to be the Concy of holy writ, our Rabbit being unknown in Palestine. It is also the Mouse mentioned in Isaiah "; Achbar, in the original, fignifying a Jerboa.

There are some varieties of the Jerboa found in Siberia, Tartary, and various parts of Asia. They differ chiefly in fize, the largest being about the fize of a Rat: Its ears are large, pointed, and tipped with white; the hair on the back is of a tawny colour, and very foft; the belly and under part of the body are white; the end of the tail is diflinguished by a white feathered tuft, an inch long; it has five toes on the fore feet, three on the hind; and about an inch above the last are two long slender toes, with nails on each.


This ereature makes its nest of the finest and most delieate herbage; rolls itself, up, with its head between its thighs; and fleeps during the winter, without taking any nutriment .- When purfued, it fprings fo nimbly, that its feet fcareely feem to touch the ground. It does not go straight forward, but turns here and there till it gains a burrow, where it quiekly feeretes itself. In leaping, it carries its tail stretched out; but in standing or walking, carries it in the form of an S, the lower part touching the ground.

The Jerboa is easily tamed, is fond of warmth, and feems to be fensible of the approach of bad weather by wrapping itself up elose in hay.

Among the Mogul Tartars, this animal is called the Alaghtaaga. It is supposed to be the Two-footed Mouse, and the Egyptian Mouse of the ancients, which were said to walk on their hind legs.

^{*} Chap. Ixvi. ver. 17.

THE YELLOW MACAUCO.



THE RING-TAILED MACAUCO.

Weafel tribe by Mr Pennant, in his History of Quadrupeds; and it seems to bear some general resemblance to that species of animals, in the form of its head, which is slat and broad; its ears are short, eyes small, body long and slender, legs and thighs short and thick, and it has sive straight toes on each foot: Its sur is short, soft, and glossy,—of a black colour, mixed with yellow, on the back; the cheeks, inside of the legs, and belly, yellow; along the back, from head to tail, there is a broad dusky stripe; and another on the belly, half way from

from the tail, which is nearly as long as its body, of a bright-tawny colour, mixed with black, and has the fame prehenfile faculty as those of some kinds of Monkeys. Its length, from nose to tail, is nineteen inches.

One of this species was shewn in London some years ago, and was faid to have been brought from Jamaica, where it is called a Potto. It was a very good-natured and sportive animal, would catch hold of any thing with its tail, and fuspend itself by it.

The RING-TAILED MACAUCO is a very beautiful animal, about the fize of a Cat: Its body and limbs are long and flender; its tail very long, and marked with alternate bars of black and white: In the conformation of its paws, it feems to approach the Monkev kind; but its nofe is long and sharp, like that of a Fox; and its ears are also large and pointed: Its head and throat are white; eyes large, and furrounded with black: Its fur is gloffy, foft, and delicate, -of a reddish-ash colour on the back; belly white.

This creature is found in Madagafcar and the neighbouring isles, is very playful, but not mischievous. When in motion, it makes a fort of galloping progrefs in an oblique direction, and carries its tail almost erect; but when fitting, it is twifted round the body, and brought over its head .- Troops of thirty or forty are fometimes feen together .- It is a cleanly animal; and, when taken young, may be eafily tamed.



THE TAIL-LESS MACAUCO.



THE MONGOOZ.

The Tail-less Macauco is found in Ceylon and Bengal, lives in woods, and feeds on fruits; is fond of eggs and small birds, which it devours greedily. It is a very inactive animal, and its motions slow; very tenacious of its hold, and makes a plaintive noise. Its head is small, and nose pointed; each eye is edged with a circle of white, which is also surrounded with another of black; its body is covered with a short silky fur, of a reddish-ash colour; the toes naked; nails slat, except those on the inner toes of the hind feet, which are sharp

and crooked: Its length, from the nose to the rump, is fixteen inches.

The Mongooz is nearly of the fame fize as the Ring-tailed Macauco. Its fur is fine, foft, and woolly, —of a deep brownish-ash colour; the eyes are of a beautiful orange colour, surrounded with black; the ears are short; cheeks white; end of the nose black; the tail very long, and covered with hair of the same fort and colour as the body; its hands and fect are naked, and of a dusky colour; its nails, except one upon the inner toe of each hind foot, are flat.—It inhabits Madagascar and the isles adjacent, sleeps in trees, is very playful and goodnatured, feeds on fruits, is extremely tender, and cannot bear any change to a less temperate climate.

THE LORIS

is a very flender animal, and differs greatly from the preceding, both in form and manners. It is not much larger than a Squirrel, but its limbs are longer; the hind legs greatly exceed the fore in length; the thumbs on each foot are more distinct and separate from the toes than those of other Macaucos; its nose is pointed, like that of a Dog; its forehead high; ears round and thin; its fur is short and delicately soft, of a tawny colour on the back,—whitish below: It has no tail.

The Loris is a native of Ceylon, very active, lives in trees, and feeds on fruit. Scha fays, the male climbs the trees, and tastes the fruit before he presents it to his mate.

Bb

THE BLACK MACAUCO,

or VARI of M. Buffon, is larger than the Mongooz. It is a native of Madagascar, is very sierce, and makes a loud noise in the woods; but, when tamed, is gentle and good-natured. Its eyes are of a deep-orange colour; round its head the hair is long, and stands out like a ruff. The general colour of this animal is black; but some are white, spotted with black: The feet are black and naked.

THE TARSIER

is remarkable for the great length of its hind legs, in which it refembles the Jerboa; has four slender toes and a distinct thumb on each foot: Its visage is pointed; eyes large and prominent; ears erect, broad, and naked: Its hair is fost and woolly, of a deep-ash colour, mixed with tawny: Its length, from the nose to the rump, is nearly six inches; the tail is nine inches long, round, scaly, almost naked, like that of a Rat, and tusted at the end.—It is found in some of the remote islands of India, especially Amboyna.



THE BLACK MACAUCO,

or VARI of M. Bussion, is larger than the Mongooz.——
It is a native of Madagascar, is very sierce, and makes a loud noise in the woods; but, when tamed, is gentle and good-natured.——Its eyes are of a deep orange-colour. Round its head the hair is long, and stands out like a russ.

The general colour of this animal is black; but fome are white, fpotted with black. The feet are black and naked.

THE TARSIER

is remarkable for the great length of its hind legs, in which it refembles the Jerboa; has four slender toes and a distinct thumb on each foot: Its visage is pointed; eyes large and prominent; ears erect, broad, and naked: Its hair is soft and woolly, of a deep ass colour, mixed with tawny: Its length, from the nose to the rump, is nearly six inches; the tail is nine inches long; round, scaly, almost naked, like that of a Rat, and tusted at the end.

It is found in some of the remote islands of India, especially Amboyna.



Animals of the MONKEY KIND.

E come now to the description of a numerous race of animals, consisting of a greater variety of kinds, and making nearer approaches to the human species, both in form and action, than any other class of quadrupeds.

Monkies are found only in the warmest parts of the world, and chiesly in the torrid zone. They abound in the woods of Africa, from Senegal to the Cape of Good Hope, and from thence to Ethiopia; in all parts of India and its isles; in the South of China; in Japan; and in South-America, from the Isthmus of Darien, as far as Paraguay. A species or two are also met with in Arabia and the province of Barbary.

On account of the numbers and different appearances of these animals, they have been divided into three classes, and described under the following denominations; viz.—Apes, or such as have no tails; Baboons, or such as have short tails; Monkies, or such as have long tails.

In the APE kind, we see the whole external machine strongly impressed with the human likeness, and capable of similar exertions: They walk upright, their posteriors are slessly, their legs are furnished with calves, and their hands and feet are nearly like the human.

In the Baboon, we perceive a more distant resemblance of the human form: He generally goes upon all four, seldom upright, but when constrained to it in a state of servitude.—Some of them are as tall as a man.—They have short tails, long saces, sunk eyes, are extremely disgusting, lascivious, and possessed of the most brutal sierceness.

413

The Monkey kind are removed still farther, and are much lefs than the former. Their tails are generally longer than their bodies; and, although they fit upon their posteriors, they always move upon all four.—They are a lively, active race of animals, full of frolic and grimace, greatly addicted to thieving, and extremely fond of imitating human actions, but always with a mifchievous intention.



THE ORA'N-OUTANG, OR WILD MAN OF THE WOODS,

is the largest of all the Ape kind, and makes the nearest approach to the human figure. One of this kind, diffected by Dr Tyfon, has been very accurately described by him. The principal external differences pointed out by that learned physician, consisted in the great length of the arms, and shortness of the thighs; the thumb is also much fmaller, and the palm of the hand longer and narrower, than in man; the form of the feet is very diffimilar, the toes being much longer, and the large toe placed at a greater distance from the others; the forehead is higher, the nofe flat, and the eyes much funk: Beside these, the anatomist has enumerated a variety of effential differences in the internal conformation of the Oran-Outang; all of which fufficiently evince, that, though he has the strongest assinity to the human form of any other quadruped; yet, as Buffon elegantly observes, "the interval which feparates the two fpecies is immenfe; the refemblance in figure and organization, and the movements of imitation which feem to refult from these similarities, neither make him approach the nature of man, nor elevate him above that of the brute."

The Oran-Outang is found in the interior parts of Africa, in Madagasear, Borneo, and some parts of the East-Indies.

It is a folitary animal, avoids mankind, and lives only in the most defert places.

The largest of the kind are said to be about six feet high, very active, strong, and intrepid, capable of overcoming the strongest man: They are likewise exceedingly swist, and cannot easily be taken alive.—They live entircly on fruits and nuts, will sometimes attack and kill the negroes who wander in the woods, and drive away the elephants that happen to approach too near the place of their residence. They sometimes surprize the semale negroes, and earry them off into the woods, where they compel them to stay with them.

When taken young, however, the Oran-Outang is ca-

pable of being tamed, and rendered extremely docile.— One of them, shewn in London some years ago, was taught to sit at table, make use of a spoon or fork in eating its victuals, and drink wine or other liquors out of a glass. It was extremely mild, affectionate, and good-natured; much attached to its keeper, and obedient to his commands. Its aspect was grave, and its disposition-melancholy. It was young, and only two feet four inches high. Its body was covered with hair of a black colour, which was much thicker and closer on the back than on the fore part of the body; the hands and soles of the feet were naked, and of a dusky colour.

A variety, called the PIGMY, is found in Guinea, Ethiopia, and other parts of Africa, much smaller than the last, being not more than a foot and a half in length. It is very tractable, good-natured, and easily tamed; is supposed to have been the Pithecos of the ancients. It lives in woods, and feeds on fruits and infects.—Troops of them assemble together, and defend themselves from the attacks of wild beasts in the defert, by throwing a cloud of sand behind them, which blinds their pursuers, and facilitates their escape.





THE GIBBON

is distinguished by the extraordinary length of its arms, which reach to the ground when its body is upright, and give it a disgusting appearance. Its face is slat, and of a tawny colour, surrounded with a circle of grey hair, which adds to the singularity of its aspect; its eyes are large and deep sunk; ears round and naked; body covered on all parts with black rough hair, except its buttocks, which are quite naked.

It is a mild, gentle, and tractable animal; feeds on fruits, leaves, and barks of trees; is a native of the East-Indies, Sumatra, and the Molucca isles; and measures from three to four feet in height.

zle long and thick, eyes fmall and deep funk, its canine teeth very large and formidable, and it had pouches in its cheeks: The hair on its head was long, and formed a very elegant toupee from its forehead and each fide of its face, which, when angry, it erected; the hair on the body was uniformly of a light reddish-brown; the tail short, and darker at the end; buttocks red and naked.

The Baboon inhabits the hottest parts of Africa; feeds on fruits, roots, and other vegetables .- Numerous troops fometimes make their appearance, plundering gardens and cultivated grounds. They are extremely dexterous in throwing the fruit from one to another, and by this means will do incredible damage in a very fhort time.

The female brings forth only one young at a time, which she carries in her arms, and suckles at her breast. -Notwithstanding its libidinous disposition, it will not breed in temperate climates.





THE GREAT RIBBED-NOSE BABOON.

This fingular creature is no less remarkable for its great size and strength, than for the variety of beautiful colours on different parts of its body. Its nose is marked with broad ribs on each side, of a fine violet-blue colour: A vermilion line begins a little above the eyes; and, running down on each side of the nose, which is somewhat similar to that of a Hog, spreads over the tip of it: The insides of the ears are blue, which gradually softens to a purple, and terminates in vermilion; the rump is also of a vermilion colour; and the beautiful colours on the hips are gradations from red to blue: The hair on the forehead is long, turns back, and forms a kind of pointed crest: Its beard is dark at the roots, orange at the mid-


dle and yellow at the end: The back and legs are covered with short hair, of a dark brown colour, mixed with yellow; the breast and belly with long whitish hair, speckled with small dark spots: Its tail is short and hairy, nails slat, feet and hands black and naked.

One of this kind was exhibited about twelve years ago in the North of England. It was five feet high, extremely fierce, libidinous, and strong. At the fight of women it discovered marks of the most violent passion: It once caught hold of a lady, who was so incautious as to approach too near it; and she was with some difficulty rescued by the interference of the keeper. Its voice was strong and harsh, not unlike the ordinary growl of the Lion. It generally went upon its four feet, unless obliged by its keeper to stand erect. Its most usual attitude was sitting on its rump, with its arms placed before it.

This creature inhabits the hotter parts of Africa.——Schreber fays, it lives on fucculent fruits and nuts, is fond of eggs, will put eight at once into its pouches, then take them out one by one, break them at the end, and fwallow the contents.

Our representation of this animal was done from a drawing in the possession of the Rev. Mr Egerton, taken from the life by an eminent painter.

We suppose the Mandrill of Busson to be a variety of this species.




THE SMALL RIBBED-NOSE BABOON

feems to agree in every respect with that described by Mr Pennant, in the first volume of his History of Quadrupeds, under the name of the MANDRILL.

The annexed cut was done from the living animal, in the possession of Mr Rayne, surgeon, in Newcastle.

It is about fifteen inches in height; its face flat, of a fine blue colour; eyes bright hazle, exceedingly brilliant and lively; the cheeks marked with fmall ribs, bounded with thick bushy hair, of a greenish colour, beautifully speckled with black, falling back on each side; the hair on the forehead is of the same colour, very long, and runs up to a point on the top of the shoulders; the muzzle is broad, and surnished with short hair, thinly scattered on each side; on the chin it has a short thin beard, ending in a point, where it is of an orange colour; the hair on the body is dark brown, mixed with shades of green on the back and sides,—the haunches dusky; the ears are small, naked and pointed; the tail short and hairy; the buttocks bare, and of a red sless-colour; hands and seet naked: It has check pouches; feeds on

fruits, nuts, roots, and other vegetables. It is lively, playful, and full of mischievous frolics; walks commonly on all four, is in continual motion, and leaps with astonishing agility.——This species is said to come from the coast of Guinea.



THE MAIMON, OR PIG-TAILED BABOON,

fo termed from its short naked pig-like tail, is the least of all the Baboon kind; a gentle, mild, and tractable animal; very lively and frolicsome: but has none of that impudent petulance so peculiar to most of its species.—Its muzzle is large and thick; face and ears naked, and of a sless colour; the hair on the head and back is of a deep olive, palest on the belly; it has hazel eyes, cheek pouches, callosities on the buttocks, which are naked, and of a red colour.—It is a native of Sumatra and Japan.

One of this kind was shewn in the North in 1788, from which this drawing was made.

It is a curious circumstance, that not only this, but every animal of the Baboon and Monkey kind we have yet seen, have shewn a remarkable greediness for tobacco, mustard, and even snuff, which they eat without expressing the smallest inconvenience, and always seem extremely desirous for more.



THE DOG-FACED BABOON

is distinguished by a longer tail than the rest of its kind; In this respect, it seems to bear some assumpt to the Monkey, and has been mentioned under that denomination by several naturalists.

We may observe here, that, in tracing the progress of animated Nature, we are led, by the most imperceptible gradations, from one kind to another: The line of separation seems so faintly drawn, that we are frequently at a loss how to six the boundaries of one class without encroaching upon that of another; and, notwithstanding

the regularity and order which every-where prevail among the numerous families that inhabit the earth, the best and most approved systems of arrangement fall infinitely short of precision: They serve, indeed, to direct us to the general characters which form the distinguishing features of each genus, but are very inadequate to discriminate the intermingled shades and nice touches by which all are diversified.

The drawing of this animal was taken from one shewn in London under the name of the Persian Savage.—
Its head was large; muzzle long and thick; eyes small; face naked, and of an olive colour; the hair on its fore-head separated in the middle, and hung down on each side of the face, from thence down its back as far as its waist; it was long and shaggy, of a bluish-grey colour, freckled with dark spots; the hair on the lower part of the body short; its buttocks bare and red.

That described by Mr Pennant, which seems to agree with this, is represented as very sierce and untractable.

It inhabits the hottest parts of Africa and Asia, lives in troops, and commits great depredations in gardens and cultivated grounds; is above five feet high, exceedingly strong, vicious, and impudent.

THE URSINE BABOON

is not unlike the last, but rather less. Its nose is long? head large; ears short; forehead high and prominent, terminating in a ridge; the body thick and strong, covered with long dusky hair, which gives it the appearance of a young Bear; its tail half the length of the body; buttocks red.

This animal is very numerous about the Cape of Good

Hope.—Troops of them affemble together, and make expeditions for the fake of plunder, in which they observe the utmost precaution. To prevent surprise, they place a centinel, which, upon sight of a man, gives a loud yell; when the whole troop retreats with the greatest precipitation. It is highly entertaining to see the semales carrying off their young ones clinging to their backs; whilst their pouches are crammed so full of fruit, that they seem ready to burst. They sometimes form a line, and throw the fruit from one to another, in order to carry it off the more expeditiously.

THE WANDEROU

is a native of Ceylon and the East-Indies.——Its head is thick and long, and furrounded with a large quantity of white hair, which falls down below the chin, forming a rough shaggy beard; the rest of the body is covered with a dark-brown coat, almost black.——Like all animals of this kind, it is wild and vicious; but when taken young, may easily be tamed; and appears to be more susceptible of education than other Baboons.

There are feveral varieties of this species.—The bodies of some are black, with white beards; in others, the body is whitish, and the beard black: Some are sound entirely white; but this species is extremely rare, and is said to be stronger and more mischievous than the others.

These bearded Baboons are much esteemed for the gravity of their appearance; and are used by the Indians in their ceremonics and shows, in which they are said to acquit themselves to the admiration of the spectators.

THE MACAQUE,

or Hare-Lipped Monkey of Mr Pennant, is placed next to the Baboons, and makes the nearest approach to them in the form of its body, which is short and thick: Its head and muzzle are large; its visage ugly, naked, and wrinkled; and its nostrils divided, like those of a Hare: Its tail, however, is long, like that of a Monkey: The colour of the hair on the upper part of the body is a greenish-ash,—lighter on the breast and belly.

There are several varieties, which differ both in fize

and colour.

This animal is found in Guinea, Congo, and fome of the fouthern parts of Africa.—They go in troops, and do infinite mischief to plantations of millet, which they carry off under their arms and in their mouths. They are extremely nice and delicate in their choice; and, by pulling up what does not please them, do more damage than by what they really eat.

THE PATAS, OR RED MONKEY,

is nearly of the same size with the Macaque, and inhabits the same country; its body is, however, rather longer, its face less hideous, and its hair more beautiful. It is remarkable for the brilliancy of its coat, which is of so bright a red, as to have the appearance of being painted.

There are two varieties of this kind: The one is diftinguished by a black line above the eyes, extending from car to car; in the other, the line is white. Both have long hair under the chin, and round the cheeks; which in the first is yellow, and in the second white: The nose

is black; the under part of the body of an ash colour, tinged with yellow.

These Monkies are very numerous on the banks of the river Senegal.—They are so curious, as sometimes to descend from the tops of trees to the extremities of the branches, while boats are passing, and seem to observe them with great attention. If not disturbed, their familiarity becomes troublesome: They break off branches, throw them at the passengers, and frequently with so sure an aim, as to annoy them not a little; but, upon being shot at, they set up most hideous cries, endeavour to revenge themselves by collecting more offensive materials, such as stones, dirt, &c. which they throw at the enemy, and soon retire.

Travellers relate that, in Guinea, Monkies are frequently feen together in troops of forty or fifty, plundering gardens and fields of corn with great boldness.

One of them stands on a tree, listens, and looks about on all sides, while the rest are busy. Upon the least appearance of interruption, he sets up a loud cry to alarm the party; when they immediately sly off with the booty they have collected, leaping from tree to tree with prodigious agility.

THE MALBROUCK

differs little from the last, either in disposition or manners.—It is a native of Bengal, is found of fruits, frequently steals into plantations of sugar-canes, loads itself with them, and, if pursued, will throw away a part to carry off the remainder with more ease.—It escapes the pursuit of Tigers and other wild beasts, by climbing

trees, and leaping from one to another. Serpents are the most deadly enemies of this and all the Monkey kind: They follow them to the highest branches of the trees, and frequently surprise them whilst they are sleeping.

THE CHINESE BONNET MONKEY


appears to be only a variety of the Malbrouck: The principal difference confifts in its having the hair on its head difposed in the form of a flat bonnet, from which its name has been derived. It inhabits the same country, and lives in the same manner.

When fruits and fucculent plants fail them, these animals are said to eat insects, and sometimes watch by the sea-side for crabs and other shell-fish, which they are very dexterous in catching.

They are never thoroughly tamed, and cannot be trusted without a chain.—They do not breed when in a state of confinement, even in their own country; but require to be at perfect freedom in their native woods.

THE MANGABY

is distinguished from all other Monkies by a very remarkable character. Its eye-lids are naked, of a pure white colour; and round each eye there is a prominent ring: The hair on the head and body is of a yellowish-brown colour; that on the belly white. Some of them have a broad collar of white hair surrounding their neck and face.—They are natives of Madagascar.



THE CALLITRIX, OR GREEN MONKEY,

fo called from its beautiful hair, which, on the upper part of the body and tail, is of a fine green colour; the throat, belly, and under fide of the limbs, are of a filvery whitenefs: The tail is eighteen inches long, length of the body thirteen, height eight and a half.

It is common in the Cape de Verd islands and the East-Indies; and is also found in Mauritan and in the territories of ancient Carthage.—Hence it is probable, says M. Buffon, that it was known to the Greeks and Romans: and that it was one of those long-tailed Monkies to which they gave the general name of Callitrix.

It feems to be the fame kind as that mentioned by Adanson; who relates that the woods of Podor, along the river Niger, are full of Green Apes, which, from their colour, are fearcely differnible among the branches of the trees where they live.

The animal from which the above was taken, was a female, in the possession of William Hargrave, esq; of Shawdon.



THE MUSTACHE

is a beautiful little animal, having a tuft of yellow hair on each cheek, and another on the top of the head, which is long and upright: Its face is of a bluish colour, body of a greenish ash, breast and belly lighter. Its length is only one foot; that of the tail eighteen inches.—It is a native of Guinea.

THE TALAPOIN

is a native of the East-Indies, where it is suffered to multiply without molestation, owing to the religious superstition of the bramins, which forbids them to take the life of any kind of animal whatever. They are so tame and familiar, that numbers of them frequently come into their tow is, enter the houses, and, if not prevented, help themselves to whatever they meet with that is agreeable to them; such as fruits, sweetmeats, &c.

The Talapoin is about twelve inches long: Its head is round; ears black, and shaped like the human; eyes of a bright hazel colour, with black pupils; the hair on the back, upper part of the body, and limbs, of a dusky yellow, tinged with green, the belly lighter; its tail very long, slender, and of an olive colour.





THE VARIED MONKEY, OR MONA,

is best known of all the Monkey tribe, being more frequently brought into Europe than any other. -- It is a native of Barbary and other northern parts of Africa, Arabia, and Persia; where it is called the Mona, from which our general term is derived.

Its nose is short and thick; its face of a dark-lead colour; the beard on each fide long, and of a greenish-yellow; the top of the head is bright-yellow, freckled with black; back and fides deep-brown, with black freckles; legs, feet, and tail, black; infide of the thighs of a pale blue colour, thinly covered with whitish hairs; and on each fide of the rump, close to the tail, is a large white fpot.

The drawing and description were taken from the living animal, in the possession of Robert Hedley, esq; of Newcastle. It was remarkably gentle, tame, and familiar; and feemed to have fome attachment to those with whom it was acquainted. Its length was eighteen inches; tail about two feet. It was fed with bread, roafted meat, and fruit of all kinds, of which it was particularly fond.

All the Baboons and Monkies we have yet described are furnished with cheek-pouches, capable of containing food sufficient to supply them for a day or two: They also serve as receptacles for whatever they obtain more than supplies their present wants. But we have thought it unnecessary to repeat this circumstance in the account of every animal of those kinds.

T H E D O U C

differs from other Monkies, in having no callofities on its buttocks, which are entirely covered with hair; it is also much larger, being nearly four feet high when erect. Its face is short, and rather slat, surnished on each side with long hairs, of a pale yellow colour; its body is beautifully variegated with differently coloured hair; round the neck there is a collar of a bluish-purple colour; the top of the head and body is grey; breast and belly yellow; arms white below, and black above; tail white; feet black; face and ears red; lips black; and round each eye there is a black ring.——It is found in Cochin-China, and in the island of Madagascar, where it is called the SIFAC.

M. Busson places the Douc in the last class of those animals of the Monkey kind that belong to the old continent; and describes it as forming a shade between them and the Monkies of America, which he distinguishes by the generic names of Sapajous and Sagoins.—They both of them differ from Monkies, in having neither cheek-pouches nor callosities on their buttocks; and they are distinguished from each other by characters peculiar to each. The Sapajou is furnished with a prehensile tail,

the under part of which is generally covered with a fmooth naked skin: The animal can coil it up or extend it at pleasure, suspend itself by its extremity on the branches of trees, or use it as a hand to lay hold of any thing it wants. The tails of all the Sagoins, on the contrary, are longer than those of the Sapajous, straight, flaccid, and entirely covered with hair.—This difference alone is sufficient to distinguish a Sapajou from a Sagoin.

We now proceed to the history and description of the most remarkable of this numerous race,

THE OUARINE, OR PREACHER,

is the largest of all the American Monkies, being about the size of a large Fox. Its body is covered with long smooth hair, of a shining black colour, forming a kind of ruff round the animal's neck: Its tail is long, and always twisted at the end.

Great numbers of these Monkies inhabit the woods of Brazil and Guiana; and, from the noise they make, are called Howling Monkies. Several of them assemble together; and placing themselves in a kind of regular order, one of them begins sirst with a loud tone, which may be heard to a great distance; the rest soon join in a general chorus, the most dissonant and tremendous that can be conceived: On a sudden they all stop, except the sirst, who sinishes singly; and the assembly breaks up.

These Monkies are said to be very sierce, and so wild and mischievous, that they can neither be conquered nor tamed.—They seed on fruits, grain, herbs, and sometimes insects; live in trees, and leap from bough to bough with wonderful agility, catching hold with their

hands and tails as they throw themselves from one branch to another, and maintain themselves so firmly, that, even when shot, they remain sixed to the trees where they die.

The flesh of the Ouarine is good; and is not only eaten by the natives, but also by Europeans who frequent those parts.

THE COAITA

is fomewhat less than the Ouarine. Its body and limbs are long and slender; hair black and rough; tail long, and naked on the under side.

This animal is found in the neighbourhood of Carthagena, in Guiana, Brazil, and Peru.—Great numbers affociate together.—They feldom appear on the ground; but live mostly in trees, and feed on fruits: When these are not to be had, they are said to eat sishes, worms, and insects; are extremely dexterous in catching their prey, and make great use of their tails in seizing it.

The Coaitas are very lively and active.—In passing from one tree to another, they sometimes form a chain, linked to each other by their tails; and swing in that manner till the lowest catches hold of a branch, and draws up the rest.—When fruits are ripe, they are generally fat; and their slosh is then said to be excellent.

There are many varieties of the Coaita, which differ chiefly in colour. Some are totally black, others brown, and some have white hair on the under parts of the body.

They are called *Spider Monkies* by Edwards, on account of the length and slenderness of their legs and tails.

M. Buffon supposes the Exquima to be another variety of this species.—It is nearly of the same size, but its colour is variegated. The hair on its back is black and yellow; its throat and belly white.—Its manner of living is the same with that of the Coaita, and it inhabits the same countries.—Both kinds are remarkable in having only four singers on each hand, being quite destitute of the thumb.

THE SAJOU, OR CAPUCIN.

There are two varieties of this species,—the Brown and the Grey; which, in other respects, are perfectly similar. Their faces are of a sless colour, thinly covered with down; tails long, sull of hair on the upper side, naked below, and prehensile; hands black and naked; length of the body about twelve inches.

These animals inhabit Guiana, are extremely lively and agile, and their constitution seems better adapted to the temperate climates of Europe than most of the Sapajou kind. M. Busson mentions a few instances of their having produced in France.

The Sajous are very capricious in their attachments, being fond of particular persons, and discovering the greatest aversion to others.

THE SAI, OR WEEPER,

inhabits Brazil; is very mild, docile, and timid; of a grave and ferious aspect; has an appearance of weeping; and when irritated, makes a plaintive noise.—It is about fourteen inches long; the tail longer than the body; hair on the back and sides of a deep brown colour, mixed

with red on the lower parts.—There is a variety with white hair on the throat and breast.

Great numbers of these creatures assemble together, particularly in stormy weather, and make a great chattering.—They live much in trees, which bear a podded fruit as large as beans, on which they principally feed.

THE SAIMIRI, OR ORANGE MONKEY,

is a most beautiful animal; but so extremely delicate, that it cannot well bear to be brought from its own climate to one less warm and temperate.

It is about the fize of a Squirrel: Its head is round; eyes remarkably lively and brilliant; ears large; hair on the body short and fine, of a shining gold colour; feet orange; its tail is very long: Its prehensile faculty is much weaker than the rest of the Sapajous; and on that account, it may be said to form a shade between them and the Sagoins, which have long tails, entirely covered with hair, but of no use in suspending their bodies from the branches of trees or other objects.

The SAKI

is fometimes called the Fox-TAILED Monkey; because its tail, like that of the Fox, is covered with long hair. Its body is about seventeen inches in length; hair long,—of a dark brown colour on the back, lighter on the under side; its face is tawny, and covered with a sine short whitish down; the forehead and sides of the face are white; its hands and feet are black, with claws instead of nails.

The Saki is a native of Guiana, where it is called the Saccawinkee.

THE TAMARIN

is about the fize of a Squirrel: Its face is naked, of a fwarthy flesh colour; its upper lip somewhat divided; its ears are very large and erect, from whence it is called the Great-eared Monkey; its hair is soft, shaggy, and of a black colour; hands and feet covered with orange-coloured hair, very fine and smooth; its nails long and crooked; tail black, and twice the length of its body.

The Tamarin inhabits the hotter parts of South-America; is a lively, pleasant animal; easily tamed; but so delicate, that it cannot bear a removal to a less temperate climate.





THE OUSTITI, OR CAGVI,

is still smaller than the Tamarin; its head and body not exceeding seven inches in length: Its tail is long, bushy, and, like that of the Macauco, marked with alternate rings of black and ash colour; its face is naked, of a swarthy slesh colour; ears large, and like the human; body beautifully marked with dusky, ash-coloured, and reddish bars; its nails are sharp; and its singers like those of a Squirrel.

The Oustiti inhabits Brazil; feeds on fruits, vegetables, infects, and snails; and is fond of fish.

Mr Edwards gives a description of one of these animals, accompanied with an excellent figure.—He says, that, one day being at liberty, it darted upon a small gold-fish that was in a bason, which it killed and devoured with avidity; and that afterwards small eels were given to it, of which it seemed at first afraid, from their twisting themselves round its neck; but that it soon overcame and eat them.—He likewise says, that the Oustiti produced young ones in Portugal, which at first were extremely ugly, having hardly any hair on their bodies.

They adhered closely to the teats of the mother; and, when grown a little larger, fixed themselves upon her back, from whence she could not easily disengage them, without rubbing them off against a wall: Upon these occasions, the male always allowed them to mount upon his back to relieve the female.

THE MARIKINA

is by fome called the Lion-Ape, from the quantity of hair which furrounds its face, falling backwards like a mane; its tail is also fomewhat bushy at the end: Its face is flat, and of a dull purple colour; its hair long, bright, and silky,—from whence it is likewise called the Silky Monkey; it is of a pale yellow colour on the body; the hair round the face of a bright bay, inclining to red; its hands and seet are without hair, and of the same colour as the face; its body is ten inches long, tail thirteen.

This creature is a native of Guiana, is very gentle and lively, and feems to be more hardy than the other Sagoins.—Buffon fays, that one of them lived at Paris feveral years, with no other precaution than keeping it in 2 warm room during winter.





THE PINCHE, OR RED-TAILED MONKEY,

is somewhat larger than the Oustiti.—It is remarkable in having a great quantity of smooth white hair, which falls down from the top of its head on each side, forming a curious contrast with its face, which is black, thinly covered with a sine grey down: Its eyes are black and lively; throat black; hair on the back and shoulders of a light reddish-brown colour; breast, belly, and legs, white; the tail is long, of a red colour from the rump to the middle, from thence to the end it is black.

The Pinche inhabits the woods on the banks of the river of Amazons; is a lively, beautiful little animal; has a foft whistling voice, resembling more the chirping of a bird than the cry of a quadruped.——It frequently walks with its long tail over its back.





THE MICO, OR FAIR MONKEY,

is the last that we shall describe of this numerous race, and is the most beautiful of them all.—Its head is small and round; face and ears of so lively a vermilion colour, as to appear the effect of art; its body is covered with long hair, of a bright silvery whiteness, and uncommon elegance; tail long, and of a shining dark chesnut colour.

It frequents the banks of the river of Amazons, where it was discovered by M. Condamine, who preserved one alive till almost within sight of the French coast; but it died before his arrival.

We have now laid before our readers a few of the most noted varieties of this numerous race: Many others might likewise be added to swell the account; but of these, little more is known than their names and places of habitation. There are, probably, still more, which neither the assiduity of the naturalist, nor the curiosity of the traveller, has been able to draw from their native woods. Indeed, there is great room to conjecture, that the variations of the Monkey kind are somewhat like

those of the Dog, continually encreasing; for it is very obvious, that, among the smaller kinds of Monkies, the characteristic differences do not appear to be great, however they may vary in size or in colour; and it is certain, that the modes of living, faculties, and propensities of these animals, are strikingly similar: So that, if we reason from analogy on this subject, we may fairly conclude, that different kinds of Monkies may unite and propagate with the same facility as the Goat and the Sheep, or the almost innumerable kinds of Dogs.

The greater part of the cuts we have given of the Baboons, Apes, and Monkies, we were fortunate in procuring from living subjects, or drawings which might be depended on: And it is to be lamented, that, amongst the numbers that have been published, so few should possess that peculiar character so observable in the various members of this imitative tribe, which it is wholly impossible to trace from a stuffed skin, void of every kind of expression; the muscular parts, which should convey the idea of action, being generally ill supplied, or entirely wanting.





THE PORCUPINE.

HIS animal, fo formidable in its appearance, would be much more truly fo, if it possessed the power erroneously ascribed to it, of darting its quills at its enemies, and wounding them at a distance.

Though denied the privilege of making offensive war, it is sufficiently armed to resist the attacks of animals much more powerful than itself.—Upon the smallest irritation, it raises its quills, and shakes them with great violence, directing them to that quarter from whence it is in danger of being attacked, and striking at the object of its resentment with its quills at the same time. We have observed, on an occasion of this fort, at a time when the animal was moulting or casting its quills, that they would sly out, to the distance of a sew yards, with such force, as to bend the points of them against the board where they struck; and it is not improbable, that a circumstance of this kind may have given rise to an opinion of its power to use them in a more effectual manner.

The largest of the quills are from ten to sisteen inches in length, thick in the middle, and extremely sharp at the end: Between the quills, the hair is thin, black, and briftly: The tail is covered with white quills, which are fhort and transparent: Its legs are short; and it has four toes before, and five behind.

The Porcupine is found in India, Persia, and Palestine: It is likewise common in all parts of Africa.-The Indians hunt it for its quills, of which they make a kind of embroidery: They also eat its flesh.

There are Poreupines in a wild state in Spain and Italy, though they are not originally natives of any part of Europe.—Their flesh is sometimes exposed in the markets at Rome, where it is eaten.

The Italian Porcupines have shorter quills, and a leffer crest, than those of Asia or Africa.

The Porcupine is an inoffensive animal; lives on fruits, roots, and vegetables; fleeps during the day, and feeds by night.

The female goes with young feven months, and brings forth one at a time. The drawing of this animal was made from the life.





THE BRAZILIAN PORCUPINE

differs so greatly from the last, that it can scarcely be said to bear any relation to it, except in its being covered with spines about three inches in length: They are white, very sharp, and have a bar of black near the points. The breast, belly, and lower part of the legs, are covered with strong bristly hairs of a brown colour. Its tail is long and slender, and almost naked at the end: The animal uses it in descending trees, by twisting it round the branches.

It inhabits Mexico and Brazil, lives in woods, and feeds on fruits and fmall birds. It preys by night, and fleeps in the day. It makes a noise like the grunting of a Swine, and grows very fat.—Its sless is white, and esteemed good to eat.



THE COENDOU

of M. Buffon, which he likewise calls the BRAZILIAN PORCUPINE, inhabits the same countries with the last, and its habits and mode of living are similar; but, in respect to its sigure, it seems to be a very different animal. Its ears are short, and hid in the hair; its head, body, and upper part of its tail, are covered with long soft hair, in which are interspersed a number of strong sharp spines; its tail is shorter than that of the preceding species, and it uses it in the same manner in descending trees, frequently suspending itself from the branches.

An animal, similar to this, is found in Canada, and various parts of North-America, as high as Hudson's Bay.—It is called the URSON, or CANADA PORCUPINE.

Many of the trading Indians, during their long excurfions, depend on this creature for a supply of food, and esteem it both wholesome and pleasant: They also make use of the quills to trim the edges of their deer-skin habits, so as to look like fringe; and stick them in their noses and ears to make holes for their rings.



THE HEDGE-HOG, OR URCHIN,

is provided by Nature with a spinous armour, which secures it from the attacks of all the smaller beasts of prey; such as Weasels, Martins, Polecats, &c.—When alarmed, it immediately collects itself into the form of a ball, and presents on all sides a surface covered with sharp points, which sew animals are hardy enough to engage. The more it is harrassed, the closer it rolls itself; till its sears become an additional means of safety, by causing it to void its urine, which, running over its whole body, frequently obliges its enemy to desist, disgusted by the smell.

There are few Dogs that will venture to attack the Hedge-hog, except such as are trained to the sport, merely to gratify the cruel pleasure of seeing a harmless animal endure, with astonishing patience, the most wanton outrages; whilst the Dogs, becoming more enraged at the wounds they receive from its prickles, at last oblige it to unfold itself; and it then soon falls a victim to their sury.

The Hedge-hog generally resides in small thickets and hedges; lives on sruits, worms, beetles, and all kinds of

infects; conceals itself in the day, and feeds during the night.—It is easily taken; for it neither slies nor attempts to defend itself; but, when touched, shrinks ito its circular form, which it will not easily quit, unless thrown into water.

The Hedge-hog, in the winter, wraps itself up in a warm nest, made of moss, dried grass, and leaves; and sleeps out the rigours of that season. It is frequently found so completely encircled with herbage on all sides, that it resembles a ball of dried leaves. When taken out and placed before a fire, it soon recovers from its torpid state.



THE TENDRAC

is about the fize of a Rat. The upper part of its body is covered with spines, shorter and smaller than those of the Hedge-hog, which it somewhat resembles, but does not roll itself up like that animal; the rest of the body is covered with a kind of sine hard hair, of a whitish colour; about the head and nose it has several long hairs, like whiskers.

An animal fimilar to this is mentioned by M. Buffon, under the name of



THE TANREC;

which is larger than the last, and has fewer bristles: They only occupy the top of the head, and along the back as far as the shoulders; those on the neck are the longest, and stand erect: The rest of the body is covered with a bristly kind of hair, of a yellowish colour, among which are intermixed some black hairs, much longer than the other. Its nose is long, and its ears more apparent than those of the Tendrac.

Both these animals are natives of India.—They make a grunting noise, and are fond of wallowing in mud, like Hogs: They frequent the banks of rivers, can live a long time in the water, and are frequently caught in small inlets of the sea: They dig holes in the ground, where they continue in a kind of torpid state during several months.—They are generally very sat; and the Indians eat their sless, though it is reckoned insipid and stringy.



THE OTTER.

A LTHOUGH the Otter is not confidered by naturalists as wholly amphibious, it is nevertheless capable of remaining a confiderable time under water, and can pursue and take its prey in that element with great facility.

Its legs are very short, but remarkably strong, broad, and muscular; on each foot are five toes, connected by strong membranes, like those of water fowl; its head is broad, of an oval form, and slat on the upper part; the body is long and round, and the tail tapers to a point; the eyes are brilliant, and placed in such a manner, that the animal can see every object that is above it, which gives it a singular aspect, very much resembling an eel or an asp: The ears are short, and their orifice narrow.

The fur of the Otter is of a deep brown colour, with two small light spots on each side of the nose, and another under the chin.

This animal makes its nest in some retired spot by the side of a lake or river, under a bank, where it has an easy and secure access to the water, to which it immediately slies upon the least alarm; and, as it swims with great rapidity, generally escapes from its pursuers.

It destroys great quantities of fish; and, in pursuit of its prey, has been observed commonly to swim against the stream.

As foon as the Otter has caught a fish, it immediately drags it to the shore; devours a part, as far as the vent; and, unless pressed by extreme hunger, always leaves the remainder, and takes to the water in quest of more.

Otters are generally taken in traps placed near their landing places, where they are carefully concealed in the fand.—When hunted with Dogs, the old ones defend themselves with great obstinacy: They bite severely, and do not readily quit their hold where they have once fastened. An old Otter will never give up while it has life; nor make the least complaint, though wounded ever so much by the Dogs, nor even when transfixed with a spear.

There are many instances of Otters being tamed; but in those which have come to our knowledge, they were taken when young, accustomed by degrees to obedience and restraint, and became so far domesticated as to sollow their master, answer to a name, and employ their excellent talents at sishing in his service.

Otters, when taken young, may be easily reared and made tame.—We have feen two young ones sucking a Bitch, and treated by her with as much tenderness as her own offspring.

William Collins, of Kimmerston, near Wooler, had a tame Otter, which followed him wherever he want. He

frequently carried it to fish in the river; and, when satiated, it never sailed returning to its master. One day, in the absence of Collins, being taken out by his son to fish, instead of returning as usual, it refused to come at the accustomed call, and was lost. The sather tried every means to recover it; and after several days search, being near the place where his son had lost it, and calling it by its name, to his inexpressible joy, it came creeping to his feet, and shewed many genuine marks of affection and firm attachment.—Its food, exclusive of fish, consisted chiefly of milk and hasty-pudding.

Some years ago, James Campbell, near Inverness, had a young Otter, which he brought up and tamed. It would follow him wherever he chose; and, if called on by its name, would immediately obey. When apprehenfive of danger from Dogs, it fought the protection of its mafter, and would endeavour to fly into his arms for greater fecurity. - It was frequently employed in catching fish, and would fometimes take eight or ten salmons in a day. If not prevented, it always made an attempt to break the fish behind the fin next the tail; and as soon as one was taken away, it immediately dived in pursuit of more. When tired, it would refuse to fish any longer; and was then rewarded with as much as it could devour. Being fatisfied with eating, it always curled itself round and fell asleep; in which state it was generally carried home.—The same Otter fished as well in the sea as in a river, and took great numbers of codlings and other fish.---Its food was generally fresh fish, and sometimes milk.

Another person, who kept a tame Otter, suffered it to follow him with his Dogs. It was very useful to him in

fishing, by going into the water, and driving trouts and other fish towards the net —It was remarkable, that the Dogs, though accustomed to the sport, were so far from giving it the smallest molestation, that they would not even hunt an Otter whilst it remained with them; on which account the owner was under the necessity of disposing of it.

Notwithstanding the Otter's avidity for fish, it will not eat it, unless it be perfectly fresh. When that cannot be procured, it is fed with milk, or pudding made of oatmeal, &c.


Otters are found in most parts of the world, with no great variation.—They are common in Guiana, and frequent the rivers and marshes of that country. They are sometimes seen in great numbers together; and are so sierce, that it is dangerous to come near them. They live in holes, which they make in the banks of the rivers.

The Otters of Cayenne are very large, weighing from ninety to one hundred pounds. They frequent the large rivers of that country. Their cry is loud, and may be heard at a great distance. They are of a dark brown colour.—Their fur is shorter than that of the Beaver, and very soft.

The SMALL OTTER, found in Poland and the North of Europe, is much less than the common Otter, and of a dusky brown colour. Its feet are broad, webbed, and covered with hair.—Its fur is very valuable, being next in beauty to that of the Sable.

This Otter is found also in North-America, where it is called the MINX; frequents the water, and lives on

fish; is fond of poultry; frequently steals into the hen roosts, bites off the heads of the fowls, and sucks their blood; is very fetid; and, when irritated, has a most loathsome smell.—Its length, from nose to tail, is twenty inches; tail four.—Its fur is of a dark brown colour, very glossy and beautiful.



THE SEA-OTTER.

Vast numbers of these animals inhabit the coast of Kamtschatka, and the numerous islands contiguous to it, as well as the opposite coasts of America: They are also found in some of the larger rivers of South-America.

Their skins are of great value, and have long formed a considerable article of export from Russia. They dispose of them to the Chinese at the rate of seventy or a hundred rubles each, and receive in return some of their most valuable commodities.

The fur of the Sea-Otter is thick and long, of a beautiful shining black colour, but sometimes of a silvery hue; the legs are thick and short; the toes joined by a

web; the hind feet like those of a Seal; length, from nose to tail, four fect two inches; tail thirteen, slat, and pointed at the end.—The largest of them weigh from seventy to eighty pounds.

The Sea-Otter is remarkably harmless, and most affectionately fond of its young: It will pine to death for its loss, and die on the very spot where it has been taken away. Before its young can swim, it will carry it in its paws, and support it in the water, laying upon its back.—It swims in various positions,—on its back, sides, and even in a perpendicular posture; and in the water is very sportive.—Two of them are sometimes seen embracing each other.—It frequents shallow places, abounding with sea-weed; and feeds on lobsters, crabs, and other shell-sish.

It breeds but once a year, and produces one young at a time, which it fuckles and carefully attends almost a year.

The flesh of a young Ottter is reckoned delicate eating, and not easily distinguished from that of a lamb.





THE SLOTH,

F all animals, is the most sluggish and inactive; and, if we were to judge from outward appearance, would seem the most helpless and wretched. All its motions seem to be the effect of the most painful exertion, which hunger alone is capable of exciting.

It lives chiefly in trees; and having ascended one with infinite labour and disficulty, it remains there till it has entirely stripped it of all its verdure, sparing neither fruit, blossom, nor leaf; after which it is said to devour even the bark. Being unable to descend, it throws itself on the ground, and continues at the bottom of the tree till hunger again compels it to renew its toils in search of subsistence.

Its motions are accompanied with a most piteous and lamentable cry, which terrifies even beasts of prey, and proves its best defence.

Though flow, aukward, and almost incapable of motion, the Sloth is strong, remarkably tenacious of life, and capable of enduring a long abstinence from food. We are told of one that, having sastened itself by its seet to a pole, remained in that situation forty days without the least sustenance.—The strength in its legs and seet is


fo great, that, having feized any thing, it is almost impossible to oblige it to quit its hold. The same animal laid hold of a Dog that was let loose upon it, and held him fast with his feet till he perished with hunger.

There are two kinds of Sloths, which are principally distinguished by the number of their claws.—The one, called the Ai, is about the size of a Fox, and has three long claws on each foot: Its legs are clums, and aukwardly placed; and the fore legs being longer than the hind, add greatly to the disculty of its progressive motion: Its whole body is covered with a rough coat of long hair, of a lightish-brown colour, mixed with white, not unlike that of a Badger; and has a black line down the middle of the back; its face is naked, and of a dirty white colour; tail short; eyes small, black, and heavy. It is found only in South-America.

The UNAU has only two claws on each foot: Its head is short and round, somewhat like that of a Monkey; its ears are short; and it has no tail. It is found in South-America, and also in the Island of Ceylon.

The flesh of both kinds is eaten.—They have several stomachs, and are said to belong to the tribe of ruminating animals.





THE ANT-EATER.

THERE are feveral animals distinguished by the common name of Ant-eaters, which differ greatly in form. They are divided into three classes; viz. the Great, the Middle, and the Lesser Ant-eater.

The GREAT ANT-EATER is nearly four feet in length, exclusive of its tail, which is two and a half. It is remarkable for the great length of its fnout, which is of a cylindrical form, and ferves as a sheath to its long and slender tongue, which always lies folded double in its mouth, and is the chief instrument by which it finds fubfiftence.

This creature is a native of Brazil and Guiana, runs flowly, frequently fwims over rivers, lives wholly on ants, which it collects by thrusting its tongue into their holes, and having penetrated every part of the nest, withdraws it into its mouth loaded with prey.

Its legs are fo strong, that few animals can extricate themselves from its gripe. It is said to be formidable

even to the Panthers of America; and sometimes fixes itfelf upon them in such a manner, that both of them fall and perish together; for its obstinacy is so great, that it will not extricate itself from its adversary even after he is dead.


The flesh has a strong disagreeable taste, but is eaten by the Indians.

The MIDDLE ANT-EATER is one foot seven inches from nose to tail. It inhabits the same countries, and procures its food in the same manner, as the last. Its tail is ten inches long, with which it secures its hold in climbing trees by twisting it round the branches.

Both these animals have four strong claws on the fore feet, and five on the hind.

The Lesser Ant-eater has a sharp-pointed nose, inclining a little downward: Its ears are small, and hid in the fur: It has two strong hooked claws on the fore feet, the outward one being much the largest; and sour on the hind feet: Its fur is long, soft, and silky,—of a yellowish-brown colour: Its length, from nose to tail, is seven inches and a half; tail above eight, thick at the base, and taper to the end.—It inhabits Guiana; climbs trees in quest of a species of ants which build their nests among the branches.

Animals of this kind are found in Ceylon and the Cape of Good Hope.—Kolben describes the latter as having long heads and tongues; that they feed on ants; and are so strong, that, if they fasten their claws in the ground, they cannot easily be pulled away.—It is ealled in Ceylon the Talgoi, or Ant-Bear.



THE GREAT MANIS, OR PANGOLIN.

THIS fingular animal is defended by a coat of mail, which protects it from the attacks of the most powerful animals. All the upper parts of its body are closely covered with scales of different sizes, which it can erect at pleasure, opposing to its adversary a formidable row of offensive weapons. The Tiger, the Panther, or the Leopard, in vain attempt to force it. The moment it perceives the approach of an enemy, it rolls itself up like a Hedge-hog, and by that means secures all the weaker parts of its body.

It is a native of Formosa and the Indian isles; is likewise found in Guinea, where it feeds on ants, which it takes by laying out its long red tongue, covered with an unctuous slime, across the paths of those insects.

It is flow in its motions; grows to the length of eight feet, including its tail, which is four.

Its slesh is much esteemed for its delicacy; but it is disficult to procure, as the animal avoids mankind, and lives in obscure retreats, in woods, and marshy places.

THE PHATAGIN, OR LONG-TAILED MANIS,

is less than the Pangolin, being not more than a foot long from head to tail. Its body is covered with sharp-pointed scales; its throat and belly with hair: Its legs are short; and each foot has four claws. It is remarkable for the great length of its tail, which in some is above a yard long.

It is a native of Guinea, has been fometimes called the SCALY LIZARD, and may be faid to be the connecting link in the chain of being between quadrupeds and reptiles.

THE ARMADILLO

Is found only in South-America, where there are feveral varieties of them.—They are all covered with a strong crust or shell, and are distinguished from each other by the number of the slexible bands of which it is composed.

It is a harmless, inosfensive animal; feeds on roots, fruits, and other vegetables; grows very fat; and is greatly esteemed for the delicacy of its sless.

The Indians hunt it with small Dogs, trained for that purpose.—When surprised, it runs to its hole, or attempts to make a new one, which it does with great expedition, having strong claws on its fore seet, with which it adheres so firmly to the ground, that if it should be caught by the tail whilst making its way into the earth, its resistance is so great, that it will sometimes leave it in the hands of its pursuers: To avoid this, the

hunter has recourse to artifice; and by tickling it with a stick, it gives up its hold, and suffers itself to be taken alive. If no other means of escape be left, it rolls itself up within its covering by drawing in its head and legs, and bringing its tail round them, as a band to connect them more forcibly together: In this situation it sometimes escapes by rolling itself over the edge of a precipice, and generally falls to the bottom unhurt.

The most successful method of catching Armadillos is by snares laid for them by the sides of rivers or other places where they frequent.—They all burrow very deep in the ground, and seldom stir out, except during the night, whilst they are in search of food.

To give a minute description of the shells or coverings of the Armadillos, would be extremely difficult; as they are all composed of a number of parts, differing greatly from each other in the order and disposition of the sigures with which they are distinguished: But it may be necessary to observe, that in general there are two large pieces that cover the shoulders and the rump, between which lie the bands, which are more or less in number in different kinds. These bands are not unlike those in the tail of a lobster; and, being slexible, give way to the motions of the animal.—The sirst we shall mention is

THE TATUAPARA, OR THREE-BANDED ARMADILLO.

Its shell is about twelve inches long, with three bands in the middle: The crust on the head, back, and rump, is divided into a number of elegant raised figures, with five angles or sides: Its tail is not more than two inches long: It has neither cutting nor canine teeth; and has five toes on each foot.




THE TATOU, OR SIX-BANDED ARMADILLO,

is about the fize of a young Pig. Between the folds of the bands there are a few scattered hairs: Its tail is long, thick at the base, and tapers to a point.——It is found in Brazil and Guiana.

THE TATUETTE

is furnished with eight bands. Its ears are long and upright; eyes small and black: It has four toes on the fore feet, and five on the hind: Its length, from nose to tail, is about ten inches; the tail nine.——It inhabits Brazil, and is reckoned more delicious eating than the others.





THE NINE-BANDED ARMADILLO

has a tenth band, moveable half way up on each fide: The shell on the shoulders and rump is marked with hexangular figures; the breast and belly are covered with long hairs; its tail is long and taper; and the whole animal three feet in length.

One of this kind was brought to England a few years ago from the Musquito shore, and lived some time. It was fed with raw beef and milk, but refused to eat our fruits and grain.






THE KABASSOU

is furnished with twelve bands, and is the largest of all the Armadillos, being almost three feet long from nose to tail: The figures on the shoulders are of an oblong form; those on the rump hexangular. It is seldom eaten.

THE WEASEL-HEADED ARMADILLO,

fo called from the form of its head, which is slender, has eighteen bands from its shoulder to its tail: The shell is marked with square sigures on the shoulders; those on the legs and thighs are roundish: The body is about sisten inches long; tail sive.

All these animals have the power of drawing themselves up under their shells, either for the purpose of repose or safety. They are furnished with strong lateral muscles, consisting of numerless fibres, crossing each other in the form of an X, with which they contract themselves so powerfully, that the strongest man is scarcely able to force them open.—The shells of the larger Armadillos are much stronger that those of the smaller kinds. Their sless likewise harder, and more unsit for the table.



THE WALRUS, OR SEA-HORSE.

most constantly in the water, and which seem to partake greatly of the nature of fishes, that are nevertheless classed by naturalists under the denomination of quadrupeds; and being perfectly amphibious, living with equal ease in the water as on land, may be considered as the last step in the scale of Nature, by which we are conducted from one great division of the animal world to the other.—Of these the Walrus is the most considerable for its size, being sometimes found eighteen seet in length, and twelve in circumference at the thickest part: It is likewise remarkable for two large tusks in the upper jaw, which sometimes exceed two seet in length, and weigh from three to twenty pounds each.

The head of the Walrus is round; its lips very broad, and covered over with thick pellucid briftles; its eyes small and red; instead of ears, it has two small orifices; and above the whiskers, semicircular nostrils, through

which it throws out water like the whale, but with much less noise: Its skin is thick and wrinkled, and has a thin covering of short brownish hair: Its legs are short: It has sive toes on each foot, connected by membranes; and on each toe a small nail: The hind seet are very broad, and extended nearly on a line with the body.

The Walrus is chiefly found in the northern feas.—Great herds of them are fometimes feen together on the fea shore, or sleeping on an island of ice. When alarmed, they instantly throw themselves into the water with great precipitation. If wounded, they become bold and furious, and unite in the defence of each other: They will attack a boat, and endeavour to sink it by striking their great teeth into its sides, at the same time bellowing in a most hideous manner.

It is hunted for its teeth, which are equal to those of the Elephant for durability and whiteness.

An ordinary Walrus is faid to yield half a ton of oil, equal in goodness to that of the whale.

The female produces one or two young at a time, which she suckles upon land.

In climbing upon the ice, the Walrus makes use of its teeth as hooks to secure its hold, and draw its great unwieldy body after it.

It feeds on fea-weeds and shell-fish, which it is faid to disengage from the rocks to which they adhere with its tusks.

The White Bear is its greatest enemy.—In the combats between these animals, the Walrus is said to be generally victorious on account of the desperate wounds it inslicts with its teeth.



T H E S E A L

is found, with some variety in almost every quarter of the globe: In the northern seas of Asia, Europe, and America, as well as the less frequented regions towards the south pole.

Its usual length is from five to fix feet. The body is closely covered with short hair of various colours, smooth and shining; its tongue is forked at the end; it has two canine teeth in each jaw, fix cutting teeth in the upper, and four in the lower; it has five toes on each foot, surnished with strong sharp claws, which enable it to climb the rocks, on which it frequently basks.

It fwims with great strength and swiftness, is very playful, and sports without fear about ships and boats.—
It feeds on various kinds of fish, and is frequently seen near the shore in pursuit of its prey.

Seals are found in great abundance on the coasts of Great-Britain; particularly in the deep recesses and caverns in the northern parts of the island, where they refort in the breeding time, and continue till the young ones are old enough to go to sea.

The time for taking Seals is in the month of October, or the beginning of November. The hunters, provided

with torches and bludgeons, enter the mouths of the caverns about midnight, and row in as far as they can: They then land; and, being properly stationed, begin by making a great noise, which alarms the Seals, and brings them down from all parts of the cavern in a confused body, making frightful shrieks and cries. In this hazardous employment, great care is necessary on the part of the hunters to avoid the throng, which presses down with great impetuosity, and bears away every thing that opposes its progress; but when the first crowd is past, they kill great numbers of young ones, which generally straggle behind, by striking them on the nose.

A young Seal yields above eight gallons of oil.—When full grown, their skins are very valuable, and make a beautiful kind of leather, much used in making shoes, &c.

The flesh of the Seal is sometimes eaten; and that it was formerly admitted to the tables of the great, may be seen in the bill-of-sare of a sumptuous entertainment given by archbishop Nevil in the reign of Edward the Fourth.

The growth of Seals is fo amazingly rapid, that after nine tides from their birth they are as active as the old ones.

The female brings forth her young on the land, fits on her hind legs while she suckles them, and, as soon as they are able, carries them to sea, learns them to swim and search for food: When they become fatigued, she places them on her back.—The young ones know the voice of their mother, and attend to her call.


The voice of the Scal has been compared to the hearfe barking of a Dog; when young, it is clearer, and refembles the mewing of a Cat.


47I

Seals are likewise found in the Mediterranean and Caspian seas, in the lake Baikal, and some of the larger lakes. These are smaller than the salt-water Seals; but so fat, that they seem almost shapeless.

THE HOODED SEAL

is found in the South of Greenland; and is distinguished by a thick fold on its forehead, with which it can cover its eyes and nose. Its hair is white, with a thick coat of black woolly hair underneath, which makes it appear of a fine grey colour.—The hunters say, that it is not easily killed till the covering on its head is removed.





THE URSINE SEAL, OR SEA-BEAR,

is much larger that the common Seal, being eight feet in length, and weighing eight hundred pounds.

These animals are found among the islands which lie between Kamtschatka and America; also on the coasts of New Zealand, Staten Island, New Georgia, and Falkland's Islands.-They lie in thousands on the shore, in feparate families, each confifting of above an hundred. One male will fometimes have fifty females, which he guards with extreme jealoufy. They are excessively fat and indolent, fometimes fcarcely ever moving from the place where they lie for the space of three months; during which time the females breed and fuckle their young. If another approach their station, they are roufed from their supineness: A battle ensues, which frequently becomes general, and spreads confusion through the whole fliore. These conslicts are extremely violent; and the wounds given are very deep, resembling a cut with a fabre.

The attachment of the male to the young is very strong: He defends them with great obstinacy, and frequently revenges their loss upon the semale, whom he beats most cruelly; whilst she crawls to his feet, and seems to deprecate his wrath with the most obsequious.

The female generally brings forth one, feldom two, at a time.

They swim with great ease, at the rate of about seven miles in an hour.—When wounded, they will seize on a boat, carry it along with them, and sometimes sink it.—They can continue a long time under water.—In climbing rocks, they sasten their fore paws, and draw themselves up.

These, and all the Seal kind, will live a long time after receiving the most dreadful wounds; but the most trifling blow on the snout or forehead instantly kills them.

The general colour of these animals is black. They are covered with a coat of long rough hair, under which is a soft down of bay colour. On the neck of the old ones, the hair is erected, and a little longer than the rest.

The fat and flesh of the old males are very nauseous; but those of the semales and the young, when roasted, are said to be as good as the slesh of a sucking pig.



T H E B A T.

other quadruped by being furnished with wings, and seems to possess a middle nature between four-sooted animals and birds: It is allied to the one by the faculty of flying only, to the other both by its external and internal structure: In each respect it has the appearance of an impersect animal. In walking, its feet seem to be entangled with its wings, and it drags its body on the ground with extreme aukwardness. Its motions in the air do not seem to be performed with ease: it raises itself from the ground with dissipative, and its slight is laboured and ill-directed; from whence it has very significantly been called the FLITTER-Mouse.—There are several varieties of the Bat kind.



THE SHORT-EARED BAT

is found in almost every part of Europe, and is most commonly known in Great Britain.—Its usual length is about two inches and a half; the extent of the wings nine inches.

It makes its first appearance early in the summer. It fleeps during the day, and begins its flight in the dusk of the evening. It frequents the fides of woods, glades, and fliady walks; and is frequently observed to skim along the furface of the water in quest of gnats and other infects, which are its principal food.

Its membranes or wings are of a dusky colour, and very thin: They extend from the fore feet to the tail. The hind feet are divided into five toes, furnished with claws; The body is covered with a short soft fur, of a mouse-colour, tinged with red: The eyes are very small; and the ears like those of a Mouse: It has four cutting teeth in the upper jaw, and fix in the under.

The female produces two young at a time, which she fuckles at her breast; and is faid to carry them when flying.

Towards the end of summer, the Bat retires into caves, old buildings, or hollow trees, where it remains in a state of inactivity. During winter, some cover themselves with their wings as with a mantle, and sufpend'themselves by the hind feet; others slick fast to old walls; and fome retire into holes.







THE LONG-EARED BAT

is only an inch and three quarters in length: The extent of its wings is feven inches; its ears are above an inch long, very thin, and almost transparent; within each of them there is a membrane, refembling an ear, which may possibly ferve as a valve to defend the organs of hearing during its inactive state.

THE NOCTULE, OR GREAT BAT,

is found in Great-Britain, but is not fo common as the two last mentioned: It is likewise found in France, and is common in various parts of Russia.

Its length is nearly three inches; that of the tail one and feven-tenths; the extent of the wings thirteen inches; the ears are short, the hair of a reddish-ash colour, and on the chin there is a very small wart.

THE PIPISTRELLE

is the smallest, and its appearance the least disgusting, of all Bats. Its length is not quite one inch and a quarter; the extent of its wings six and a half; its nose is small, ears broad, and its forehead covered with long hairs; the upper part of the body is of a yellowish-brown colour, the lower part dusky, and the lips yellow.—It inhabits France, and is common in Russia and Siberia.

THE BARBASTELLE

is distinguished by the shortness of its face, almost concealed by its large broad ears; the bases of which touch each other, and cover the forehead and eyes: Its cheeks are full, and its lips hairy; its nose is very short, and the end of it slat. Its length is about two inches; the extent of the wings ten and a half.—It is found in France.

THE SEROTINE

is about the fize of the common Bat; its nose is somewhat longer; its ears are short, and broad at the base; the hair on the upper part of the body is of a light-brown or rust colour, and the belly paler.—It is likewise sound in France.

THE HORSE-SHOE BAT

is distinguished by a membrane surrounding its nose and upper lip somewhat in the form of a horse-shoe, from whence it derives its name. Its ears are long, very broad at the base, and are not surnished with a smaller or in-

ternal ear, common to almost all the Bat kind: The upper part of the body is of an ash colour, the belly whitish.—They vary in fize: The largest are about three inches and a half long from the nofe to the end of the tail; the extent of the wings is above fourteen.

This kind is very common in France; and is the last of feven distinct species described by M. Buffon as natives of that climate - Thefe are all equally harmless, diminutive, and obscure; shunning the light, and endeavouring to conceal themselves in holes and caverns. They never come out, but during the night, in quest of food; and return at day-break to their dreary habitations. -- But under the influence of a warmer climate, the Bat affumes a very different character, and possesses powers which render it formidable to mankind, and a fcourge to those countries where it is found. Some of them are as large as a well-grown pullet; and fo numerous, that they frequently darken the air as they fly. They are fond of blood, and will attack men whom they find afleep; they arc faid to introduce their sharp-pointed tongues into a vein, fucking the blood till they are fatiated, without awaking the fufferer.

The ancients had an imperfect knowledge of these animals; and from their aptness to convert every object of terror into an imaginary being, it is probable they had conceived the idea of Harpies, from the cruelty, voracity, and difgusting deformity of these creatures.

These monsters inhabit Madagascar, and all the islands of the Indian Ocean: They have likewise been found in New Holland, the Friendly Isles, the New Hebrides, and New Caledonia.



THE ROUSETTE, OR GREAT TERNATE BAT,

is the largest, being above one foot in length, and the extent of its wings more than four: It has large canine teeth, four cutting teeth above, and the same below; its tongue is pointed, and terminated with sharp-pointed papillæ, or prickles; its nose is sharp, and its ears large and naked; it has sive toes on the hind seet, furnished with strong hooked claws; it has no tail; the head is of a dark rust colour; the back dusky; the neck, shoulders, and under side, of a lighter brown, inclining to red; the membranes of the wings dusky.

They feed on fruits, and are extremely fond of the

juice of the palm-tree, with which they will frequently intoxicate themselves, so as to drop on the ground. One hundred and fifty or two hundred of them may fometimes be feen on the fame tree, all hanging with their heads down, and their wings folded; and in this manner they repose during great part of the day.-They grow very fat at certain times of the year; and when young, they are eaten by the Indians, and confidered as excellent food.

THE ROUGETTE, OR LESSER TERNATE BAT,

inhabits the same countries, and is very similar to the last in the shape of its head and body: The hair is of a cinerous brown colour; and on the neck it has a halfcollar, of a lively red, mixed with orange. It is about five inches long; and the extent of its wings little more than two feet.

The Rougettes fly in flocks, and perfectly obscure the air with their numbers. They fly from one island to another, and begin their flight about fun-fet. During the day they lodge in the hollow trunks of trees. They fkim along the furface of the water with great eafe, and frequently dip and wash themselves in the sea. They live chiefly in trees; and when about to fly, they beat the air with their wings, before they can difengage themselves from the branch to which they are attached. When shot at or suddenly surprised, several of them fall to the ground; and in that situation are incapable of refuming their flight, till they climb upon some elevated object. They move aukwardly on the ground, and use their utmost efforts to quit it as soon as possible.

Both these kinds bring only one young at a time, once a year.

THE SPECTRE BAT

is a native of South-America. It is called the Vampyre by M. Buffon; who supposes it to be one of the blood-fucking tribe.

Its nose is long; and at the end there is a membrane, of a conical form, somewhat like a horn, but slexile, which gives it a hideous and disgusting aspect. It has no tail. Its body is covered with long hair, of an ash colour.

THE SENEGAL BAT

has two cutting teeth in the upper, and fix in the under jaw; and two canine teeth, and eight grinders, in each jaw: Its head is long, ears fhort and pointed, head and body of a tawny-brown colour, belly lighter, length rather more than four inches, extent of the wings twenty-one.

THE BULL-DOG BAT.

Its nose is thick; lips large, and somewhat pendulous; its ears are broad and round, the edges touching each other in the front; the upper part of the body is of a deep ash colour, the lower paler; its tail is long; length about two inches,—extent of the wings nine and a half: It has twenty-six teeth; two cutting and two canine in each jaw; eight grinders in the upper, and ten in the lower jaw.

Hh

THE BEARDED BAT.

The nostrils of this animal are not separated by a cartilage, as in most animals, but are placed on the side of a small gutter or surrow, which is open from one end to the other; the ears are long and narrow; the upper part of the head and body is of a reddish-brown colour,—the lower part whitish, tinged with yellow; hair on the forehead and under the chin very long; length of the body about an inch and a half,—extent of the wings little more than seven.

THE STRIPED BAT

has a fmall, fhort nose; ears short, broad, and pointing forward.—These Bats vary in colour. The body is generally of a clear brown,—the under part whitish: Its wings are striped with black, and sometimes with yellow and brown.—Length of the body two inches.——It is a native of Ceylon, where it is called *Kiriwoula*.

To this we may add a very minute kind, mentioned by Mr Forster, which was seen and heard in myriads on the island of Tanna, one of the New Hebrides; but every attempt of our voyagers to obtain a nearer inspection of them, failed of success.

Bats differ very much in the number and disposition of their teeth, which has occasioned no small confusion in the arrangements of systematic writers; some of them being furnished with two, others with more, cutting teeth in each jaw.

We have now given the most distinguished varieties of this curious spccies. It would be fruitless, if not imposfible, to point out all the peculiarities to be found in the various tribes which abound in every country in the world, and differ from each other more in their habits and dispositions than in their exterior form and appearance, which in all of them feem to be equally deformed and difgusting .- But we should not from hence conclude, that imperfection and deformity are always in uniform analogy with the notions we have preconceived of what is fair and beautiful .- Amidst the infinite productions of creative power, variety of form, difference of faculties, and degrees of utility, are eminently observable; compoling one general plan, in which wildom, order, and fitness, are displayed through all its parts.

$F \cdot I N I S.$





